

IRON SIGHT SLIDE FOR GLOCK® 19 GEN 3 - BROWNELLS IRON SIGHT SLIDE +WINDOW GEN3 GLOCK® 19 STAINLESS NITRIDE

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

Perfect "Top Half" for a D.I.Y. Custom Pistol - Available with Window OR Wraparound Front Serrations

The Brownells Iron Sight Slide for Glock 19® Gen3 enables you to build a custom Glock®-style pistol with a slide that sports distinctive cocking serrations. The front serrations aid in manipulating the slide, especially for quick chamber checks AND for clearing the occasional jam (caused by problem ammo, of course!). Both the front and rear serrations are cut to the same depth as the Glock® factory slide serrations to ensure preservation of structural rigidity. The top edges and the front around the muzzle area are chamfered to reduce the risk of snagging on clothing and to make holstering the pistol easier. You can get your Brownells Iron Sight Slide for Glock® 19 Gen3 with a solid top and wraparound front cocking serrations OR a window cutout on top between the front side serrations. The window aids in heat dissipation to keep the barrel cool during extended fire. If you have an aftermarket barrel with a contrasting finish and / or fluting, spirals, "flames," or some other a unique exterior pattern, the window also shows off a bit of your pistol's bling. Accepts Gen3 Glock® 19 internal parts Factory cuts for iron sights Sturdy machined 17-4 stainless steel Hardened to Rockwell "C" 41-44 for superb wear resistance Durable, non-reflective matte Black Nitride finish Channel liner not included; please order separately (see note below) Window model available Like all Brownells slides, the Iron Sight model for Glock® 19 Gen3 is precision machined from solid 17-4 stainless steel billet to factory specifications inside so it is compatible with any factory or aftermarket Gen3 internal components. Outside, there's a Glock® factory rear sight dovetail and a standard Glock® front sight tenon cut ready for any factory or aftermarket sights you choose. This is the perfect companion "top-half" for a custom pistol built on a Polymer80 80% frame. Brownells Gun Tech™ Note: Channel liner required for these slides. Channel liner is a press fit and requires a tool to install. We recommend #777-100-017.



The Brownells Front Cut Slides for Glock® pistols allows any operator to build a custom Glock® style pistol from the ground up with a slide already customized with front slide serrations. Our Front Cut Slides feature a unique wraparound slide serration design that aids in weapon manipulation, especially when checking the chamber. Serrations are cut to the same depth as Glock® factory models to ensure lower slide rigidity. Models are also available with top window cutout between the front serrations. Slides start out as 17-4 stainless steel billet and are machined internally to factory specifications. Slides are compatible with any standard Glock® 17 or 19 components. The factory Glock® rear sight dovetail is machined, with a standard Glock® front sight cut at the front. Machined from 17-4 Stainless Steel Billet Heat treated & finished with a matte black nitride finish Factory internal dimensions Available for Glock® 17 or 19 pistols Available with a top window cutout at the front Factory Glock® sight cuts For Gen3 pistols Improve the functionality and performance of your Glock® 17 or 19 with the Brownells Front Cut Slides. Channel liner required for these slides. Channel liners are a press fit and require a tool to install.

Attributes

- Name: [BROWNELLS IRON SIGHT SLIDE +WINDOW GEN3 GLOCK® 19 STAINLESS NITRIDE](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 078000369
- Mfr. No.: NONE
- Cartridge: 9 mm Luger
- Finish: Black
- Model: 19
- Sights: Dovetail
- Style: Window
- Weapon type: Glock
- Delivery weight: 0.363kg
- Shipping height: 51mm
- Shipping width: 51mm
- Shipping length: 203mm
- UPC: 050806112575

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for Brownells Iron Sight Slide for Glock® 19 Gen 3
- About Us

Safety Instruction Guide for Brownells Iron Sight Slide for Glock® 19 Gen 3

Introduction

Thank you for choosing the Brownells Iron Sight Slide for Glock® 19 Gen 3. This product is designed to enhance your Glock® style pistol while ensuring safety during use. Please read this safety instruction guide carefully to understand how to use this product safely and effectively.

General Safety Guidelines

- Always ensure that the firearm is unloaded before installation or maintenance.
- Handle the slide and firearm with care to prevent accidental discharge.
- Store the slide and firearm in a safe location, out of reach of children and unauthorized users.
- Inspect the slide for any visible damage before use. Do not use if damaged.
- Follow all local laws and regulations regarding firearm modifications and use.

Specific Safety Precautions for Use

- Ensure that you are familiar with the operation of your Glock® 19 Gen 3 before using the Iron Sight Slide.
- Use only factory or compatible aftermarket parts to ensure safety and reliability.
- Be cautious of the sharp edges on the slide during installation and handling.
- If using the window model, be aware that it may expose some internal components; ensure they are in good condition.
- Regularly check for signs of wear or damage on the slide and replace it if necessary.

Instructions for Installation and Usage

1. Preparation:

- Ensure your workspace is clean and free from distractions.
- Gather all necessary tools, including the recommended tool for channel liner installation (#777100017).

2. Installation Steps:

- Unload your Glock® 19 Gen 3 and remove the slide from the frame.
- If applicable, remove the existing slide from the frame by following the manufacturer's instructions.
- Align the Brownells Iron Sight Slide with the frame and ensure it fits securely.
- Install the channel liner (not included) using the recommended tool. This is a press fit and requires careful installation.
- If using the window model, ensure that the barrel is properly installed and that the window is unobstructed.
- Reinstall any factory or compatible aftermarket sights onto the slide.

3. Usage:

- After installation, conduct a function check to ensure that the slide operates smoothly.
- Practice safe handling procedures when using your firearm.
- Regularly clean and maintain the slide to ensure optimal performance.

Disposal Instructions

- Dispose of any packaging materials in accordance with local waste disposal regulations.
- If the slide is damaged beyond repair, dispose of it in a manner that prevents misuse, such as cutting it into pieces.

Contact Information for Further Support

For any questions or concerns regarding the Brownells Iron Sight Slide for Glock® 19 Gen 3, please consult with a qualified gunsmith or contact the manufacturer directly for assistance.

Conclusion

Your safety is our priority. By following these guidelines, you can ensure a safe and enjoyable experience with your Brownells Iron Sight Slide for Glock® 19 Gen 3. Always remember to stay informed about any product recalls or safety alerts through the EU's Safety Gate platform. Thank you for your attention to safety, and enjoy your new product!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk