

RMR CUT SLIDE FOR GLOCK® 26 - BROWNELLS RMR SLIDE +WINDOW FOR GLOCK 26 GEN 1-4 SS NITRIDE

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

Build Your Own Fast-Action, Quick-Aiming Handgun

Known for its compact size that makes it an ideal option for concealed-carry use, the Glock G26 has often had fewer customization options than its larger siblings, the Glock G17 and G19. With the launch of the Brownells RMR Cut Glock 26 Slide, all that changes. The Brownells RMR Cut Glock 26 Slide is machined entirely from heat treated stainless steel and features a black-nitride finish to protect it from corrosion and wear. The Brownells RMR cut slide features OEM style rear serrations and additional front serrations for enhanced manipulation. The RMR cut slide also features a window cut on the top between the front serrations that reduces weight (and makes it look pretty sweet, too). The machining on the Brownells RMR Cut Glock 26 Slide doesn't end there; the slide also features a cutout sized to fit a Trijicon RMR red-dot sight or the Holosun HE508T, HS507C, & HS407C allowing for fast, easy target acquisition. Internally, the slide is machined to Glock factory specs, so it'll accept all standard G26 components. Channel liner required for these slides. Channel liners are a press fit and require a tool to install. Includes patented optic cut technology pioneered by ZEV Technologies. Patent No. RE47335



Attributes

- Name: [BROWNELLS RMR SLIDE +WINDOW FOR GLOCK 26 GEN 1-4 SS NITRIDE](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 078000479
- Mfr. No.:
- Cartridge: 9 mm Luger
- Finish: Stainless w/Nitride Finish
- Model: 26
- Sights: RMR
- Weapon type: Glock
- Delivery weight: 0.268kg
- Shipping height: 32mm
- Shipping width: 38mm
- Shipping length: 191mm
- UPC: 050806112773

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for RMR Cut Slide for Glock® 26](#)
- [About Us](#)

Safety Instruction Guide for RMR Cut Slide for Glock® 26

Introduction

Thank you for choosing the RMR Cut Slide for Glock® 26 from Brownells. This guide is designed to provide you with important safety instructions and guidelines to ensure safe and effective use of the product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Always ensure the firearm is unloaded before installation or maintenance.
- Handle the slide with care to avoid injury from sharp edges.
- Use only compatible components and accessories as specified in the product details.
- Store the product in a secure location away from children and unauthorized users.
- Regularly inspect the slide for any signs of wear or damage.
- If you notice any issues, do not use the slide and contact a qualified gunsmith for assessment.

Specific Safety Precautions for Use

- Ensure you are familiar with the operation of the Glock® 26 before using the RMR Cut Slide.
- Always wear appropriate eye protection when handling firearms or performing maintenance.
- Be aware of your surroundings and ensure a safe shooting environment when using the firearm.
- Do not modify the slide or firearm in any way that is not recommended by the manufacturer.
- Use the slide only with the specified Trijicon RMR or Holosun sights, as other sights may not fit properly.
- Follow all local laws and regulations regarding the use of firearms and firearm accessories.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is completely unloaded.
- Gather necessary tools for installation, including a channel liner installation tool.

2. Installation

- Remove the existing slide from the Glock® 26 by following the manufacturer's instructions.
- Install the channel liner into the new RMR Cut Slide using the appropriate tool.
- Align the RMR Cut Slide with the frame and ensure it fits snugly.
- Secure the slide in place by following the manufacturer's guidelines for reassembly.

3. Usage

- Once installed, ensure the slide operates smoothly by cycling the action several times.
- Attach the Trijicon RMR or Holosun sight as per the manufacturer's instructions.
- Conduct a function check to ensure proper operation before taking the firearm to the range.

4. PostUse Care

- After use, clean the slide and firearm as per standard maintenance procedures.
- Store the firearm securely when not in use.

Disposal Instructions

- Dispose of any damaged or worn components in accordance with local regulations.
- Do not discard the slide or any firearms components in regular household waste.
- Contact local authorities or a licensed disposal facility for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the RMR Cut Slide for Glock® 26, please refer to the manufacturer's website or customer support resources. Always ensure you have the latest information regarding safety recalls or updates on the product.

By following these safety instructions and guidelines, you can ensure a safe and enjoyable experience with your RMR Cut Slide for Glock® 26. Thank you for your attention to safety and for choosing our product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk