

# AR-15 GAS BLOCK FRONT SIGHT - YANKEE HILL MACHINE CO., INC.

## YHM-9394 -AR15 GAS BLOCK FRONT SIGHT W/LUG .750 STEEL

### BLACK

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

#### Immediate Response Sighting For Tactical Emergencies

Multi-purpose front sight works as a fully functional gas block, plus delivers lifesaving backup when primary optics fail or become hindered by low light or poor weather conditions. Machined, steel body features a spring-loaded pushbutton that locks sight in the deployed position. When not in use, simply depress the button and fold down for an unobstructed view through your optics. Protective ears guard the sight post from blows incurred during duty. Split, barrel clamp design allows easy mounting to standard contour barrels without removal of flash hiders or muzzle brakes. Hex cap screws pull clamping halves tight to barrel for complete sight immobilization when properly tightened. Durable, mil-spec, phosphate finish resists rust and corrosion. YHM-9394 includes bayonet lug and pivoting sling swivel that accepts tactical slings up to 1 1/4" wide. Rubber coating prevents swivel from rattling and giving away your position while on patrol. YHM-9835A has Picatinny-style under-rail that accepts lights, lasers, and other forward-mounted accessories. No sling swivel.



#### Attributes

- Name: [YANKEE HILL MACHINE CO., INC. YHM-9394 -AR15 GAS BLOCK FRONT SIGHT W/LUG .750 STEEL BLACK](#)
- Manufacturer: [YANKEE HILL MACHINE CO., INC.](#)
- Product no.: 100002237
- Mfr. No.: YHM-9394
- Colour: Dark Gray
- Height: 2.25
- Inside Diameter: .750
- Material: Steel
- Style: Flip-Up Sights
- Weapon type: AR-15
- Delivery weight: 0.091kg
- Shipping height: 18mm
- Shipping width: 86mm
- Shipping length: 109mm

#### Item details

Made in USA

US export classification: 0A501.x

# Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Gas Block Front Sight YHM9394
- About Us

# Safety Instruction Guide for AR15 Gas Block Front Sight YHM9394

## Introduction

Thank you for choosing the AR15 Gas Block Front Sight YHM9394. This product is designed to enhance your shooting experience by providing a reliable sighting solution while also functioning as a gas block. To ensure safe and effective use of this product, please read this safety instruction guide carefully.

## General Safety Guidelines

- Always handle firearms and their components with care and respect.
- Ensure that your firearm is unloaded before installation or adjustment of the sight.
- Keep this product out of reach of children and unauthorized users.
- Regularly inspect the sight for any signs of wear or damage before each use.
- Be aware of your surroundings and ensure a safe shooting environment.
- Follow all local laws and regulations regarding firearm use and modifications.
- Report any unsafe products or accidents to local authorities and check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Ensure the sight is securely mounted to the barrel before use to avoid accidental detachment.
- Do not attempt to modify or alter the sight in any way, as this may compromise its safety and functionality.
- Be cautious of the sight post when deploying or folding it to avoid pinching fingers.
- Use only compatible accessories with the underrail to prevent interference with the sight function.
- Avoid using the sight in extreme weather conditions without proper precautions, as visibility may be affected.
- Always wear appropriate eye and ear protection while shooting.

## Instructions for Installation and Usage

### Installation

1. **Preparation:** Ensure your firearm is unloaded. Gather necessary tools, including a hex wrench for tightening screws.
2. **Mounting:**
  - Locate the desired position on the barrel.
  - Align the gas block front sight with the barrel.
  - Use the split barrel clamp design to secure the sight in place without removing flash hiders or muzzle brakes.
  - Tighten the hex cap screws evenly to immobilize the sight. Ensure it is securely fastened to prevent movement during use.
3. **Check Alignment:** Confirm that the sight is aligned properly with your optics before use.

### Usage

1. **Deploying the Sight:**
  - To use the sight, press the springloaded pushbutton to unlock it.
  - Raise the sight post to the desired position for aiming.
2. **Folding the Sight:**
  - When not in use, depress the button and fold the sight down for an unobstructed view through your optics.

### 3. **Accessory Attachment:**

- If using YHM9835A, attach lights, lasers, or other accessories to the Picatinny-style underrail as needed.

## **Disposal Instructions**

- Dispose of the product in accordance with local regulations regarding electronic and metal waste.
- Do not dispose of the product in household waste.
- If the product is damaged or no longer functional, consider recycling options for the materials.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)