

AR-15 MBUS GEN 2 SIGHT SET - MBUS SIGHT SET FLIP-UP POLYMER FOR AR-15 BLACK

Reliable, Low-Profile, Quick-Deploy Backup Sights

Low-profile, flattop-mounted, polymer sights deploy instantly at the touch of a finger to provide backup sighting if a primary optic fails. Streamlined contours mean there's nothing to snag on brush, sling, or other gear when folded. Spring-loaded ambidextrous release mechanism lets you hit the grooved tab on either side of the sight to deploy, and lock it in place. Hitting the same tabs retract the sight when you're done. Uses less than 1" of MIL-STD 1913 Picatinny receiver rail space and locks securely in place with the included steel crossbolt. Provides the same height over bore as standard A2 iron sights. Windage-adjustable rear sight has two apertures: a large, .185" peep and a .070" peep. Designed for AR-type rifles and carbines, fits any weapon with Picatinny rails. Front sight must be mounted on a railed forend on the same plane as the receiver rail to witness correctly with rear sight. Not compatible with railed gas blocks or the MOE handguard.



Attributes

- Name: MBUS SIGHT SET FLIP-UP POLYMER FOR AR-15 BLACK
- Manufacturer: MAGPUL
- Product no.: 100006941
- Mfr. No.:
- Color: Black
- Make: AR-15
- Style: Flip-Up
- Delivery weight: 0.091kg

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitsanleitung für das MAGPUL AR15 FlipUp MBUS Gen 2 Ersatzvisier Set](#)
- [English: AR15 MBUS GEN 2 SIGHT SET Safety Instructions](#)

Sicherheitsanleitung für das MAGPUL AR15 FlipUp MBUS Gen 2 Ersatzvisier Set

Einleitung

Danke, dass du dich für das MAGPUL AR15 FlipUp MBUS Gen 2 Ersatzvisier Set entschieden hast. Diese Anleitung bietet wichtige Sicherheitsanweisungen, um die sichere Nutzung und Installation deines neuen Visiersets zu gewährleisten. Bitte lies dieses Dokument sorgfältig durch, bevor du es benutzt.

Allgemeine Sicherheitsrichtlinien

- Stelle sicher, dass das Produkt gemäß den Anweisungen des Herstellers verwendet wird.
- Handle deine Feuerwaffe stets mit Respekt und befolge sichere Handhabungspraktiken.
- Überprüfe das Visier vor jedem Gebrauch, um sicherzustellen, dass es sich in einwandfreiem Zustand befindet.
- Verwende das Visier nicht, wenn es beschädigt oder defekt erscheint.
- Halte das Visier außerhalb der Reichweite von Kindern und unbefugten Benutzern.
- Achte auf deine Umgebung und stelle sicher, dass dein Schießbereich sicher und gesichert ist.

Besondere Sicherheitsvorkehrungen für die Nutzung

- Vergewissere dich immer, dass deine Feuerwaffe entladen ist, bevor du das Visier installierst oder einstellst.
- Versuche nicht, die Visiere zu installieren oder einzustellen, während die Feuerwaffe geladen ist.
- Stelle sicher, dass das Visier sicher verriegelt ist, bevor du es verwendest, um ein versehentliches Ausklappen zu verhindern.
- Sei vorsichtig beim Ausklappen oder Einziehen des Visiers, um Quetschungen der Finger oder Verletzungen zu vermeiden.
- Überprüfe regelmäßig die Festigkeit des Crossbolts, um sicherzustellen, dass das Visier sicher an der Schiene befestigt ist.
- Achte auf die Position des Visiers, wenn du Schlaufen oder anderes Zubehör verwendest, um ein Hängenbleiben zu vermeiden.

Anweisungen zur Installation und Nutzung

1. Installation:

- Stelle sicher, dass die Feuerwaffe entladen ist und in eine sichere Richtung zeigt.
- Finde die MILSTD 1913 PicatinnySchiene an deinem AR15.
- Positioniere das hintere Visier an der gewünschten Stelle auf der Schiene.
- Richte das Visier mit der Schiene aus und schiebe es an seinen Platz.
- Verwende den mitgelieferten StahlCrossbolt, um das Visier zu sichern. Ziehe ihn bis fest an, aber überziehe ihn nicht.
- Wiederhole den Vorgang für das vordere Visier.

2. Nutzung:

- Um das Visier auszuklappen, drücke den beidhändigen Auslömechanismus, der sich an beiden Seiten des Visiers befindet.
- Das Visier springt in die aufrechte Position.
- Um das Visier zu verriegeln, stelle sicher, dass es vollständig ausgeklappt ist und überprüfe, dass es sicher sitzt.
- Um das Visier wieder einzuziehen, drücke die gleichen Tabs und drücke das Visier sanft nach unten, bis es in der gefalteten Position einrastet.

Entsorgungsanweisungen

- Entsorge das Visierset gemäß den örtlichen Vorschriften.
- Entsorge das Visierset nicht im regulären Haushaltsmüll.
- Wenn das Produkt beschädigt oder nicht mehr verwendbar ist, ziehe in Betracht, Materialien wo möglich zu recyceln.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder Bedenken bezüglich des MAGPUL AR15 FlipUp MBUS Gen 2 Ersatzvisier Sets besuche bitte die Website des Herstellers oder kontaktiere deren Kundenservice für Unterstützung. Stelle sicher, dass du die Produktdetails bereithältst, um eine effizientere Anfrage zu gewährleisten.

Durch die Befolgung dieser Richtlinien kannst du die sichere und effektive Nutzung deines MAGPUL AR15 FlipUp MBUS Gen 2 Ersatzvisier Sets gewährleisten. Danke, dass du Sicherheit und verantwortungsbewusste Handhabung von Feuerwaffen priorisierst.

AR15 MBUS GEN 2 SIGHT SET Safety Instructions

Introduction

Thank you for purchasing the AR15 MBUS GEN 2 Sight Set. This guide provides essential safety instructions to ensure the safe and effective use of your new sight set. Please read all instructions carefully before installation and use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as a backup sighting system for ARtype rifles and carbines.
- Always handle firearms responsibly and follow all local laws and regulations regarding firearm safety.
- Regularly inspect the sight set for any signs of wear or damage before each use.
- Keep the sight set and all related equipment out of reach of children and unauthorized users.
- If you experience any issues with the sight set, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- **Hazard Awareness:** Be aware of the potential hazards associated with using a firearm equipped with this sight set, including but not limited to accidental discharge and misalignment.
- **Installation:** Ensure that the sight is correctly mounted on a railed forend that is on the same plane as the receiver rail.
- **Deployment:** Use the ambidextrous release mechanism to deploy and retract the sights. Do not force the sights open or closed.
- **Compatibility:** This sight set is not compatible with railed gas blocks or the MOE handguard. Ensure compatibility with your firearm before installation.
- **Storage:** When not in use, keep the sight set folded to minimize the risk of snagging on other gear.

Instructions for Installation and Usage

1. Installation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Locate the Picatinny rail on your firearm.
- Align the sight set with the rail and slide it into position.
- Secure the sight set using the included steel crossbolt to prevent movement.
- Confirm that the sight is locked in place before use.

2. Usage:

- To deploy the rear sight, press the grooved tab on either side of the sight.
- To lock the sight in place, ensure it clicks into position.
- To retract the sight after use, press the same tabs to fold it back down.
- Adjust the windage on the rear sight as needed for accurate aiming.

Disposal Instructions

- Dispose of the sight set in accordance with local waste management regulations.
- Do not dispose of the sight set in regular household waste.
- If the sight set is damaged beyond use, consider recycling the polymer components where facilities exist.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please consult the manufacturer's website or customer service resources. Always ensure that you have the latest information regarding recalls or safety updates.

Thank you for choosing the AR15 MBUS GEN 2 Sight Set. Your safety is our priority. Please follow these guidelines to ensure a safe and enjoyable experience.