

GEN 3 SLIDE COMPLETION KIT - GEN 3 GLOCK 17 SLIDE COMPLETION KIT

We've assembled this Glock 19 Gen3 Slide Parts Kit containing all the parts you need to complete the innards of an aftermarket slide or refurbish a factory slide to like-new standards. All the parts in our Glock 19 Gen3 Slide Parts Kit are OEM Glock factory parts made to the correct dimensions for proper fit, finish, and function in a factory spec slide. The Glock 19 Gen3 Slide Parts Kit contains (Note: the barrel is NOT included): Extractor with loaded chamber indicator (LCI) Extractor depressor plunger & spring Spring loaded bearing LCI Firing pin Firing pin safety & spring Firing pin channel liner Firing pin spring cups Firing pin spacer sleeve Slide cover plate Recoil spring assembly Gunsmith installation of some parts of the Glock 19 Gen3 Slide Completion Kit may advisable. If you have any questions, check with a qualified gunsmith.



Attributes

- Name: GEN 3 GLOCK 17 SLIDE COMPLETION KIT
- Manufacturer: GLOCK
- Product no.: 100025310
- Mfr. No.:
- Cartridge: 9 mm Luger
- Make: -
- Model: -
- Style: Kit
- Delivery weight: 0.091kg

Item details

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für das GEN 3 SLIDE COMPLETION KIT](#)
- [English: Safety Instruction Guide for GEN 3 Slide Completion Kit](#)

Sicherheitshinweise für das GEN 3 SLIDE COMPLETION KIT

Einführung

Herzlichen Glückwunsch zu Ihrem Kauf des GEN 3 SLIDE COMPLETION KIT für die Glock 17. Dieses Kit enthält alle Teile, die Sie benötigen, um das Innere eines AftermarketSlide zu vervollständigen oder einen FabrikSlide auf Neuzustand zu bringen. Bitte lesen Sie diese Sicherheitshinweise sorgfältig durch, um sicherzustellen, dass Sie das Produkt sicher und effektiv verwenden.

Allgemeine Sicherheitsrichtlinien

- Stellen Sie sicher, dass das Produkt in Übereinstimmung mit den geltenden Gesetzen und Vorschriften in Ihrem Land verwendet wird.
- Verwenden Sie das Produkt nur für den vorgesehenen Zweck.
- Halten Sie alle Teile des Kits außerhalb der Reichweite von Kindern und unbefugten Personen.
- Überprüfen Sie regelmäßig auf Anzeichen von Verschleiß oder Beschädigung.
- Bei Unsicherheiten oder Fragen wenden Sie sich an einen qualifizierten Büchsenmacher.

Spezifische Sicherheitsvorkehrungen für die Nutzung

- Tragen Sie immer geeignete Schutzausrüstung, einschließlich Schutzbrille und Handschuhe, während Sie mit dem Kit arbeiten.
- Vermeiden Sie es, das Kit in einer Umgebung mit hoher Luftfeuchtigkeit oder extremen Temperaturen zu verwenden.
- Arbeiten Sie in einem gut beleuchteten Bereich, um Unfälle zu vermeiden.
- Stellen Sie sicher, dass alle Teile korrekt installiert sind, um Fehlfunktionen zu verhindern.
- Verwenden Sie nur OEM GlockFabrikteile, um die Sicherheit und Funktionalität zu gewährleisten.

Anweisungen zur Installation und Nutzung

1. Vorbereitung:

- Stellen Sie sicher, dass alle Teile des Kits vorhanden sind.
- Reinigen Sie den Arbeitsbereich und alle Werkzeuge, die Sie verwenden werden.

2. Installation:

- Entfernen Sie vorsichtig den alten Slide und die alten Teile, falls vorhanden.
- Installieren Sie die neuen Teile gemäß den folgenden Anweisungen:
 - **Extractor mit Ladeindikator (LCI):** Setzen Sie den Extractor ein und sichern Sie ihn mit der ExtractorDruckfeder.
 - **Federbelastetes Lager:** Platzieren Sie das Lager an der vorgesehenen Stelle im Slide.
 - **Schlagbolzen:** Installieren Sie den Schlagbolzen und die Schlagbolzensicherung mit der entsprechenden Feder.
 - **SchlagbolzenkanalAuskleidung:** Setzen Sie die Auskleidung in den Schlagbolzenkanal ein.
 - **RückstoßfederAssembly:** Installieren Sie die RückstoßfederAssembly gemäß den Anweisungen des Herstellers.

3. Überprüfung:

- Überprüfen Sie nach der Installation alle Teile auf korrekten Sitz und Funktion.
- Führen Sie einen Funktionstest durch, um sicherzustellen, dass alles ordnungsgemäß funktioniert.

Entsorgungsanweisungen

- Entsorgen Sie alle Verpackungsmaterialien und nicht verwendeten Teile gemäß den örtlichen Vorschriften für Abfallentsorgung.
- Überprüfen Sie, ob Teile des Kits recycelbar sind, und entsorgen Sie sie entsprechend.

Kontaktinformationen für weitere Unterstützung

Für Unterstützung oder Fragen wenden Sie sich bitte an einen qualifizierten Büchsenmacher oder den Hersteller des Produkts. Stellen Sie sicher, dass Sie alle relevanten Informationen zur Hand haben, um eine schnelle und effektive Hilfe zu erhalten.

Bitte beachten Sie: Diese Sicherheitshinweise sind nicht vollständig und ersetzen nicht die Notwendigkeit, sich an die örtlichen Gesetze und Vorschriften zu halten. Verwenden Sie das Produkt verantwortungsbewusst und sicher.

Safety Instruction Guide for GEN 3 Slide Completion Kit

Introduction

Thank you for choosing the GEN 3 Slide Completion Kit for your Glock 17. This guide provides essential safety instructions and guidelines to ensure the safe use of the product. Please read this document carefully before using the kit.

General Safety Guidelines

- Ensure that all parts of the kit are compatible with your Glock 17.
- Always handle firearms and firearm parts with care.
- Keep the kit and all firearm components out of reach of children and unauthorized users.
- Inspect all parts for damage or defects before use.
- Follow all local laws and regulations regarding firearms and firearm parts.
- Store the kit in a secure location when not in use.

Specific Safety Precautions for Use

- Use only OEM Glock factory parts for replacement to ensure safety and reliability.
- Always wear appropriate safety gear, including eye protection, when working with firearm parts.
- Ensure the firearm is unloaded before beginning any installation or maintenance work.
- Avoid working on your firearm in a cluttered or distracting environment.
- If you are unsure about any part of the installation process, consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools and components from the GEN 3 Slide Completion Kit.
- Ensure you have a clean and welllit workspace.

2. Installation Steps

- Remove the slide from the Glock 17 frame.
- Disassemble the slide carefully, noting the order of parts for reassembly.
- Install the new parts from the Slide Completion Kit in the following order:
 - Insert the extractor with the loaded chamber indicator (LCI).
 - Install the extractor depressor plunger and spring.
 - Place the springloaded bearing LCI into position.
 - Install the firing pin and firing pin safety along with their respective springs.
 - Insert the firing pin channel liner and ensure it is seated correctly.
 - Place the firing pin spring cups and the firing pin spacer sleeve in their designated positions.
 - Attach the slide cover plate securely.
 - Reassemble the recoil spring assembly.

3. Final Checks

- Conduct a thorough inspection of the slide to ensure all parts are installed correctly.
- Reattach the slide to the Glock 17 frame.
- Perform a function check to ensure proper operation.

Disposal Instructions

- Dispose of any unused or damaged parts in accordance with local regulations.
- Do not throw away firearm components in regular household waste.
- Contact local authorities for proper disposal methods of firearm parts.

Contact Information for Further Support

For any questions or concerns regarding the GEN 3 Slide Completion Kit, please consult a qualified gunsmith or refer to the manufacturer's website for additional resources.

Conclusion

By following these safety instructions, you can ensure a safe and effective installation of the GEN 3 Slide Completion Kit for your Glock 17. Always prioritize safety and seek professional assistance if needed. Thank you for your attention to these guidelines.