

510 SERIES LONG GUN REFLEX SIGHT - HS510C 2 MOA RED CIRCLE DOT REFLEX OPTIC SIGHT BLACK

[Optics & Mounting](#) > [Electronic Sights](#) > [Red Dot Sights](#)

Ensures Users Have a Clear Sight Picture

Built to provide shooters with an extra-wide sight picture, the Holosun HS510C Solar Open Reflex Circle Dot Sight provides users with an easy aiming system, thanks to the simple aiming point overlaid on a single plane. Constructed using a shock-resistant hood that's reinforced with titanium, the Holosun HS510C Solar Open Reflex Circle Dot Sight provides unlimited eye relief and is parallax-free, ensuring that you can get on target quickly and easily. The light is powered through an internal battery and an externally located solar panel, providing a running optic in any environment. Adjustment value: 1/2 MOA Features 12 brightness settings 50,000-hour battery life Weight: 8.3 ounces In addition to its versatile, rugged construction, the Holosun HS510C Solar Open Reflex Circle Dot Sight also allows owners to select between dot, ring and dot-and-ring reticle options, depending on their personal preferences.



Attributes

- Name: [HS510C 2 MOA RED CIRCLE DOT REFLEX OPTIC SIGHT BLACK](#)
- Manufacturer: [HOLOSUN](#)
- Product no.: 100029501
- Mfr. No.: HS510C
- Battery Life: 50000 hours
- Brightness Settings: 12 settings
- Finish: -
- Night Vision Compatible: Yes
- Night Vision Compatible: Yes
- Power Supply: (1) CR 2032 Lithium battery
- Reticle: 65 MOA Ring / (2) Vertical 1 MOA Dots
- Sight Type: Reflex
- Weight: 8.3 oz
- Delivery weight: 0.374kg
- Shipping height: 79mm
- Shipping width: 92mm
- Shipping length: 121mm
- UPC: 605930624571

Item details

This product is excluded from discount promotions.

US export classification: 0A504.c

Table of Contents

- Startpage
- Holosun HS510C Solar Open Reflex Circle Dot Sight Safety Instructions
- About Us

Holosun HS510C Solar Open Reflex Circle Dot Sight Safety Instructions

Introduction

Thank you for choosing the Holosun HS510C Solar Open Reflex Circle Dot Sight. This guide provides essential safety information, usage instructions, and disposal guidelines to ensure your safety and the optimal performance of your product. Please read this manual carefully before using the sight.

General Safety Guidelines

- Ensure the product is used in accordance with the manufacturer's instructions.
- Inspect the sight for any signs of damage before use. Do not use if damaged.
- Keep the sight out of reach of children and vulnerable individuals.
- Store the sight in a cool, dry place when not in use.
- Be aware of your surroundings and ensure the area is safe before aiming or shooting.
- Always handle firearms responsibly and in compliance with local laws and regulations.

Specific Safety Precautions for Use

- Do not look directly at the sun through the sight as it may cause permanent eye damage.
- Ensure that the sight is securely mounted to the firearm before use.
- Check the battery level regularly to ensure optimal performance.
- Use the sight only with compatible firearms.
- Avoid using the sight in extreme weather conditions, such as heavy rain or snow, which may affect visibility.
- Use the brightness settings to adjust for different lighting conditions to ensure proper visibility.

Instructions for Installation and Usage

Installation

1. Mounting the Sight:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the mounting screws from the sight.
- Align the sight with the mounting rail on your firearm.
- Securely tighten the mounting screws to ensure the sight is firmly attached.

2. Battery Installation:

- Locate the battery compartment on the sight.
- Use a suitable tool to open the compartment.
- Insert the (1) CR 2032 Lithium battery, ensuring correct polarity.
- Close the battery compartment securely.

Usage

1. Adjusting Brightness:

- Use the brightness control buttons to cycle through the 12 available brightness settings.
- Choose a brightness level suitable for your environment.

2. Selecting Reticle Options:

- The HS510C offers dot, ring, and dot and ring reticle options.
- Use the reticle selection button to choose your preferred option.

3. Zeroing the Sight:

- Following initial installation, zero the sight according to the manufacturer's instructions.
- Make adjustments in 1/2 MOA increments based on your shooting distance.

4. Regular Maintenance:

- Clean the lens with a soft, lint-free cloth to avoid scratches.
- Check all screws and mounts regularly to ensure they remain tight.

Disposal Instructions

- Dispose of the sight and its components in accordance with local regulations.
- Remove the battery before disposal and recycle it according to local battery recycling guidelines.
- Do not dispose of the sight in regular household waste.

Contact Information for Further Support

For any safety inquiries or additional support regarding the Holosun HS510C Solar Open Reflex Circle Dot Sight, please refer to the manufacturer's contact information provided on the product packaging or website.

By following these safety instructions, you can ensure a safe and enjoyable experience with your Holosun HS510C Solar Open Reflex Circle Dot Sight. Always prioritize safety and responsible firearm handling.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at