

# LOCK-N-LOAD HEADSPACE BUSHINGS - 0.240" HEADSPACE BUSHING

[Reloading](#) > [Measuring Tools](#) > [Case Gauges & Headspace Tools](#)

The Hornady Lock-N-Load Headspace Gauge is perfect for measuring from the case-head to the datum line on the case shoulder to allow proper brass resizing for a precise fit with the rifle chamber. Bushing fit the comparator body and attach to calipers with a thumb screw.



## Attributes

- Name: [0.240" HEADSPACE BUSHING](#)
- Manufacturer: [HORNADY](#)
- Product no.: 100031831
- Mfr. No.: G240
- Delivery weight: 0.045kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 178mm
- UPC: 090255706659

## Item details

Made in USA  
EU Export Disabled

# Table of Contents

- Startpage
- LOCKNLOAD HEADSPACE BUSHINGS Safety Instruction Guide
- About Us

# LOCKNLOAD HEADSPACE BUSHINGS Safety Instruction Guide

## Introduction

Thank you for choosing the Hornady LockNLoad Headspace Bushings. This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read and understand all sections carefully before using the product.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose, which is to measure headspace for brass resizing.
- Always keep the product out of reach of children and vulnerable individuals.
- Inspect the product for any damage before use. Do not use if damaged.
- Follow all local laws and regulations regarding the use of reloading tools and equipment.
- Report any unsafe conditions or accidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Do not exceed the recommended measurement limits of the bushing.
- Always use the bushing with the comparator body and calipers as instructed.
- Avoid applying excessive force when tightening the thumb screw to prevent damage.
- Use protective eyewear when measuring to prevent injury from any potential debris.
- Ensure that the work area is clean and free of distractions during use.

## Instructions for Installation and Usage

### 1. Installation:

- Carefully remove the LockNLoad Headspace Bushing from its packaging.
- Attach the bushing to the comparator body by aligning the grooves and securing it firmly.
- Use the thumb screw to attach the comparator body to your calipers, ensuring a tight fit.

### 2. Usage:

- Place the case on a flat, stable surface.
- Position the comparator body with the bushing against the case shoulder.
- Adjust the calipers to measure from the casehead to the datum line on the case shoulder.
- Record the measurement for further processing.

### 3. Storage:

- After use, clean the bushing and comparator body to remove any debris.
- Store the product in a dry, cool place, away from direct sunlight and moisture.

## Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic waste and tools.
- Do not dispose of the product in regular household waste.
- If unsure about disposal methods, consult local waste management authorities for guidance.

## **Contact Information for Further Support**

For any safety inquiries or additional support regarding the product, please refer to the manufacturer's contact details provided on the product packaging or visit the official Hornady website.

Thank you for your attention to these safety instructions. Your safety is our priority, and we hope you enjoy using the Hornady LockNLoad Headspace Bushings responsibly.

# About Us

## **Brownells Deutschland**

**Brownells Deutschland - Einer der größten Lieferanten für Waffenteile,  
Büchsenmacherwerkzeug & Schießsportzubehör**

Lahnstraße 1  
24539 Neumünster  
Deutschland

[www.brownells-deutschland.de](http://www.brownells-deutschland.de)