

LOCK-N-LOAD AP SHELLPLATE - #23 LOCK-N-LOAD SHELLPLATE

[Reloading](#) > [Shellholders & Shellplates](#)

Shell plates for Lock-N-Load AP and Pro-Jector are available to fit most calibers. Each shell plate will also hold additional calibers with the same case head dimensions. Current shell plates are designed to fit Lock-N-Load AP (both EZ-Ject and wire ejector models) and Pro-Jector presses. These shell plates require the purchase of the 749-012-552 Hornady Auto press retrofit kit if your press still has the OLD STYLE SPRING TYPE CARTRIDGE CASE EJECTOR SYSTEM. If you have any questions please contact your Sinclair tech 800-717-8211. View Hornady Shellplate Chart.



Attributes

- Name: [#23 LOCK-N-LOAD SHELLPLATE](#)
- Manufacturer: [HORNADY](#)
- Product no.: 100031898
- Mfr. No.: 392623
- Cartridge: -
- Style: Press Type
- Delivery weight: 0.249kg
- Shipping height: 13mm
- Shipping width: 102mm
- Shipping length: 127mm
- UPC: 090255926231

Item details

Made in USA

Table of Contents

- Startpage
- LOCKNLOAD AP SHELLPLATE #23 Safety Instruction Guide
- About Us

LOCKNLOAD AP SHELLPLATE #23 Safety Instruction Guide

Introduction

Thank you for purchasing the LOCKNLOAD AP SHELLPLATE #23. This shell plate is designed for use with the LockNLoad AP and Projector presses, accommodating various calibers. It is essential to follow the safety guidelines and instructions outlined in this document to ensure safe and effective use of the product.

General Safety Guidelines

- Always read and understand the product manual before use.
- Ensure that the shell plate is compatible with your press model.
- Keep the workspace clean and organized to prevent accidents.
- Store the shell plate in a safe place, out of reach of children.
- Regularly inspect the shell plate for any signs of wear or damage.
- Do not use the shell plate for any purpose other than intended.

Specific Safety Precautions for Use

- Ensure the press is turned off and unplugged before installing or removing the shell plate.
- Use appropriate personal protective equipment, such as safety glasses, when operating the press.
- Avoid wearing loose clothing or jewelry that may become entangled in the press mechanism.
- Do not exceed the recommended load limits for the shell plate and press.
- If you experience any unusual noises or resistance during operation, stop immediately and inspect the equipment.

Instructions for Installation and Usage

1. Installation

- Ensure the press is turned off and unplugged.
- Remove any existing shell plate from the press.
- Align the LOCKNLOAD AP SHELLPLATE #23 with the mounting points on the press.
- Secure the shell plate in place according to the manufacturer's instructions.
- If your press has the OLD STYLE SPRING TYPE CARTRIDGE CASE EJECTOR SYSTEM, purchase the 749012552 Hornady Auto press retrofit kit for proper functionality.

2. Usage

- Load the appropriate caliber cartridge cases into the shell plate.
- Follow the press manufacturer's instructions for operation.
- Monitor the loading process closely to ensure safety and accuracy.
- After use, remove the shell plate and clean it to maintain its condition.

Disposal Instructions

- Dispose of any damaged or worn shell plates in accordance with local regulations.
- If the product is no longer in use, consider recycling it if possible.
- Do not dispose of the shell plate in regular household waste.

Contact Information for Further Support

For any inquiries regarding the LOCKNLOAD AP SHELLPLATE #23, including safety concerns or product compatibility questions, please contact your local Sinclair tech support.

Conclusion

By following these safety instructions and guidelines, you can ensure a safe and effective experience while using the LOCKNLOAD AP SHELLPLATE #23. Stay informed about safety updates and recalls by checking the EU's Safety Gate platform regularly. Thank you for prioritizing safety in your reloading activities.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz