

STEEL LEVER 45-70 GOVERNMENT LEVER ACTION RIFLE - STEEL LEVER 45-70 GOVERNMENT 18.43" BBL 4RD WALNUT

[Firearms](#) > [Rifles](#) > [Lever Action](#)

HENRY REPEATING ARMS STEEL LEVER 45-70 GOVERNMENT LEVER ACTION RIFLE Originally a military caliber standardized for the battlefields of the 1870s, .45-70 Government has stood the test of time and still thrives nearly a century and a half later in hunting camps across the country. When it comes to hurling a huge chunk of lead downrange, there is no finer way to do it than with a Henry. Sufficiently punchy enough to stop any North American game, .45-70 started with a 405-grain lead bullet propelled with 70 grains of black powder. A longer 500-grain grain load was later added to extend effective range, while the original lighter cartridge was kept for use in cavalry carbines. Since then, this caliber gained wide commercial support, and you can find anything from a high-velocity expanding 300-grain load to 600-grain subsonic. The robust rimmed case feeds reliably from tube magazines, while modest chamber pressure aids extraction. Once available in every kind of action, .45-70 recommended itself best in lever-action repeaters. The Henry Steel Lever Action .45-70 Side Gate is the most advanced example of that breed. The H010G is fairly light at seven pounds for easy game stalking, and the ventilated rubber recoil pad keeps it easy on the shoulder. The matte blued steel receiver and an 18.4" round barrel are all-business, while beautiful checkered American walnut adds the classic visual appeal that we made our name on. The pistol-grip buttstock and steel-capped forend come with sling swivel studs already installed so that a sling can be used for stability and muzzle rise control. The side-loading gate makes reloading and topping off the four-shot tubular magazine quick and easy without losing your sight picture. For quick and safe unloading without cycling cartridges through the action, the rifle also retains our original front-loading option. The adjustable semi-buckhorn rear sight and a brass-beaded front post sight work best for rapid shots typical of hog hunts, while the drilled and tapped receiver enables easy scope mounting for deliberate longer-range aim. Handy and powerful, this lever gun delivers rapid follow-up shots on grizzly and precise one-shot stops on whitetail deer with equal competency. The Steel Lever Action .45-70 Side Gate provides stopping power, accuracy, and reliability at an unbeatable price tag — all in a classic style.

SPECIFICATIONS: Caliber: 45-70 Government Capacity: 4 Rounds Barrel Length: 18.43" Barrel Type: Round Blued Steel Rate of Twist: 1:20 Overall Length: 37.5" Weight: 7.08 lbs. Receiver Finish: Blued Steel Rear Sight: Fully Adj. Semi-Buckhorn w/ Diamond Insert Front Sight: Brass Bead Scopeability: Drilled and Tapped Scope Mount Type: Weaver 63B Stock Material: American Walnut Buttplate/Pad: Black Ventilated Rubber Recoil Pad Length of Pull: 14" Safety: Transfer Bar Best Uses: Target/Hunting/Large Game, Deer, Bear, Hogs, Moose, Elk at 100 yards.



Attributes

- Name: [STEEL LEVER 45-70 GOVERNMENT 18.43" BBL 4RD WALNUT](#)
- Manufacturer: [HENRY REPEATING ARMS](#)
- Product no.: 100041648
- Mfr. No.: H010G
- Action Type: Lever Action
- Barrel Length: 18.43"

- Capacity: 4+1-Round
- Cartridge: 45-70 Government
- Finish: Blued
- Front Sight: Adjustable
- Length: 37.5"
- Magazine Included: NA
- Magazine Type: Tubular
- Make: Henry, Henry Repeating Arms
- Model: Steel Lever Side Gate
- Muzzle: Plain
- Rear Sight: Adjustable
- Stock Material: Wood
- Weight: 7.08 lbs
- Delivery weight: 3.856kg
- Shipping height: 51mm
- Shipping width: 178mm
- Shipping length: 1,067mm
- UPC: 619835100146

Item details

Made in USA

US export classification: 0A501.a

Table of Contents

- Startpage
- Safety Instruction Guide for the STEEL LEVER ACTION SIDE GATE .4570
- About Us

Safety Instruction Guide for the STEEL LEVER ACTION SIDE GATE .4570

Introduction

Thank you for choosing the STEEL LEVER ACTION SIDE GATE .4570. This guide provides essential safety instructions and guidelines to ensure the safe use of your firearm. Please read this document carefully before using the product.

General Safety Guidelines

- Always treat every firearm as if it is loaded.
- Keep your finger off the trigger until you are ready to shoot.
- Always point the firearm in a safe direction.
- Be aware of your target and what is beyond it.
- Store the firearm in a secure location, out of reach of children and unauthorized users.
- Regularly inspect your firearm to ensure it is functioning properly.
- Use only the recommended ammunition type for your firearm.
- Always wear appropriate hearing and eye protection when shooting.
- Follow all local laws and regulations regarding firearm ownership and use.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before performing any maintenance or cleaning.
- Avoid using the firearm in adverse weather conditions that could impair visibility or handling.
- Do not modify the firearm in any way that could affect its safety or performance.
- Be cautious when loading and unloading the firearm, ensuring that the muzzle is pointed in a safe direction.
- Use the adjustable rear and front sights to ensure accurate aiming.
- Be aware of your surroundings and ensure a clear shooting area before firing.
- If the firearm fails to fire, keep the muzzle pointed in a safe direction and wait at least 30 seconds before attempting to clear the malfunction.

Instructions for Installation and Usage

- **Loading the Firearm:**

1. Ensure the firearm is pointed in a safe direction.
2. Open the side loading gate to access the magazine.
3. Carefully insert the .4570 cartridges into the magazine.
4. Close the loading gate securely.

- **Firing the Firearm:**

1. Ensure the firearm is properly loaded.
2. Take a stable shooting position and aim at your target.
3. Gently squeeze the trigger to fire.

- **Unloading the Firearm:**

1. Point the firearm in a safe direction.
2. Open the side loading gate and remove the cartridges from the magazine.
3. Cycle the action to ensure the chamber is empty.

4. Check visually to confirm the firearm is unloaded.

- **Cleaning and Maintenance:**

1. Ensure the firearm is unloaded before cleaning.
2. Use a cleaning rod and appropriate cleaning materials for the barrel and action.
3. Regularly lubricate moving parts to maintain optimal performance.
4. Store the firearm in a cool, dry place.

Disposal Instructions

- Dispose of any unused ammunition according to local regulations.
- Do not throw firearms in the trash or leave them in public areas.
- Contact local authorities or licensed dealers for proper disposal of firearms and ammunition.

Contact Information for Further Support

For any safety inquiries or concerns regarding your STEEL LEVER ACTION SIDE GATE .4570, please consult the manufacturer or your local firearms dealer for assistance. It is important to ensure that you have access to reliable support for your firearm needs.

Important Note: This safety instruction guide is intended to promote safe handling and usage of your firearm. Always stay informed about safety practices and comply with all regulations to ensure a safe shooting experience.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at