

RTS-1 REKLUSE SEAR LINK TECHNOLOGY TRIGGERS - KE ARMS

RTS-1 REKLUSE SEAR LINK TECHNOLOGY TRIGGER

[Rifle Parts](#) > [Triggers Parts](#) > [Triggers](#)

The RTS-1 REKLUSE Is the next evolution of KE Arms proven Sear Link Technology trigger systems. The RTS-1 REKLUSE has an even more sealed design to isolate its moving parts from fouling and debris. It also has a full mil-spec power equivalent hammer spring making it more reliable with combloc and old surplus primers. This heavier spring makes the RTS-1 reliable with the Sig MCX and .22 kits with firing pin springs. 4.5 Pound Single Sage Trigger Pull Minimal Take-up And Overtravel Ultra-Crisp Break Improved Tactile Reset Drastically Reduce Split Times Simple Drop In Installation Available As Standard Trigger Or With Ambidextrous Safety EFFICIENT ENERGY TRANSFER There is no disconnecter for the hammer to drive through, thus creating a more efficient cycle of the bolt simply pushing the hammer out of the way as the gun fires. Forces of the bolt on the hammer are not transmitted into any other components of the trigger assembly. Constant sear engagement against the hammer means the trigger is always ready to reset and fire. IMPROVED SAFETY Due to the unique geometry of the trigger, the safety can always be applied regardless of the hammer being down or cocked. When used appropriately this adds another level of safety to administrative handling and clearing of malfunctions. IMPROVED RELIABILITY Moving parts are sealed making it much less susceptible to fouling and debris. IMPROVED LONGEVITY No impact on moving internal parts increases longevity of the trigger system. ANY CALIBER The RTS-1 has been tested thoroughly with traditional AR calibers and pistol caliber blow back systems. It has also been tested in the Sig Sauer MPX with no damage. INSTALLATION The RTS-1 REKLUSE Drops into mil-spec fire control pockets and is retained with standard fire control pins captured by springs inside the housing bushings. Unit Weight 0.16 Pounds US Patent 10401107 US Patent 10837726



Attributes

- Name: [KE ARMS RTS-1 REKLUSE SEAR LINK TECHNOLOGY TRIGGER](#)
- Manufacturer: [KE ARMS](#)
- Product no.: 100042639
- Mfr. No.: 1-50-11-007
- Style: Single-Stage
- Weapon type: AR-15
- Delivery weight: 0.104kg
- Shipping height: 36mm
- Shipping width: 83mm
- Shipping length: 95mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [RTS1 REKLUSE Sear Link Technology Trigger Safety Instruction Guide](#)
- [About Us](#)

RTS1 REKLUSE Sear Link Technology Trigger Safety Instruction Guide

Introduction

Thank you for purchasing the RTS1 REKLUSE Sear Link Technology Trigger. This guide provides essential safety instructions and information to ensure the safe and effective use of your trigger. Please read this document carefully before installation and use.

General Safety Guidelines

- **Product Safety:** This product has been designed to meet safety standards for nonfood products. Ensure you understand its operation before use.
- **Enhanced Recalls:** In the event of a safety issue, recall notices will be standardized, and remedies will be provided at no cost.
- **Online Shopping Protections:** If purchased online, you have the same safety protections as when buying in physical stores.
- **Consumer Focus:** Extra precautions are in place for vulnerable groups. Ensure that children do not have access to this product.
- **EU Contact Point:** For safety inquiries, refer to the designated EUbased contact for assistance.
- **Rapid Alerts:** Stay informed about unsafe products through the Safety Gate system.

Specific Safety Precautions for Use

- **Age Restrictions:** This product is intended for use by adults. Keep out of reach of children.
- **Proper Handling:** Always treat the trigger as if it is loaded. Follow all firearm safety rules.
- **Safe Environment:** Use the trigger in a controlled environment, free from distractions and hazards.
- **Inspection:** Regularly inspect the trigger for any signs of wear or damage. Do not use if damaged.
- **Training:** Ensure that all users are properly trained in the operation of firearms and trigger systems.
- **Malfunction Procedures:** If the trigger malfunctions, follow appropriate procedures for clearing malfunctions safely.

Instructions for Installation and Usage

1. Installation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- The RTS1 REKLUSE is designed to drop into milspec fire control pockets.
- Use standard fire control pins retained by springs inside the housing bushings to secure the trigger.
- Verify that the installation is secure and that the trigger operates smoothly.

2. Usage:

- The RTS1 REKLUSE features a 4.5pound singlestage trigger pull with minimal takeup and overtravel.
- Always ensure that the safety is engaged when the firearm is not in use.
- Familiarize yourself with the ultracrisp break and improved tactile reset to enhance your shooting experience.
- Practice safe shooting techniques and maintain focus while using the trigger.

Disposal Instructions

- Dispose of the RTS1 REKLUSE trigger in accordance with local regulations for electronic and firearm components.
- Ensure that the trigger is rendered unusable before disposal to prevent misuse.
- Check with local waste management authorities for specific disposal guidelines.

Contact Information for Further Support

For any questions or concerns regarding the RTS1 REKLUSE Sear Link Technology Trigger, please refer to the designated EUbased contact for assistance.

By following these guidelines, you can ensure a safe and enjoyable experience with your RTS1 REKLUSE Trigger. Thank you for prioritizing safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk