

WWSDE 223 REMINGTON UPPER RECEIVER - KE ARMS WWSDE 223 REM UPPER RECEIVER 16" EURO EDITION NO AUTO SEAR

[Rifle Parts](#) > [Receiver Parts](#) > [Receivers](#) > [Upper Receivers](#)

Overrun of Europe compliant WWSDE Upper Receiver, which features a 223 Wylde chamber and semi-auto bolt carrier. Otherwise same as a domestic US product. The KE-15 Slick Side forged flat top complete upper receiver is precision machined from 7075-T6 forgings to MilSpec standards, made to fit all M16/M4 rifles and carbines. Featuring USGI type T marked top, making it easy to remount any of your tactical accessories. Milspec type III hard anodized and ready to be assembled with your choice of components. 16" Midlength Gas System Pencil Profile with 223 Wylde Chamber and A2 Flash Hider. Nitride Finished barrel. Slick M16 Chrome Complete Bolt Carrier Group with HMB Bolt. Semi-Auto/ Full Auto M16 Complete bolt carrier group made by Young Manufacturing Inc. using MILSPEC quality steel on in-house CNC machines. All carriers are then heat-treated, hard-chromed. Standard MIL-SPEC carrier with additional care taken during machining process Sharp edges and rough finishes eliminated. Will NOT shred fingers and operates smoothly Hard chromed after heat treatment Made of same steel and using same processes as our National Match but to standard MILSPEC design The HMB Bolt by HM Defense eliminates the pass through cam pin hole and replaces it with a cam pin socket and radiused cam pin design. The new patented design eliminates the natural weak point of Mil-Spec bolts by significantly increasing the amount of metal (and strength) at the cam pin location. The result- NO MORE BROKEN BOLTS! The HMB Bolt also reduces contact between cam pin and firing pin, enabling smoother operation of firing pin, bolt lugs and aft gas rings. The new cam pin socket also retains lubrication for extended operations. Also includes our recoil lug supported gas key Breech Ambidextrous Charging Handle 15" Carbon Fiber Rail System, 8 MLOK slots on 7 sides, and 5 MLOK slots on the top Total Weight 3.45 Pounds with 15" Handguard



Attributes

- Name: [KE ARMS WWSDE 223 REM UPPER RECEIVER 16" EURO EDITION NO AUTO SEAR](#)
- Manufacturer: [KE ARMS](#)
- Product no.: 100043980
- Mfr. No.: 1-50-03-370
- Cartridge: 223 Remington
- Colour: Black
- Contour: Lightweight
- Finish: Anodized
- Length: 16"
- Muzzle: 1/2-28
- Style: Complete
- Twist: 1-8
- Weapon type: AR-15
- Delivery weight: 2.268kg
- Shipping height: 95mm
- Shipping width: 95mm
- Shipping length: 718mm

Item details

Made in USA

US export classification: 0A501.e

Table of Contents

- Startpage
- KE ARMS WWSDE 223 REMINGTON UPPER RECEIVER Safety Instruction Guide
- About Us

KE ARMS WWSDE 223 REMINGTON UPPER RECEIVER Safety Instruction Guide

Introduction

Thank you for choosing the KE ARMS WWSDE 223 Remington Upper Receiver. This product is designed for use in firearms and requires careful handling and proper installation to ensure safety. This guide provides essential safety instructions and guidelines to help you use this product safely and effectively.

General Safety Guidelines

- Always treat the upper receiver as if it is loaded, even when you believe it is not.
- Keep your fingers off the trigger until you are ready to fire.
- Ensure that you are in a safe environment when handling the upper receiver.
- Always wear appropriate eye and ear protection when using firearms.
- Store the upper receiver in a secure location, away from children and unauthorized users.
- Be aware of your surroundings and ensure a clear line of sight when using firearms.
- Regularly inspect the upper receiver for any signs of wear or damage before use.
- Follow all local laws and regulations regarding the use and ownership of firearms.

Specific Safety Precautions for Use

- Do not modify the upper receiver or any of its components in a way that may compromise safety or functionality.
- Ensure that the upper receiver is compatible with your lower receiver and other components before installation.
- Use only highquality, compatible ammunition as specified for the 223 Remington cartridge.
- Be cautious of potential hazards when cleaning or maintaining the upper receiver, such as sharp edges or moving parts.
- Always engage the safety mechanism when the firearm is not in use.
- Avoid using the upper receiver under adverse weather conditions that may affect performance.

Instructions for Installation and Usage

1. Installation:

- Ensure that you have all necessary tools and components before beginning installation.
- Follow the manufacturer's instructions for attaching the upper receiver to the lower receiver.
- Check that all screws and fasteners are tightened securely.
- Inspect the assembly to ensure proper fit and alignment.

2. Usage:

- Before firing, ensure that the firearm is pointed in a safe direction.
- Load the firearm only when you are ready to shoot.
- After firing, keep the firearm pointed downrange until you are ready to unload.
- If a misfire occurs, wait at least 30 seconds before attempting to clear the chamber.
- Always clean and maintain the upper receiver according to the manufacturer's recommendations.

Disposal Instructions

- Dispose of the upper receiver in accordance with local regulations.
- Do not dispose of the upper receiver in regular household waste.

- If the upper receiver is damaged or no longer functional, consult with a qualified firearms expert for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or concerns regarding the KE ARMS WWSDE 223 Remington Upper Receiver, please contact your local dealer or a qualified firearms expert.

By following these guidelines, you can ensure safe and responsible use of the KE ARMS WWSDE 223 Remington Upper Receiver. Always prioritize safety and stay informed about best practices in firearm handling and maintenance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk