

"THE" SEATING DIE - SHORT ACTION CUSTOMS "THE" SEATING DIE WITH MODEL 1 & 2

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

THE SHORT ACTION CUSTOMS "THE" SEATER DIE FOR PRECISE BULLET SEATING ACROSS SEVERAL CARTRIDGES!

The Short Action Customs "The" Seating Die is designed to be the only bullet seating die you will ever need for a family of cartridge bodies. For example, without purchasing any additional parts, you can easily and precisely seat bullets in any cartridge body which has a base diameter (.200" above the bolt face) of .470" to .473" in diameter. That is virtually every short action, standard bolt face cartridge!!! Here is how The Bullet Seating Die works. The center bore of the die body is drilled and bored to ensure concentricity and parallelism to the bottom of the die and 7/8 x 14 threads. Next, they precision ream the center bore for a perfect finish, lastly the hole is internally burnished for a mirror like surface finish while controlling the inside diameter to a tolerance of +/- .0002". This precision guide channel only has .001" to .002" total clearance around the base of the cartridge, properly locating the cartridge in the die body. Next the spring-loaded Cartridge Shoulder Sleeve and precision guided Bullet Seating Sleeve are held concentric and are guided by this precision cartridge bore in the die body. This ensures the absolute most concentric and true assembly. Furthermore, SAC tops off The Bullet Seating Die with a Mitutoyo Micrometer head which has .001" graduations for a total travel of .500" for the more precise bullet seating adjustments. Lastly, they incorporated a micrometer tension system to achieve a very positive feel when turning the micrometer head and prevent accidental movement. The Bullet Seating Die can properly seat 22 Caliber, 6mm, 25 Caliber, 6.5mm, 7mm, and 30 caliber bullets!



Attributes

- Name: [SHORT ACTION CUSTOMS "THE" SEATING DIE WITH MODEL 1 & 2](#)
- Manufacturer: [SHORT ACTION CUSTOMS](#)
- Product no.: 100050174
- Mfr. No.: SAC-TSD
- Delivery weight: 0.447kg
- Shipping height: 57mm
- Shipping width: 114mm
- Shipping length: 337mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for THE SEATING DIE SHORT ACTION CUSTOMS
- About Us

Safety Instruction Guide for THE SEATING DIE SHORT ACTION CUSTOMS

Introduction

Thank you for choosing the Short Action Customs "The" Seating Die. This product is designed to provide precise bullet seating for various cartridge bodies. To ensure your safety and the effective use of this product, please read and follow the guidelines outlined in this instruction manual.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in this manual.
- Always wear appropriate safety gear, including eye protection, when using the die.
- Keep the die out of reach of children and vulnerable individuals.
- Regularly inspect the die for any signs of wear or damage. Do not use if damaged.
- Follow local regulations regarding the use and disposal of reloading equipment and materials.

Specific Safety Precautions for Use

- Use the die only with compatible cartridge bodies that have a base diameter of .470" to .473".
- Ensure that the die is securely attached to your reloading press before use.
- Do not exceed the recommended bullet seating depths; refer to your reloading manuals for specifications.
- Avoid using excessive force when adjusting the micrometer head to prevent damage.
- Always doublecheck the alignment of the cartridge before seating bullets.
- Store the die in a cool, dry place when not in use to prevent corrosion.

Instructions for Installation and Usage

1. Installation:

- Securely attach the Seating Die to your reloading press using the 7/8 x 14 threads.
- Ensure that the die is tightened properly to prevent movement during operation.

2. Usage:

- Prepare your cartridge case and ensure it is clean and free from debris.
- Insert the cartridge case into the die body, ensuring it is properly located in the precision guide channel.
- Adjust the micrometer head to the desired bullet seating depth.
- Slowly and steadily pull the handle of your reloading press to seat the bullet.
- Inspect the seated bullet for proper depth and alignment.
- Repeat the process for additional cartridges, monitoring for consistency.

Disposal Instructions

- Dispose of any used or damaged components in accordance with local regulations.
- Recycle packaging materials where possible.
- Do not dispose of reloading materials in regular household waste.

Contact Information for Further Support

For any inquiries regarding safety or product usage, please refer to the manufacturer's contact information provided with your product packaging or on the official website.

Thank you for prioritizing safety while using the Short Action Customs "The" Seating Die. Your adherence to these guidelines helps ensure a safe and effective reloading experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk