

M-BRACE LASER RANGEFINDER BRIDGE - AMERICAN RIFLE COMPANY 35MM & 36MM RANGEFINDER BRIDGE BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

Extremely strong and light-weight, CNC machined from 7075 aluminum alloy and anodized for excellent corrosion resistance and a matte-black finish. Torque spec: 6.2 Nm (55 in-lbs). OVERVIEW 7075 Aluminum Picatinny (MIL-STD-1913) rail Compatible with American Rifle Company M-Brace Mount Weight with mounting hardware for 34mm width 4.5 oz (127 grams) Proudly engineered and manufactured in the USA



Attributes

- Name: [AMERICAN RIFLE COMPANY 35MM & 36MM RANGEFINDER BRIDGE BLACK](#)
- Manufacturer: [AMERICAN RIFLE COMPANY](#)
- Product no.: 100050441
- Mfr. No.: 001100263536
- Finish: Black
- Scope Tube Diameter: 36mm,35mm
- Style: Picatinny
- Delivery weight: 0.404kg
- Shipping height: 89mm
- Shipping width: 76mm
- Shipping length: 140mm
- UPC: 810094450618

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [MBRACE LASER RANGEFINDER BRIDGE SAFETY INSTRUCTION GUIDE](#)
- [About Us](#)

MBRACE LASER RANGEFINDER BRIDGE SAFETY INSTRUCTION GUIDE

Introduction

Thank you for purchasing the MBrace Laser Rangefinder Bridge by American Rifle Company. This guide provides essential safety instructions and information to ensure the safe and effective use of your product. Please read all sections carefully before installation and usage.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as a rangefinder bridge.
- Always follow the installation instructions to prevent accidents or damage.
- Regularly inspect the product for any signs of wear or damage before each use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- **Weight Limit:** Ensure that the total weight of the mounted equipment does not exceed the product's specifications.
- **Installation Surface:** Use the product only on compatible Picatinny rails (MILSTD1913) to avoid instability.
- **Torque Specification:** Adhere to the torque specification of 6.2 Nm (55 inlbs) during installation to prevent damage or failure.
- **Corrosion Resistance:** Although anodized for corrosion resistance, avoid exposure to harsh chemicals or environments that may compromise the finish.
- **Inspection Before Use:** Always check that all mounting hardware is secure before use.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench.
- Ensure you have a clean and welllit workspace.

2. Installing the MBrace Laser Rangefinder Bridge:

- Align the bridge with the Picatinny rail on your firearm.
- Insert the mounting hardware through the designated holes.
- Use the torque wrench to tighten the screws to the specified torque of 6.2 Nm (55 inlbs).

3. After Installation:

- Verify that the bridge is securely attached and does not move.
- Conduct a test to ensure that the rangefinder operates correctly with the bridge installed.

4. Using the Rangefinder:

- Follow the manufacturer's instructions for the rangefinder you are using.
- Always maintain a proper shooting stance and be aware of your surroundings.

Disposal Instructions

- Dispose of packaging materials responsibly and in accordance with local regulations.
- When the product reaches the end of its life, recycle it according to local electronic waste disposal guidelines to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the MBrace Laser Rangefinder Bridge, please refer to the manufacturer's customer support. Ensure that you have the product details on hand for efficient assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your MBrace Laser Rangefinder Bridge. Thank you for choosing American Rifle Company.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk