

REPLACEMENT LIGHT HEADS - MODLITE SYSTEMS OKW LIGHT HEAD FDE

[Shooting Accessories](#) > [Flashlights & Accessories](#) > [Weapon Lights](#)

High-Powered Replacement Light Heads

REPLACEMENT LIGHT HEADS The OKW light head is a direct replacement for the Surefire M600DF head. It can be used with the Modlite 18650 body or the smaller Modlite 18350 body. While lumen output is only 680 lumen the throw is about 400% greater than the M600DF. This light head is best suited for situations where extreme throw is needed. Hand assembled in and tested in the USA. Lifetime guarantee Approximately 680 out the front lumens and candela is approximately 69,000. This light is an excellent choice for anyone needing maximum throw. 6061 Series Alum bezel with Mil-Spec Hard Anodizing. Ultra clear BOROFLOAT® lens allows 98-99% light transmittance. The IR-850 light head can be used with our 18650 body, our smaller 18350 body or the Surefire® M600DF Dual Fuel body. This is a dedicated IR illumination head that is designed to output IR light in the 850nm IR spectrum. The reflector is designed to deliver a good amount of spill and a well defined hot spot at distances up to 300 yards depending on atmospheric conditions. Hand assembled in and tested in the USA. Lifetime guarantee Approximately 1100mW IR output. (for comparison the SF 952v is 160mW) 6061 Series Alum bezel with Mil-Spec Hard Anodizing. Ultra clear BOROFLOAT® lens allows 98-99% light transmittance. NOTE: Lithium CR123 cells are not supported and if used will cause the cells to heat up and possibly explode or catch fire. We recommend the KeepPower 18650/18350 high drain cells which can be found here. Runtime is about 120 minutes with 18650 and about 50 minutes with the smaller 18350 cells. Do not stack 18350 cells into an 18650 body this can cause the light to malfunction. Only use 18650 cells in 18650 bodies and 18350 cells in 18350 bodies.



Attributes

- Name: [MODLITE SYSTEMS OKW LIGHT HEAD FDE](#)
- Manufacturer: [MODLITE SYSTEMS](#)
- Product no.: 100061534
- Mfr. No.: OKWHEADFDE
- Colour: Flat Dark Earth
- Delivery weight: 0.073kg
- Shipping height: 38mm
- Shipping width: 38mm
- Shipping length: 57mm
- UPC: 850008965191

Item details

Made in USA

Table of Contents

- Startpage
- Replacement Light Heads Modlite Systems OKW Light Head FDE Safety Instructions
- About Us

Replacement Light Heads Modlite Systems OKW Light Head FDE Safety Instructions

Introduction

Thank you for choosing the Replacement Light Heads Modlite Systems OKW Light Head FDE. This product is designed to provide enhanced illumination for various applications. To ensure your safety and the proper functioning of the device, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle the light head with care to avoid damage.
- Keep the light head and its components out of reach of children.
- Regularly inspect the light head for any signs of damage or wear before use.
- Do not attempt to modify or disassemble the light head.
- Follow all local regulations and guidelines regarding the use of illumination devices.

Specific Safety Precautions for Use

- **Battery Safety:**
 - Use only recommended battery types. For this product, use KeepPower 18650/18350 high drain cells.
 - Do not use Lithium CR123 cells, as they can cause overheating, explosion, or fire.
 - Ensure batteries are installed correctly, observing the correct polarity.
- **Heat Management:**
 - Be aware that prolonged use may cause the light head to become hot. Avoid direct contact with the lens or body during and shortly after use.
- **Environmental Considerations:**
 - Do not use the light head in wet or damp conditions unless it is rated for such use.
 - Avoid exposing the light head to extreme temperatures or direct sunlight for extended periods.

Instructions for Installation and Usage

- **Installation:**
 1. Ensure the light head is compatible with your Modlite 18650 or 18350 body.
 2. Align the threads of the light head with the body and gently screw it on until secure.
 3. Do not overtighten, as this may damage the threads or the light head.
- **Usage:**
 - To turn the light on, press the designated switch or button.
 - Adjust the beam focus as needed for your application.
 - For maximum throw, ensure the light head is fully charged and the batteries are in good condition.
- **Runtime:**
 - Expect approximately 120 minutes of runtime with 18650 cells and about 50 minutes with 18350 cells.
- **Maintenance:**
 - Regularly clean the lens with a soft, lintfree cloth to maintain optimal light output.
 - Store the light head in a cool, dry place when not in use.

Disposal Instructions

- Dispose of the light head and batteries in accordance with local regulations and guidelines for electronic waste.

- Do not dispose of batteries in regular household waste. Check for local recycling programs that accept batteries.
- If the product is no longer functional or safe to use, ensure it is disposed of responsibly.

Contact Information for Further Support

For any inquiries regarding safety, usage, or product support, please refer to the official website or customer service of Modlite Systems. Always ensure you have the latest product information and safety updates.

By following these guidelines, you can ensure the safe and effective use of your Replacement Light Heads Modlite Systems OKW Light Head FDE. Thank you for prioritizing safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk