

REPLACEMENT LIGHT HEADS - MODLITE SYSTEMS PLHV2 LIGHT HEAD FDE

[Shooting Accessories](#) > [Flashlights & Accessories](#) > [Weapon Lights](#)

High-Powered Replacement Light Heads

REPLACEMENT LIGHT HEADS The OKW light head is a direct replacement for the Surefire M600DF head. It can be used with the Modlite 18650 body or the smaller Modlite 18350 body. While lumen output is only 680 lumen the throw is about 400% greater than the M600DF. This light head is best suited for situations where extreme throw is needed. Hand assembled in and tested in the USA. Lifetime guarantee Approximately 680 out the front lumens and candela is approximately 69,000. This light is an excellent choice for anyone needing maximum throw. 6061 Series Alum bezel with Mil-Spec Hard Anodizing. Ultra clear BOROFLOAT® lens allows 98-99% light transmittance. The IR-850 light head can be used with our 18650 body, our smaller 18350 body or the Surefire® M600DF Dual Fuel body. This is a dedicated IR illumination head that is designed to output IR light in the 850nm IR spectrum. The reflector is designed to deliver a good amount of spill and a well defined hot spot at distances up to 300 yards depending on atmospheric conditions. Hand assembled in and tested in the USA. Lifetime guarantee Approximately 1100mW IR output. (for comparison the SF 952v is 160mW) 6061 Series Alum bezel with Mil-Spec Hard Anodizing. Ultra clear BOROFLOAT® lens allows 98-99% light transmittance. NOTE: Lithium CR123 cells are not supported and if used will cause the cells to heat up and possibly explode or catch fire. We recommend the KeepPower 18650/18350 high drain cells which can be found here. Runtime is about 120 minutes with 18650 and about 50 minutes with the smaller 18350 cells. Do not stack 18350 cells into an 18650 body this can cause the light to malfunction. Only use 18650 cells in 18650 bodies and 18350 cells in 18350 bodies.



Attributes

- Name: [MODLITE SYSTEMS PLHV2 LIGHT HEAD FDE](#)
- Manufacturer: [MODLITE SYSTEMS](#)
- Product no.: 100061535
- Mfr. No.: MM-PLHV2-HEAD-FDE
- Colour: Flat Dark Earth
- Delivery weight: 0.07kg
- Shipping height: 38mm
- Shipping width: 38mm
- Shipping length: 57mm
- UPC: 850008965192

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for Modlite Systems PLHV2 Light Head
- About Us

Safety Instruction Guide for Modlite Systems PLHV2 Light Head

Introduction

Thank you for choosing the Modlite Systems PLHV2 Light Head. This guide provides essential safety instructions and guidelines to ensure safe and effective use of the product. Please read this document carefully to understand how to use the light head safely and responsibly.

General Safety Guidelines

- Ensure safe use of the product by following all instructions provided in this guide.
- Be aware of the potential hazards associated with the use of this product, including risks related to improper handling and usage.
- Always use the light head in accordance with the manufacturer's specifications to avoid accidents or injuries.
- Keep the product out of reach of children and vulnerable individuals to prevent misuse or accidents.
- If you encounter any issues or suspect the product is unsafe, report it to the appropriate authorities and check for recall updates.

Specific Safety Precautions for Use

- Do not use Lithium CR123 cells with this product, as they are not supported and may cause overheating, explosion, or fire.
- Always use the recommended KeepPower 18650/18350 high drain cells to ensure optimal performance and safety.
- Avoid stacking 18350 cells into an 18650 body, as this can lead to malfunction of the light head.
- Ensure that the light head is properly attached to the compatible body before use to prevent disconnection during operation.
- Be cautious when using the light head in extreme conditions, as environmental factors may affect performance and safety.
- Regularly inspect the light head for any signs of damage or wear. If any damage is found, discontinue use immediately.

Instructions for Installation and Usage

1. Installation:

- Ensure you have the correct Modlite body (18650 or 18350) for your light head.
- Align the threads of the light head with the body and gently screw them together until secure.
- Do not overtighten, as this may damage the threads.

2. Battery Installation:

- Insert the recommended 18650 or 18350 battery into the body, ensuring correct polarity (+/-).
- Ensure the battery is securely in place before attaching the light head.

3. Usage:

- To turn on the light, press the designated switch on the body.
- Adjust the beam as needed for your specific application, ensuring that you are aware of your surroundings.
- Be mindful of the lumen output and candela rating, particularly in lowlight situations.

4. Maintenance:

- Clean the lens and bezel regularly to ensure maximum light transmittance.
- Store the light head in a cool, dry place when not in use to prolong its lifespan.

Disposal Instructions

- Dispose of the light head and batteries in accordance with local regulations for electronic waste.
- Do not dispose of batteries in regular household waste. Instead, use designated battery recycling programs.
- Ensure that the product is completely powered off and batteries are removed before disposal.

Contact Information for Further Support

For any questions or concerns regarding the Modlite Systems PLHV2 Light Head, please refer to the manufacturer's website or contact their customer support for assistance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk