

AR-15 MATCH ADJUSTABLE TRIGGER - ELFTMANN AR-15 MATCH TRIGGER CURVED FINGER ADJUSTABLE

[Rifle Parts](#) > [Triggers Parts](#) > [Triggers](#)

The ELF Match Trigger has been built for law enforcement and military duty. This trigger has a pull weight range from 2.75 lbs to 4lbs and is the only AR-15 trigger using aerospace grade sealed bearings, making for an incredibly smooth and fast trigger pull. Elftmann's exclusive .043 double double wound polished piano wire hammer spring ensures full ignition of any ammo including .308 and 7.62x39. Pull weight from 2 3/4 to 4lbs is so easy to adjust it can be done in seconds without removing the trigger from your lower receiver. A second-to-none AR-15 drop-in trigger system that is strong and light, made of wire EDM machined, hardened A2 tool steel and lightweight aircraft-grade aluminum. Installation can be done in minutes using your AR's original hammer and trigger pins. The amazingly short takeup, glass-rod crisp break and next to zero over-travel can be compared to the finest custom 1911 triggers. Adjustability puts you in charge based on your preference. If you are looking for the finest adjustable trigger for your service AR-15 platform, this is the trigger system for you. Features Fits any mil-spec AR-15 Straight or Curved Trigger Available Incremental Adjustment Kob Absolutely Drop-Safe regardless of pull-weight Adjustable from 2.75 lbs to 4lbs without removing from lower Proprietary Double-Double torsion hammer spring and heavy hammer ensure proper ignition of any ammunition Very short pull and reset allows for rapid follow up shots and greater accuracy Sturdy trigger assembly designed for rugged, trouble-free use; Made of lightweight aircraft-grade aluminum and hardened steel Unique design of disconnect allows full 1/4" width eliminating possibility of wear and double-firing High performance trigger and hammer needle bearings for smoother and faster firing



Attributes

- Name: [ELFTMANN AR-15 MATCH TRIGGER CURVED FINGER ADJUSTABLE](#)
- Manufacturer: [ELFTMANN](#)
- Product no.: 100800159
- Mfr. No.: MATCH-C FA
- Style: Curved
- Weapon type: AR-15
- Delivery weight: 0.082kg
- Shipping height: 25mm
- Shipping width: 76mm
- Shipping length: 89mm
- UPC: 702735757227

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for the AR15 Match Adjustable Trigger
- About Us

Safety Instruction Guide for the AR15 Match Adjustable Trigger

Introduction

Thank you for choosing the AR15 Match Adjustable Trigger by Elftmann. This guide provides essential safety instructions and information to ensure the safe use and installation of your trigger. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that the trigger is installed correctly before using your firearm.
- Always treat your firearm as if it is loaded, even when you believe it is not.
- Keep the firearm pointed in a safe direction at all times.
- Store your firearm and ammunition securely, away from children and unauthorized users.
- Regularly inspect the trigger and firearm for any signs of wear or damage.
- Do not use the trigger or firearm if any part appears damaged or malfunctioning.
- Follow all local laws and regulations regarding firearms and accessories.

Specific Safety Precautions for Use

- The AR15 Match Adjustable Trigger is designed for use with milspec AR15 platforms only.
- Adjust the trigger pull weight only when the firearm is unloaded and pointed in a safe direction.
- Ensure that the trigger is fully engaged and functioning correctly before firing.
- Be aware of your environment and ensure that no one is in the line of fire before discharging your firearm.
- Do not modify the trigger beyond the manufacturer's specifications.
- Use only ammunition that is compatible with your firearm to ensure proper ignition and function.

Instructions for Installation and Usage

Installation

1. **Preparation:** Ensure the firearm is unloaded and pointed in a safe direction.
2. **Remove the Old Trigger:** Use appropriate tools to remove the existing trigger and hammer pins from your lower receiver.
3. **Install the New Trigger:**
 - Insert the AR15 Match Adjustable Trigger into the lower receiver.
 - Align the trigger and hammer pins with the holes in the receiver.
 - Securely fasten the pins to hold the trigger in place.
4. **Adjust the Pull Weight:**
 - Locate the adjustment mechanism on the trigger.
 - Use a suitable tool to adjust the pull weight from 2.75 lbs to 4 lbs as desired.
 - Ensure that the adjustment is secure and does not interfere with trigger function.
5. **Test the Trigger:** Before using the firearm, perform a function check to ensure the trigger operates correctly.

Usage

- Always wear appropriate eye and ear protection when firing.
- Familiarize yourself with the operation of the trigger before using it in a livefire situation.
- Practice safe handling and shooting techniques at all times.

Disposal Instructions

- Dispose of the trigger in accordance with local regulations regarding electronic and metal waste.
- If the trigger is damaged or no longer functional, do not attempt to repair it. Dispose of it responsibly.

Contact Information for Further Support

For any questions or concerns regarding the AR15 Match Adjustable Trigger, please refer to the manufacturer's official website or contact their customer support for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your AR15 Match Adjustable Trigger. Always prioritize safety when handling firearms and their components.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk