

AR-15 MATCH ADJUSTABLE TRIGGER - ELFTMANN AR-15 MATCH TRIGGER STRAIGHT FINGER ADJUSTABLE

[Rifle Parts](#) > [Triggers Parts](#) > [Triggers](#)

The ELF Match Trigger has been built for law enforcement and military duty. This trigger has a pull weight range from 2.75 lbs to 4lbs and is the only AR-15 trigger using aerospace grade sealed bearings, making for an incredibly smooth and fast trigger pull. Elftmann's exclusive .043 double double wound polished piano wire hammer spring ensures full ignition of any ammo including .308 and 7.62x39. Pull weight from 2 3/4 to 4lbs is so easy to adjust it can be done in seconds without removing the trigger from your lower receiver. A second-to-none AR-15 drop-in trigger system that is strong and light, made of wire EDM machined, hardened A2 tool steel and lightweight aircraft-grade aluminum. Installation can be done in minutes using your AR's original hammer and trigger pins. The amazingly short takeup, glass-rod crisp break and next to zero over-travel can be compared to the finest custom 1911 triggers. Adjustability puts you in charge based on your preference. If you are looking for the finest adjustable trigger for your service AR-15 platform, this is the trigger system for you. Features Fits any mil-spec AR-15 Straight or Curved Trigger Available Incremental Adjustment Kob Absolutely Drop-Safe regardless of pull-weight Adjustable from 2.75 lbs to 4lbs without removing from lower Proprietary Double-Double torsion hammer spring and heavy hammer ensure proper ignition of any ammunition Very short pull and reset allows for rapid follow up shots and greater accuracy Sturdy trigger assembly designed for rugged, trouble-free use; Made of lightweight aircraft-grade aluminum and hardened steel Unique design of disconnect allows full 1/4" width eliminating possibility of wear and double-firing High performance trigger and hammer needle bearings for smoother and faster firing



Attributes

- Name: [ELFTMANN AR-15 MATCH TRIGGER STRAIGHT FINGER ADJUSTABLE](#)
- Manufacturer: [ELFTMANN](#)
- Product no.: 100800160
- Mfr. No.: MATCH-S FA
- Style: Straight
- Weapon type: AR-15
- Delivery weight: 0.082kg
- Shipping height: 25mm
- Shipping width: 76mm
- Shipping length: 89mm
- UPC: 702735757234

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for the AR15 Match Adjustable Trigger
- About Us

Safety Instruction Guide for the AR15 Match Adjustable Trigger

Introduction

Thank you for choosing the AR15 Match Adjustable Trigger by Elftmann. This guide provides essential safety instructions to ensure the safe and effective use of your trigger. Please read and understand these instructions carefully before installation and use.

General Safety Guidelines

- Ensure that the product is used in accordance with all local laws and regulations.
- Always treat your firearm as if it is loaded, even if you believe it is not.
- Keep the trigger and firearm away from children and unauthorized users.
- Inspect the trigger and firearm regularly for any signs of wear or damage.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about recall updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Pull Weight Adjustment:** Adjust the pull weight only when the firearm is unloaded and pointed in a safe direction.
- **Installation:** Ensure that the trigger is installed correctly according to the provided instructions to avoid malfunction.
- **Dry Firing:** Avoid dry firing without ensuring the firearm is safe and clear.
- **Ammunition:** Use only recommended ammunition types as specified in the product description to ensure proper ignition.
- **Environment:** Use the trigger in a safe environment, free from distractions and potential hazards.

Instructions for Installation and Usage

Installation Instructions

1. Preparation:

- Ensure the firearm is unloaded and in a safe condition.
- Gather necessary tools: AR's original hammer and trigger pins.

2. Remove the Old Trigger:

- Carefully remove the existing trigger from your lower receiver.

3. Install the New Trigger:

- Insert the AR15 Match Adjustable Trigger into the trigger housing.
- Secure it using the original hammer and trigger pins.

4. Adjust Pull Weight:

- Use the adjustment mechanism to set the pull weight between 2.75 lbs and 4 lbs.
- Adjust in small increments and test the trigger pull to find your preferred setting.

5. Final Check:

- Ensure all components are securely in place.
- Conduct a function test to ensure proper operation.

Usage Instructions

- Before using your firearm, always perform a safety check.
- Familiarize yourself with the trigger's operation, including the short takeup and crisp break.
- Practice in a controlled environment to become accustomed to the trigger's features.

Disposal Instructions

- Dispose of the trigger in accordance with local regulations regarding electronic waste and firearms accessories.
- Do not dispose of the trigger in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the AR15 Match Adjustable Trigger, please refer to the manufacturer's contact information provided with your product.

By following these safety instructions, you can ensure a safe and enjoyable experience with your AR15 Match Adjustable Trigger. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk