

AR-15 WORKHORSE HANDGUARDS M-LOK - BATTLE ARMS DEVELOPMENT INC. WORKHORSE 6.7 FREE FLOAT HANDGUARD ALUMINUM BLACK

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

The WORKHORSE® M-LOK® compatible rail system was designed to be a lightweight and slimline option to be used on MIL-SPEC carbines available on the market today. With M-LOK® mounting options at the 3,6, and 9 o'clock positions and skeletonized areas where M-LOK® is not used, this handguard not only offers function but shaves weight where it is not needed. Battle Arms still maintain 1913 MIL-SPEC Picatinny rail at the 12 o'clock position that we "notch cut" to match our upper receiver and reduce weight again. Offered in multiple lengths to accommodate different barrel lengths and different needs, the WORKHORSE® offers everything you need and nothing you don't.

Material: 6061 T6 Aluminum Length: 4", 6.7", 9.5", 13", 15" Internal Diameter: 1.36" Finish: Type 3 Black Hardcoat Anodize Attachment Type: M-LOK® Installation Torque Recommendations Barrel Nut 30-45 ft-lbs Screws 10-15 in-lbs



Attributes

- Name: [BATTLE ARMS DEVELOPMENT INC. WORKHORSE 6.7 FREE FLOAT HANDGUARD ALUMINUM BLACK](#)
- Manufacturer: [BATTLE ARMS DEVELOPMENT INC.](#)
- Product no.: 100801033
- Mfr. No.: BAD-WH6.7-MLOK
- Colour: Black
- Length: 6.7
- Material: Aluminum
- Style: M-LOK
- Type: Free Float
- Weapon type: AR-15
- Delivery weight: 0.324kg
- Shipping height: 83mm
- Shipping width: 133mm
- Shipping length: 343mm
- UPC: 810033782244

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- Safety Instruction Guide for AR15 WORKHORSE Handguards MLOK
- About Us

Safety Instruction Guide for AR15 WORKHORSE Handguards MLOK

Introduction

Thank you for choosing the AR15 WORKHORSE Handguards MLOK by Battle Arms Development Inc. This guide provides essential safety instructions and usage information to ensure safe handling and installation of your new handguard. Please read this manual carefully before use.

General Safety Guidelines

To ensure safe use of the AR15 WORKHORSE Handguards MLOK, please adhere to the following safety guidelines:

- Always handle firearms and firearm accessories with care.
- Ensure that the firearm is unloaded before installing or modifying any components.
- Keep the handguard out of reach of children and unauthorized users.
- Inspect the handguard for any signs of damage or defects before installation.
- Follow all local laws and regulations regarding firearm accessories and modifications.
- Use only compatible components with your AR15 platform.

Specific Safety Precautions for Use

When using the AR15 WORKHORSE Handguards MLOK, please take the following precautions:

- Ensure that the installation area is clean and free from debris.
- Wear appropriate personal protective equipment (PPE), such as gloves and safety glasses, during installation.
- Avoid applying excessive force when tightening screws to prevent damage to the handguard or firearm.
- Do not exceed the specified installation torque recommendations:
 - Barrel Nut: 3045 ftlbs
 - Screws: 1015 inlbs
- Regularly inspect the handguard after installation for any signs of wear or loosening.

Instructions for Installation and Usage

Follow these steps for the proper installation and usage of the AR15 WORKHORSE Handguards MLOK:

1. Preparation:

- Ensure that your AR15 is unloaded and pointed in a safe direction.
- Gather necessary tools: torque wrench, appropriate screwdrivers, and any other tools specified in the installation instructions.

2. Installation Steps:

- Remove the existing handguard from your AR15, if applicable.
- Align the WORKHORSE handguard with the upper receiver, ensuring that the notched cut matches the upper receiver.
- Secure the barrel nut using a torque wrench, applying the recommended torque of 3045 ftlbs.
- Attach the handguard to the barrel nut using the provided screws, tightening them to a torque of 1015 inlbs.
- Verify that the handguard is securely attached and does not move.

3. Usage:

- Once installed, the handguard can be used to mount accessories using MLOK compatible systems.
- Regularly check the stability of the handguard and attached accessories during use.

Disposal Instructions

When disposing of the AR15 WORKHORSE Handguards MLOK, please follow these guidelines:

- Dispose of the handguard in accordance with local regulations regarding metal and aluminum recycling.
- Ensure that any attached components or accessories are also disposed of properly.
- Do not dispose of the handguard in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the AR15 WORKHORSE Handguards MLOK, please refer to the contact information provided by the manufacturer. Ensure that you have the product details and purchase information available when seeking support.

Please remember to report any unsafe products or accidents to local authorities and check for recall updates on the EU's Safety Gate platform. Your safety is our priority. Thank you for your attention to these guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk