

WINCHESTER XPR LONG ACTION PICATINNY SCOPE MOUNT - EGW

WINCHESTER XPR LA 1-PIECE PICATINNY BASE 20 MOA

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

This mount comes standard with a bevel on both sides making it ambidextrous. EGW recommends measuring the hole spacing in your receiver to confirm it matches with the dimensions they have published. Picatinny cross slots run the full length of the rail, which gives the shooter flexibility when mounting scope rings and other accessories. The channel in the center reduces the overall mass of the mount. Also, in many cases, it will not obstruct usage of factory iron sights. Their one-piece scope mounts are the obvious choice for hunters and tactical shooters alike. They machine these in their shop using one of their machining centers. After machining, the mounts are tumbled, sand blasted, and Type II anodized for long lasting durability. Installation: EGW recommends 20 inch lbs of torque and a drip of blue loctite (loctite is sold separately). They recommend: 0 MOA - if shooting 0-500 yards 20 MOA - if shooting 500-1000 yards When zeroing your rifle with a 20 MOA mount, they recommend zeroing at 200 yards. The entire mount and accessories (from the mounting screws and wrench down to the packaging) are made in the USA.



Attributes

- Name: [EGW WINCHESTER XPR LA 1-PIECE PICATINNY BASE 20 MOA](#)
- Manufacturer: [EGW](#)
- Product no.: 296000617
- Mfr. No.: 42602
- Action Type: Long
- Colour: Black
- Elevation: 20 MOA
- Material: Aluminum
- Model: XPR
- Number of Bases: 1-Piece
- Style: Picatinny Rail
- Weapon type: Winchester
- Delivery weight: 0.091kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 229mm
- UPC: 841370114016

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for WINCHESTER XPR LONG ACTION PICATINNY SCOPE MOUNT](#)
- [About Us](#)

Safety Instruction Guide for WINCHESTER XPR LONG ACTION PICATINNY SCOPE MOUNT

Introduction

Thank you for choosing the WINCHESTER XPR LONG ACTION PICATINNY SCOPE MOUNT. This guide provides essential safety instructions and information to ensure the safe and effective use of this product. Please read and follow all instructions carefully to maximize your safety and the performance of your scope mount.

General Safety Guidelines

- Ensure the product is suitable for your firearm and intended use.
- Always handle firearms and accessories safely and responsibly.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the mount for signs of wear or damage before each use.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Do not exceed the recommended torque of 20 inch lbs when installing the mount.
- Use a drip of blue Loctite to secure the mounting screws (Loctite is sold separately).
- Confirm that the hole spacing in your receiver matches the dimensions provided by EGW.
- Avoid obstructing factory iron sights when mounting.
- When zeroing your rifle with a 20 MOA mount, it is recommended to zero at 200 yards.
- Ensure that you are familiar with the operation of your firearm before using the scope mount.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather the necessary tools: a torque wrench and a drip of blue Loctite.

2. Installation Steps

- Measure the hole spacing in your receiver to confirm compatibility with the mount.
- Align the Picatinny scope mount with the receiver holes.
- Insert the mounting screws into the holes and handtighten them.
- Using the torque wrench, tighten the screws to a maximum of 20 inch lbs.
- Apply a drip of blue Loctite to each screw to secure them in place.

3. Usage

- Once installed, check the stability of the mount and ensure it is securely attached.
- Mount your scope rings and any additional accessories as needed using the Picatinny cross slots.
- Regularly check the mount during use to ensure that it remains secure.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the mount in regular household waste.
- Consider recycling the aluminum material where possible.

Contact Information for Further Support

For questions or concerns regarding the WINCHESTER XPR LONG ACTION PICATINNY SCOPE MOUNT, please refer to the manufacturer's contact details provided in the product packaging or on their official website.

By following these safety instructions, you can ensure a safe and enjoyable experience with your WINCHESTER XPR LONG ACTION PICATINNY SCOPE MOUNT. Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk