

STEYR SBS PRO HUNTER SA HD PICATINNY SCOPE MOUNT - EGW

STEYR SBS PRO HUNTER SA 1-PIECE PICATINNY BASE 20 MOA

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

EGW recommends measuring the hole spacing in your receiver to confirm it matches with the dimensions they have published. Picatinny cross slots run the full length of the rail, which gives the shooter flexibility when mounting scope rings and other accessories. The channel in the center reduces the overall mass of the mount. Also, in many cases, it will not obstruct usage of factory iron sights. EGW one-piece scope mounts are the obvious choice for hunters and tactical shooters alike. EGW machines these in their shop using one of their machining centers. After machining, the mounts are tumbled, sand blasted, and Type III anodized for long lasting durability. Installation: EGW recommends 20 inch lbs of torque and a drip of blue loctite (loctite is sold separately). Recommend: 0 MOA - if shooting 0-500 yards 20 MOA - if shooting 500-1000 yards When zeroing your rifle with a 20 MOA mount, EGW recommends zeroing at 200 yards. The entire mount and accessories (from the mounting screws and wrench down to the packaging) are made in the USA.



Attributes

- Name: [EGW STEYR SBS PRO HUNTER SA 1-PIECE PICATINNY BASE 20 MOA](#)
- Manufacturer: [EGW](#)
- Product no.: 296000772
- Mfr. No.: 81072
- Action Type: Short
- Colour: Black
- Elevation: 20 MOA
- Material: Aluminum
- Model: SBS
- Number of Bases: 1-Piece
- Style: Picatinny Rail
- Weapon type: Steyr
- Delivery weight: 0.102kg
- UPC: 841370114658

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for STEYR SBS PRO HUNTER SA HD Picatinny Scope Mount](#)
- [About Us](#)

Safety Instruction Guide for STEYR SBS PRO HUNTER SA HD Picatinny Scope Mount

Introduction

Thank you for choosing the STEYR SBS PRO HUNTER SA HD Picatinny Scope Mount. This guide provides essential safety instructions and information to ensure safe usage of the product in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before installation and use.

General Safety Guidelines

- **Product Safety:** Always ensure that the product is used as intended. This mount is designed for use with rifles and should not be used for any other purpose.
- **Enhanced Recalls:** Stay informed about product recalls. If you receive a recall notice, follow the instructions provided.
- **Online Shopping Safety:** When purchasing online, ensure that the platform meets safety requirements and that the product is genuine.
- **Consumer Focus:** Be aware that extra precautions should be taken when this product is used by or around vulnerable groups, such as children.
- **EU Contact Point:** For safety inquiries, ensure you have access to an EU-based contact point for the product.
- **Rapid Alerts:** Regularly check the EU's Safety Gate platform for updates on unsafe products.

Specific Safety Precautions for Use

- **Installation:** Ensure that the scope mount is installed correctly to avoid any accidents or malfunctions.
- **Torque Specifications:** Use a torque wrench to apply 20 inch lbs of torque when securing the mount. Failure to do so may result in improper installation.
- **Loctite Usage:** Apply a drip of blue loctite to the screws to prevent loosening during use. Loctite is sold separately.
- **Zeroing:** When zeroing your rifle with a 20 MOA mount, it is recommended to zero at 200 yards for optimal performance.
- **Obstruction Check:** Ensure that the mount does not obstruct the usage of factory iron sights.
- **Regular Inspections:** Regularly inspect the mount for signs of wear or damage. Replace if necessary.

Instructions for Installation and Usage

1. **Measuring Hole Spacing:** Before installation, measure the hole spacing in your receiver to confirm it matches the dimensions published by EGW.
2. **Mounting the Scope:**
 - Align the Picatinny rail with the receiver.
 - Secure the mount using the provided screws.
 - Use a torque wrench to tighten the screws to 20 inch lbs.
 - Apply a drip of blue loctite to the screws to enhance security.
3. **Mounting Accessories:** The Picatinny cross slots allow flexibility for mounting scope rings and other accessories. Position them as needed for your shooting requirements.
4. **Final Checks:** After installation, check that all screws are tight and the mount is secure. Verify that the mount does not obstruct any factory iron sights.

Disposal Instructions

- **Environmental Responsibility:** Dispose of the product in accordance with local regulations. Do not dispose of the mount with regular household waste.

- **Recycling:** If possible, recycle the aluminum material. Check with local recycling facilities for proper disposal methods.

Contact Information for Further Support

For additional support or safety inquiries regarding the STEYR SBS PRO HUNTER SA HD Picatinny Scope Mount, please refer to the contact information provided with the product or visit the manufacturer's website.

Thank you for your attention to these safety instructions. Enjoy your shooting experience while ensuring safety and compliance with regulations.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk