

# NEXUS RIFLES - 24" NEXUS RIFLE 300PRC, LEUPOLD MARK V 5-25

[Firearms](#) > [Rifles](#) > [Bolt Action](#)

The nexus rifle system from the engineering minds at Gunwerks is the next step in the evolution of the Long Range Rifle System. Gunwerks has shed the limitations put in place by the Rem700 platform. The result yields both luxury and technology in a future-proof platform with a world of possibilities. The result of over 2 years of research and development and massive investment in manufacturing infrastructure & technology, the NEXUS is the first fully vertically integrated rifle system coming out of Gunwerks' state of the art facility in Cody, WY. Key Features: User changeable barrel Improved vertical grip New NEXUS Stock Design New NXT Action Design New Magazine & Bottom Metal Full Length ARCA + Picatinny bipod mount Specs: Caliber Options: 6.5 PRC or 300 PRC Barrel: 24" Stainless Steel, Carbon Wrapped w/ Directional Brake Overall Length: 40 3/4" (20" barrel @ 13.5 LOP) Weight: 7lbs 10oz (w/ 24" barrel) Action Material: 7075 Aluminum with Type 3 Hard Anodize Gunwerks patent-pending design allows a user to remove the stock and barrel with just a T25 wrench, and assemble it again with a new barrel and a new cartridge - all in minutes, without any concerns for part fitment or headspace safety concerns. They control the fit of their proprietary changeable bolt head and barrel extension with precision CNC machining to allow you the simplest installation possible. Truly future proof! With the design goal of a barrel system that's easy to replace and upgrade, while cutting the overall action weight down to titanium territory, the new NXT action is machined from a solid billet of aircraft grade 7075 aluminum and finished with a type III hard anodizing for extreme conditions use. The NXT also features a billet aluminum double stack magazine box that can be loaded from the top, and a firing pin blocking, three position safety. Gunwerks rounded out the NXT action with additional features like a 65 degree bolt lift, integrated 20 MOA rail, and toolless serviceable firing pin & bolt head. Building on the success and exceptional ergonomics of their ClymR and Magnus stocks, Gunwerks designed the NEXUS stock with a more vertical grip and enhanced thumb shelf. The tradeoff with these improvements is better fit, but less versatility in how a hand fits the grip to reach the trigger properly. They addressed this by developing a unique adjustable trigger shoe on the Trigger Tech trigger with .5" total forward and rear adjustment. The result is a perfect fit for almost any hand. In addition to the new grip, thumb shelf and leather paneling, Gunwerks maintained the same shallow toeline of the Magnus for excellent interface with a rear bag. The new NEXUS bottom metal interfaces with the stock as a full length ARCA + picatinny bipod rail, with built in trigger guard and accepts Gunwerks' new flush mount, detachable, double stack magazine. The Straight Carbon matte finish showcases exceptional quality hand layup structure of the stock. We integrated a full length ARCA rail into the bottom metal design of the NEXUS stock, plus a picatinny bipod mount and flush QD sling mounts. The billet aluminum, 3 round double stack magazine fits flush in the bottom metal with zero rattle and can be loaded from the top. Magazine length limitations are a constant battle in the REM700 platform. They were able to get away from this with the NEXUS design. Plenty of headroom to seat bullets out to the lands and shoulder support in the magazine to eliminate bullet tips from mashing due to recoil. Gunwerks set out to improve the skin to rifle contact on the NEXUS. Eventually, one option stood out from the rest. Nothing compares to the feel and function of luxurious, chrome tanned leather. The hand stitched leather paneling stands up well to weather and is factory serviceable should it ever need replaced. Your NEXUS leather will wear and patina with



use, telling the story of your adventures and exploits as you pass this heirloom on to your posterity.

## Attributes

- Name: [24" NEXUS RIFLE 300PRC, LEUPOLD MARK V 5-25](#)
- Manufacturer: [GUNWERKS](#)
- Product no.: 430102130
- Mfr. No.: RS-NXT-1AE8C
- Action Type: Bolt Action
- Barrel Length: 24"
- Capacity: 3-Round
- Cartridge: 300 PRC
- Finish: NA
- Front Sight: NA
- Length: NA
- Magazine Included: 1 x 3-Round
- Magazine Type: Detachable
- Make: Gunwerks
- Model: Nexus
- Muzzle: NA
- Rear Sight: NA
- Stock Material: NA
- Weight: NA
- Delivery weight: 4.423kg
- Shipping height: 184mm
- Shipping width: 445mm
- Shipping length: 1,410mm
- UPC: 855666005759

## Item details

Made in USA

US export classification: 0A501.a

# Table of Contents

- [Startpage](#)
- [NEXUS RIFLES 24" NEXUS RIFLE 300PRC, LEUPOLD MARK V 525 Safety Instruction Guide](#)
- [About Us](#)

# NEXUS RIFLES 24" NEXUS RIFLE 300PRC, LEUPOLD MARK V 525 Safety Instruction Guide

## Introduction

Thank you for choosing the NEXUS RIFLES 24" NEXUS RIFLE 300PRC. This guide provides essential safety instructions and guidelines to ensure safe and proper use of your rifle. Please read this manual carefully and follow all instructions to prevent accidents and injuries.

## General Safety Guidelines

- Always treat every rifle as if it is loaded.
- Keep the rifle pointed in a safe direction at all times.
- Ensure the safety is engaged when not in use.
- Store the rifle in a secure location, away from unauthorized users, especially children.
- Regularly inspect the rifle for any signs of damage or wear.
- Use only the recommended ammunition type for your rifle.
- Be aware of your surroundings and ensure a clear shooting area.
- Never place your finger on the trigger until you are ready to shoot.
- Wear appropriate eye and ear protection when shooting.

## Specific Safety Precautions for Use

- Always use the rifle's safety features as intended.
- Avoid using the rifle in adverse weather conditions that may affect its performance.
- Do not modify or alter any parts of the rifle without consulting a qualified gunsmith.
- Be cautious of the rifle's recoil and ensure a proper shooting stance.
- Ensure that the barrel is clear of obstructions before firing.
- Do not attempt to disassemble or clean the rifle while it is loaded.
- Use the adjustable trigger shoe to ensure a proper fit for your hand before shooting.
- Follow all local laws and regulations regarding firearm use and ownership.

## Instructions for Installation and Usage

### Installation

#### 1. Barrel Change:

- Use a T25 wrench to remove the stock and barrel.
- Replace with a new barrel and cartridge as needed.
- Ensure all parts are securely fastened before use.

#### 2. Magazine Loading:

- Load the detachable magazine from the top.
- Ensure the magazine fits flush in the bottom metal with no rattle.

### Usage

#### 1. Aiming:

- Align your sights with the target.
- Maintain a stable shooting position.

## 2. **Firing:**

- Engage the safety and prepare to fire.
- Place your finger on the trigger only when ready to shoot.
- Squeeze the trigger gently to fire.

## 3. **PostFiring:**

- Immediately engage the safety after firing.
- Inspect the rifle and surroundings for safety before reloading.

## **Disposal Instructions**

- Dispose of the rifle and any associated materials in accordance with local laws and regulations.
- Do not dispose of ammunition in regular trash; contact local authorities for proper disposal methods.
- Consider donating or recycling parts of the rifle where possible.

## **Contact Information for Further Support**

For any safety inquiries or concerns regarding your NEXUS RIFLES 24" NEXUS RIFLE 300PRC, please consult your local authorized dealer or manufacturer.

## **Conclusion**

Your safety is our top priority. By following these guidelines and instructions, you can ensure a safe and enjoyable experience with your NEXUS RIFLES 24" NEXUS RIFLE 300PRC. Always prioritize safety and responsible use to protect yourself and others.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)