SFX9 SUBCOMPACT 9MM LUGER SEMI-AUTO HANDGUN - SFX9 SUBCOMPACT 9MM LUGER 3.25" BBL (2) 15RD W/RAIL BLACK

Firearms > Handguns > Semi-Auto

SFX9 SUBCOMPACT 9MM LUGER SEMI-AUTO HANDGUN The first variant of the SFX9 is a 3.25" sub-compact double-column 9mm with Wilson Combat's new SF (Solid Frame) lightweight aluminum grip frame design. The SFX9 frame is machined from solid T6-7075 aluminum that is rugged, comfortable, and highly concealable. The SFX9 is light enough to carry for long durations, and the solid frame's enhanced grip shape significantly enhances recoil control during rapid-fire and extended-range sessions. More rugged than competing guns made with two-piece grip/frame construction, The slim and flat SFX9 solid frame with the Wilson Combat X-Tac tread pattern improves control with a non-abrasive, comfortable grip in all shooting conditions. The SFX9 is available for order with or without an accessory rail, and various trigger, finish, and sight options, including machining for red dot sights, are available. The robust EDC X9 magazine is retained for the SFX9 and offers best-in-class reliability with a tube and follower system that was designed specifically around the 9mm cartridge by Mec-Gar, the industry leader in double-column magazine design. The SFX9 sub-compact slide assembly retains Wilson Combat's "Enhanced Reliability System" (ERS) for 9mm 1911's. The ERS is tailored to the varying power levels of 9mm ammunition and maintains impressive reliability in all conditions, even when heavily fouled and low on lubrication. Other cosmetic and performance features include a tri-top slide profile with user-replaceable front sight, single-lug, tapered cone match-grade 1911 barrel, reliability-enhancing reduced frame rails, and a rugged, user-serviceable external extractor. The hand-fitted 3.25”-barrel design has the same match-grade accuracy potential as the larger EDC X9 handguns and is painstakingly tuned by our gunsmiths for flawless reliability with a wide variety of target and defensive ammunition. Like the other EDC X9 models, the SFX9 can be field stripped without tools and can be completely disassembled using only a single punch. Rugged, light, and easy to shoot, the SFX9 has been optimized to be the best option for concealed carry by Wilson Combat, the leader in quality firearms engineering and manufacturing. FEATURES: High-Capacity Compact size Aluminum X-Frame with Reliability Enhanced Frame Rails Unique X-TAC frontstrap/backstrap treatment Concealment Bullet Proof® hammer Bullet Proof® thumb safety 3 ½# – 4 ½# crisp trigger pull with lightweight medium pad Bullet Proof® magazine release 3.25" Stainless Steel Tri-Top slide with external extractor Black Armor-Tuff finish on slide Unique X-TAC Rear cocking serration treatment on slide Heavy machine chamfer on bottom of slide Concealment Battlesight with red fiber optic front sight with 4-40 hex head cap screw 3.25" Stainless Cone barrel with Reliability Enhancing Lock-up, flush cut reverse crown Fluted chamber Fluted barrel 30 LPI slide top serrations Carry cuts 2 15-round capacity magazines SPECIFICATIONS: Cartridge: 9mm Luger Magazine Capacity: 15 Rounds Barrel length: 3.25” Overall length: 6.75” Sight Radius: 5” Height: 4.5” Width: 1.15” Weight Empty: 25.2 oz Weight Loaded: 29.7 oz

Attributes

- Name: SFX9 SUBCOMPACT 9MM LUGER 3.25" BBL (2) 15RD W/RAIL BLACK
- Manufacturer: WILSON COMBAT

- Product no.: 430102322
- Mfr. No.: SFX9-CPR3
- Action Type: Semi-Auto
- Barrel Length: 3.25''
- Capacity: 15+1-Round
- Cartridge: 9 mm Luger
- Finish: Black
- Front Sight: Fiber Optic
- Length: 6.75''
- Magazine Included: 2 x 15-Round
- Magazine Type: Removable
- Make: Wilson Combat
- Model: SFX9 Compact X-Tac
- Muzzle: Plain
- Rear Sight: 2-Dot
- Safety: Yes
- Stock Material: G10
- Weight: 1.68 lbs
- Delivery weight: 0.767kg
- Shipping height: 76mm
- Shipping width: 279mm
- Shipping length: 394mm
- UPC: 810025505844

Item details

Made in USA
US export classification: 0A507.a

Table of Contents

- Startpage
- Safety Instruction Guide for SFX9 SUBCOMPACT 9MM LUGER SEMIAUTO HANDGUN
- About Us

Safety Instruction Guide for SFX9 SUBCOMPACT 9MM LUGER SEMIAUTO HANDGUN

Introduction

Thank you for choosing the SFX9 Subcompact 9mm Luger SemiAuto Handgun. This guide provides essential safety information and instructions to ensure the safe and effective use of your firearm. Please read this document carefully before using the product and keep it for future reference.

General Safety Guidelines

- Always treat every firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Keep your finger off the trigger until you are ready to shoot.
- Be aware of your target and what is beyond it.
- Store the firearm securely and out of reach of children and unauthorized users.
- Ensure that you are familiar with the local laws and regulations regarding firearm ownership and use.
- Regularly inspect the handgun for any signs of damage or wear.
- Always use appropriate ammunition as specified in the product specifications.

Specific Safety Precautions for Use

- Ensure that the safety is engaged when the firearm is not in use.
- Use a proper holster designed for your SFX9 handgun when carrying.
- Avoid using the firearm under the influence of drugs or alcohol.
- Always wear eye and ear protection when shooting.
- Do not attempt to modify or alter the firearm in any way.
- Be cautious of any obstructions in the barrel before shooting.
- If a misfire occurs, keep the firearm pointed downrange for at least 30 seconds before attempting to clear the malfunction.

Instructions for Installation and Usage

1. **Loading the Firearm:**
    - Ensure the firearm is pointed in a safe direction.
    - Verify that the safety is engaged.
    - Load the magazine with the appropriate 9mm Luger ammunition.
    - Insert the loaded magazine into the firearm until it clicks into place.
    - Pull the slide back to chamber a round, then release the slide.
2. **Firing the Firearm:**
    - Ensure that the safety is disengaged.
    - Aim at the target, keeping your finger off the trigger until ready to shoot.
    - Squeeze the trigger gently to fire the handgun.
3. **Unloading the Firearm:**
    - Point the firearm in a safe direction.
    - Engage the safety.
    - Remove the magazine by pressing the magazine release button.
    - Pull the slide back to eject any chambered round.

    - Visually and physically inspect the chamber to ensure it is empty.

4. **Field Stripping:**
    - Ensure the firearm is unloaded and pointed in a safe direction.
    - Follow the manufacturer's guidelines for field stripping the firearm for cleaning and maintenance.

Disposal Instructions

- Dispose of the firearm in accordance with local laws and regulations.
- Do not dispose of ammunition in regular waste. Contact your local disposal facility for proper ammunition disposal procedures.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of your SFX9 Subcompact 9mm Luger SemiAuto Handgun, please refer to the manufacturer’s website or customer service for assistance.

Conclusion

Your safety and the safety of those around you is paramount. By following these guidelines and instructions, you can ensure a safe and enjoyable experience with your SFX9 handgun. Always prioritize safety and responsibility in all your firearmrelated activities.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at