

# SIDE SCOUT LIGHT MOUNT FOR LWRC HANDGUARD - ARISAKA DEFENSE SIDE SCOUT LIGHT MOUNT FOR LWRC HANDGUARD

[Shooting Accessories](#) > [Flashlights & Accessories](#) > [Flashlight Mounts](#)

The Arisaka Side Scout Mount (SSM) is designed for use with Surefire Scout Lights, the Modlite PLH and OKW weapon lights, the Arisaka 300, 600 and 18650 Series, the Streamlight Protac Rail Mount lights, and the Olight Odin. It replaces the stock Picatinny rail adapter with a low profile mount for LWRC handguards, and tucks the light underneath either side of the ATPIAL laser/illuminator series, including the ATPIAL-C, AN/PEQ15, and LA-5/PEQ. It will also allow the light to clear the QD lever on the Steiner DBAL I2, A3, and D2. Compatible with the Modlite PLH, PLHv2 and OKW, Surefire M300A, M300B, M300C, M300V, M312, M322, M312V, M313V, M322V, M600B, M600C, M600P, M600U, M600V, M600DF, M612, M622, M603V, M612V, M622V, Streamlight Protac Rail Mount 1, 2 and HL-X (non-laser), Olight Odin, CD REIN, and Arisaka 300, 600 and 18650 Series. Length: 1.66" Thickness: 0.2" Weight: 0.6 oz The mount is CNC machined from 6061-T651 aluminum and MIL-A-8625 Type III hard coat anodized. Includes necessary screws to attach light body to mount. Requires an IP20 TorxPlus driver for installation (not included). A T9 Torx driver is required to remove the stock Picatinny mount from Surefire Scout Lights. Recommended torque: 20 inch lbs for all screws with Loctite 222 or 243. Hardware: Two 8-32x5/16" Torx flat head screws, two 8-32x3/8" Torx flat head screws. Made in the USA.



## Attributes

- Name: [ARISAKA DEFENSE SIDE SCOUT LIGHT MOUNT FOR LWRC HANDGUARD](#)
- Manufacturer: [ARISAKA DEFENSE](#)
- Product no.: 430104553
- Mfr. No.: SSM-LWRC
- Finish: Black
- Delivery weight: 0.077kg
- Shipping height: 6mm
- Shipping width: 102mm
- Shipping length: 102mm
- UPC: 060155794001

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the Arisaka Side Scout Light Mount for LWRC Handguard](#)
- [About Us](#)

# Safety Instruction Guide for the Arisaka Side Scout Light Mount for LWRC Handguard

## Introduction

Thank you for choosing the Arisaka Side Scout Light Mount (SSM) for your LWRC handguard. This guide provides essential safety instructions and guidelines to ensure the safe use and installation of your product. Please read this document carefully before use.

## General Safety Guidelines

- **Product Safety:** Ensure the safe use of the Arisaka Side Scout Light Mount in accordance with the EU General Product Safety Regulation (GPSR).
- **Hazard Identification:** Be aware of potential hazards associated with improper installation or use, which may include injury or damage to the product or firearm.
- **Enhanced Recalls:** Regularly check for any recall notices related to this product. If a recall is issued, follow the instructions provided for remedy.
- **Online Shopping Safety:** If purchased online, ensure that the seller complies with safety requirements equivalent to those of physical stores.
- **Vulnerable Groups:** Extra care should be taken when using this product around vulnerable groups, particularly children.
- **EU Contact Point:** For safety inquiries, look for an EU-based contact point associated with this product.
- **Rapid Alerts:** Stay informed about any updates on unsafe products via the EU Safety Gate system.

## Specific Safety Precautions for Use

- **Installation Precautions:**
  - Use the appropriate tools (IP20 TorxPlus driver and T9 Torx driver) for installation and removal.
  - Ensure all screws are tightened to the recommended torque of 20 inch lbs using Loctite 222 or 243.
- **Usage Precautions:**
  - Ensure the light is securely mounted before use.
  - Regularly check the mount and light for any signs of wear or damage.
  - Do not exceed the weight limit of the mount.
- **General Handling:**
  - Handle the product with care to avoid drops or impacts that may cause damage.
  - Keep the product out of reach of children when not in use.

## Instructions for Installation and Usage

### 1. Installation:

- Gather the necessary tools: IP20 TorxPlus driver and T9 Torx driver.
- Remove the stock Picatinny mount from your Surefire Scout Light using the T9 Torx driver.
- Align the Arisaka Side Scout Light Mount with the handguard.
- Use the included screws (two 832x5/16" Torx flat head screws and two 832x3/8" Torx flat head screws) to secure the mount.
- Tighten all screws to the recommended torque of 20 inch lbs using Loctite 222 or 243.

### 2. Usage:

- Attach your chosen light (compatible models listed in the product description) securely to the mount.

- Ensure that the light is positioned correctly and does not obstruct any other components of your firearm.
- Test the light function before use to ensure proper operation.

## **Disposal Instructions**

- Dispose of the product in accordance with local regulations regarding electronic waste and aluminum materials.
- Do not dispose of the product in regular household waste.
- Check for any specific recycling programs available in your area for aluminum and electronics.

## **Contact Information for Further Support**

For any inquiries or support related to the Arisaka Side Scout Light Mount, please refer to the product packaging or visit the manufacturer's website for additional resources and contact information.

Thank you for your attention to these important safety instructions. Your safety and satisfaction are our priority. Enjoy using your Arisaka Side Scout Light Mount responsibly.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)