

# LITE SLIDE FOR GLOCK® GEN 3 19 & 17 - STRIKE INDUSTRIES LITE SLIDE FOR GLOCK 19 IN BLACK

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

The Strike Industries LITESLIDE for GLOCK™ G17 or G19 GEN3 was created with optimal accuracy and performance in mind, perfect for any upgrade or new custom build. Made in the USA from machined billet 17-4 Stainless Steel using clockwork precision to ensure increased consistency in barrel lockup that results in levels of match-grade accuracy. The SI LITESLIDE weighs significantly less than the factory production model, reducing the recoil momentum which allows faster and more efficient follow-up placement. The SI LITESLIDE was proudly designed with durability and function in mind along with the Strike Industries stylings. Large enhanced aggressive front and rear serration areas aid in manipulating the slide to check the chamber or clear a jam. Combined with the SI Universal Optics Mount cut, you are able to mount most of your favorite optics securely with ease without needing to send your slide out to get machined. Additionally, a removable cover plate is included for your customization preferences. The SI LITESLIDE comes with all necessary screws and posts needed for most optics. The Strike Industries LITESLIDE for GLOCK™ G17 or G19 GEN3 is truly an performance and aesthetic upgrade or a great choice for a new custom build. NOTE: Channel liner is needed to complete slide RED DOT COMPATIBILITY: Trijicon RMR, Burris FastFire, C-More RTS/STS, Doctor Red Dot Sight, EOTech MRDS, Holosun 407c/507c, Leupold DeltaPoint, SIG SAUER ROMEO 01, Swampfox Optics Kingslayer/Liberty/Justice, Sightmark Mini Shot M-Spec FMS, Vortex Viper/Venom NOT COMPATIBLE: Leupold DeltaPoint Pro, SIG SAUER ROMEO1PRO/03 Package Contents: x1 LITESLIDE (G17 or G19) x1 Cover plate x2 Large post x4 Small post x2 M3-5mm screws for cover plate x2 M3-6mm screws for Doctor Red Dot Sight x2 M3-6mm screws for Vortex Venom x2 M3-8mm screws for FastFire/MRDS/Viper x2 M3-10mm screws for Holosun 407c/507c, Leupold DeltaPoint x2 M3-10.2mm screws for RMR Product Features: Large aggressive front and rear serration areas Pre-cut multi-optic sight mount w/ screws and posts included Cover plate and screws included Lightweight design Uses standard front & rear GLOCK™ compatible sights Machined billet 17-4 Stainless Steel Heat treated to H900, 40-42 HRC MADE IN USA DISCLAIMER: - This product is not manufactured, authorized, endorsed, or warranted by GLOCK. GLOCK does not warrant or represent that this product is compatible with GLOCK pistols. --"GLOCK" is a federally registered trademark of GLOCK, Inc. and is one of many trademarks owned by GLOCK, Inc. and GLOCK Ges.m.b.H. Neither Strike Industries Inc. nor this site are affiliated in any manner with, or otherwise endorsed by, GLOCK, Inc. or GLOCK Ges.m.b.H. The use of "GLOCK" on this page is merely to advertise the sale of GLOCK pistols, parts, or components. -CALIFORNIA PROPOSITION 65 WARNING:- WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information: [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## Attributes

- Name: [STRIKE INDUSTRIES LITE SLIDE FOR GLOCK 19 IN BLACK](#)
- Manufacturer: [STRIKE INDUSTRIES](#)
- Product no.: 430105336

- Mfr. No.: SI-G-LITESLIDE-19-BK
- Cartridge: 9 mm Luger
- Finish: Black
- Model: 19
- Weapon type: Glock
- Delivery weight: 0.329kg
- Shipping height: 38mm
- Shipping width: 38mm
- Shipping length: 178mm
- UPC: 793811764000

## **Item details**

Made in USA

US export classification: 0A501.x

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for LITE SLIDE FOR GLOCK® GEN 3 19 & 17](#)
- [About Us](#)

# Safety Instruction Guide for LITE SLIDE FOR GLOCK® GEN 3 19 & 17

## Introduction

Thank you for choosing the Strike Industries LITE SLIDE for GLOCK® GEN 3 19 & 17. This guide provides essential safety instructions to ensure the safe use and installation of your new product. Please read this guide carefully to understand the necessary precautions and proper usage.

## General Safety Guidelines

- Ensure that this product is used only with GLOCK® GEN 3 models G17 and G19.
- Always handle firearms and firearm accessories with care, following all safety protocols.
- Keep this product out of reach of children and unauthorized users.
- Store this product in a secure location when not in use.
- Inspect the product regularly for any signs of wear or damage.
- Report any unsafe conditions or incidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Before installation, ensure the firearm is unloaded and the chamber is clear.
- Do not use this product if it appears damaged or defective.
- Follow all manufacturer instructions for installation and usage.
- Avoid using excessive force during installation to prevent damage to the product or firearm.
- Ensure that all screws and posts are properly secured after installation.
- Be mindful of the weight reduction provided by the LITE SLIDE, as it may affect the firearm's balance and handling.
- Use only compatible optics as specified in the product description.
- Always wear appropriate eye protection when using firearms.

## Instructions for Installation and Usage

### Installation

#### 1. Preparation:

- Ensure your firearm is unloaded and the chamber is clear.
- Gather all necessary tools and components included with the LITE SLIDE.

#### 2. Remove Factory Slide:

- Follow your GLOCK® owner's manual to safely remove the factory slide from the frame.

#### 3. Install LITE SLIDE:

- Align the LITE SLIDE with the frame of the firearm.
- Carefully slide it into place, ensuring it fits securely.

#### 4. Secure Optics:

- If you are using optics, refer to the compatibility list and install them according to the manufacturer's instructions.
- Use the included screws and posts to secure the optics mount.

## 5. Final Checks:

- Inspect the installation to ensure everything is properly aligned and secured.
- Perform a function check to verify that the slide operates smoothly.

## Usage

- After installation, practice safe handling and usage of your firearm.
- Regularly check the stability of the LITE SLIDE and optics during use.
- If you experience any malfunctions or irregularities, cease use immediately and consult a qualified gunsmith.

## Disposal Instructions

- Dispose of the product in accordance with local regulations regarding firearm accessories.
- Do not dispose of the product in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

## Contact Information for Further Support

For any questions or concerns regarding the LITE SLIDE for GLOCK® GEN 3 19 & 17, please refer to the manufacturer's website or contact their customer support.

## Regulatory Compliance

This product complies with the EU General Product Safety Regulation (GPSR). It is designed to ensure safety during use and installation. For further information on product safety, or to report unsafe products, please visit the EU's Safety Gate platform.

Thank you for your attention to these important safety guidelines. Enjoy your new LITE SLIDE and practice safe shooting!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)