

MATCH SCOPE RINGS - AREA 419 MATCH 35MM DIAMETER MEDIUM (1.10") RINGS ALUMINUM BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

When Area 419 set out to make an ideal scope ring, the things Area 419 knew was needed to accomplish, and do to a degree you won't find anywhere else on the market, is to produce a reliable, and true capture of the optic. This led us down a rabbit-hole, ultimately arriving on a process that gets you serialized, final-bore matched rings, with raw aluminum internals, for a grip on your optic that is more reliable and more true than anything else made. Like most rings, these begin as separate parts. Area 419 are making the bases and caps in batches. While many will make these parts, send them to anodize, and then just assemble, they produce around the extra steps. Once these parts return from anodize, they are fully assembled, placed back into specially produced rail fixtures, with the caps torqued to spec over specially made spacers (to give the rings space to torque down on the optic), and final-bored as sets in our world-class machining centers. Rings are then brought off the machine in sets, and placed into the laser to mark them as sets, with each set being uniquely identified as a match to its precision-bored counterparts. Is it overkill? Probably. But Area 419 think it's the right way. So that's what they are going to do. SPECS MATERIAL: 7075 Aerospace Grade Billet Aluminum (with Stainless Steel Hardware) COATING: Type 3 Hardcoat Anodize (internal bore is raw aluminum) TUBE DIAMETER: 30mm, 34mm, 35mm, 36mm MOUNT HEIGHT: Low (24mm), Medium (28mm), High (32mm)



Attributes

- Name: [AREA 419 MATCH 35MM DIAMETER MEDIUM \(1.10"\) RINGS ALUMINUM BLACK](#)
- Manufacturer: [AREA 419](#)
- Product no.: 430107267
- Mfr. No.: 419-MATCHRING-3528
- Finish: Black
- Height: 1.10"
- Material: Aluminum
- Scope Tube Diameter: 35mm
- Size: Medium
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 127mm
- UPC: 810080181748

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for MATCH SCOPE RINGS AREA 419](#)
- [About Us](#)

Safety Instruction Guide for MATCH SCOPE RINGS AREA 419

Introduction

Thank you for choosing the MATCH SCOPE RINGS AREA 419. These scope rings are designed to provide a secure and reliable mounting solution for your optics. This safety instruction guide outlines essential safety information, proper usage, installation instructions, and disposal guidelines to ensure your safety and the longevity of the product.

General Safety Guidelines

- Ensure that the scope rings are compatible with your specific optic and firearm model before installation.
- Always inspect the scope rings for any signs of damage or wear before each use.
- Follow all local laws and regulations regarding the use of firearms and optics.
- Keep the scope rings out of reach of children and vulnerable individuals.
- Report any unsafe products or incidents to the appropriate authorities.
- Regularly check for updates on product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Installation Safety:**
 - Ensure the firearm is unloaded before installing or adjusting the scope rings.
 - Use appropriate tools to avoid damaging the scope rings during installation.
- **During Use:**
 - Regularly check the mounting screws for tightness, especially after shooting.
 - If you notice any movement or misalignment of the scope, stop using the firearm immediately and inspect the installation.
- **Storage:**
 - Store the scope rings in a cool, dry place to prevent corrosion or damage.
 - Avoid exposing the scope rings to extreme temperatures or moisture.

Instructions for Installation and Usage

1. Preparation:

- Gather necessary tools: torque wrench, screwdriver, and any specific tools recommended by the firearm manufacturer.
- Ensure you have a clean, welllit workspace.

2. Installation Steps:

- **Step 1:** Ensure the firearm is unloaded and pointed in a safe direction.
- **Step 2:** Place the base of the scope rings onto the firearm's rail, aligning them with the mounting holes.
- **Step 3:** Secure the base using the provided screws. Do not fully tighten at this stage.
- **Step 4:** Attach the scope to the rings, ensuring it is properly seated.
- **Step 5:** Adjust the position of the scope as needed for optimal eye relief and comfort.
- **Step 6:** Once the scope is positioned correctly, tighten the screws on the base of the rings to the manufacturer's recommended torque specifications.
- **Step 7:** Tighten the cap screws on the rings to secure the scope in place.
- **Step 8:** Perform a final check to ensure everything is secure and aligned.

3. Usage:

- Once installed, you can proceed to use the firearm as intended.
- Always maintain proper firearm safety practices.

Disposal Instructions

- Dispose of the scope rings in accordance with local regulations for aluminum and metal products.
- If the product is damaged or no longer usable, consider recycling the aluminum components where possible.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For further assistance or inquiries about the MATCH SCOPE RINGS AREA 419, please refer to the manufacturer's website or contact their customer support. It is important to have access to support in case of any questions or issues regarding the product.

Thank you for your attention to these safety guidelines. Your safety and satisfaction are our top priorities. Enjoy your shooting experience with confidence!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk