

SLING POINT QUICK DETACH - SAMSON MANUFACTURING CORP QUICK DETACH SLING POINT M-LOK BLACK

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Tactical Sling Mounts](#)

Samson's M-LOK® QD Sling Point is compatible with all standard size QD sling swivels, and is designed to M-LOK® spec. Will attach to any M-LOK® attachment point, and features a limited rotation feature that only allows the sling swivel to rotate 90 degrees. The small, simple design reduces the amount of space needed to attach your sling to your handguard. Includes all necessary hardware for mounting to M-LOK® slots and is a great addition to any M-LOK® version of Samson handguard. FEATURES Material: 6061-T6 aluminum Finish: Available in Black Type III Class 2 Hard Coat Anodizing Overall Length: 1.4" Weight: 0.5 oz.



Attributes

- Name: [SAMSON MANUFACTURING CORP QUICK DETACH SLING POINT M-LOK BLACK](#)
- Manufacturer: [SAMSON MANUFACTURING CORP](#)
- Product no.: 430107456
- Mfr. No.: 04-01008-01
- Colour: Black
- Delivery weight: 0.036kg
- Shipping height: 51mm
- Shipping width: 127mm
- Shipping length: 137mm
- UPC: 855016007211

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for SLING POINT QUICK DETACH
- About Us

Safety Instruction Guide for SLING POINT QUICK DETACH

Introduction

Thank you for choosing the SLING POINT QUICK DETACH by SAMSON MANUFACTURING CORP. This guide provides essential safety instructions to ensure the safe use and installation of your product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Regularly inspect the product for any signs of wear or damage.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all local laws and regulations regarding the use of tactical equipment.
- In case of any malfunction or failure, cease use immediately and consult a professional.

Specific Safety Precautions for Use

- Use only compatible QD sling swivels with the SLING POINT QUICK DETACH.
- Do not exceed the recommended weight limit for the sling.
- Avoid using the product in extreme conditions (e.g., high heat, moisture) that could compromise its integrity.
- Ensure the sling is securely attached before using the equipment.
- Do not attempt to modify the product in any way.

Instructions for Installation and Usage

1. Installation:

- Gather all necessary hardware included with the product.
- Identify the MLOK® slots on your handguard.
- Align the SLING POINT QUICK DETACH with the desired MLOK® slot.
- Insert the mounting hardware through the attachment point and into the MLOK® slot.
- Tighten the hardware securely to ensure stability.

2. Usage:

- Attach your QD sling swivel to the SLING POINT QUICK DETACH.
- Confirm that the swivel rotates freely but remains limited to 90 degrees.
- Regularly check the attachment point for any signs of loosening during use.

Disposal Instructions

- Dispose of the product responsibly according to local waste management regulations.
- If the product is damaged beyond repair, consider recycling the materials where possible.

Contact Information for Further Support

For any safety inquiries or concerns regarding the SLING POINT QUICK DETACH, please consult the manufacturer or your point of purchase for assistance.

By following these guidelines, you can ensure a safe and effective experience with your SLING POINT QUICK

DETACH. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk