

GUNNER 5.56X45 NATO MUZZLOK® 3-PORT MUZZLE BRAKE FOR AR-15 - FAXON FIREARMS GUNNER 5.56NATO MUZZLOK 3-PORT MUZZLE BRAKE 1/2"-28 THREADS

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

The Gunner 3 Port Muzzle Brake is the ideal blend of usability, versatility, and recoil reduction. The 3 ports work to sequentially capture the propellant gasses and redirect them to the sides for maximum recoil reduction. On barrels of all lengths, the GUNNER reduces recoil by more than 50%! The GUNNER is 100% 3-Gun Nation, USPSA, and IDPA legal for all divisions. No crush washer needed. Attach and remove in the field. Time your muzzle device quickly and easily. MUZZLOK® Faxon's invented "Muzzlok" feature on this device allows for easy timing and installation of your device without the need for a crush washer or shims. By using the extension nut to adjust the length of the device, you can adjust the rotational timing. It is recommended that you tighten the device to the recommended torque specification of 20-25 foot pounds. By not having to overcome the resistance of the crush washer, this allows devices to be removed and reinstalled in the field if desired. SPECS Material: Steel Finish: Salt Bath Nitride Thread: 1/2"-28 TPI Weight: 2.9 ounces w/ MuzzLok Nut Length: 2.4 inches w/ MuzzLok Nut Diameter: 0.9" Caliber: .223/5.56



Attributes

- Name: [FAXON FIREARMS GUNNER 5.56NATO MUZZLOK 3-PORT MUZZLE BRAKE 1/2"-28 THREADS](#)
- Manufacturer: [FAXON FIREARMS](#)
- Product no.: 430108183
- Mfr. No.: FFMD5563PMBSQPQ
- Caliber: 5.56 mm NATO
- Finish: Black
- Material: Steel
- Weapon type: AR-15
- Delivery weight: 0.136kg
- Shipping height: 51mm
- Shipping width: 51mm
- Shipping length: 25mm
- UPC: 816341022294

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [GUNNER 5.56X45 NATO MUZZLOK® 3PORT MUZZLE BRAKE SAFETY INSTRUCTIONS](#)
- [About Us](#)

GUNNER 5.56X45 NATO MUZZLOK® 3PORT MUZZLE BRAKE SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the GUNNER 5.56X45 NATO MUZZLOK® 3PORT MUZZLE BRAKE from Faxon Firearms. This product is designed to enhance the performance of your AR15 while ensuring safety during its use. Please read this safety instruction guide carefully to understand how to use, install, and maintain the muzzle brake safely and effectively.

General Safety Guidelines

- Always treat every firearm as if it is loaded.
- Ensure that the muzzle brake is compatible with your firearm before installation.
- Never point the firearm at anything you do not intend to shoot.
- Store the muzzle brake and firearm in a secure place, away from children and unauthorized users.
- Follow all local laws and regulations regarding firearm accessories.
- Inspect the muzzle brake for any damage before each use. Do not use if damaged.
- Use appropriate eye and ear protection when firing your firearm.
- Be aware of your surroundings and ensure a safe shooting environment.

Specific Safety Precautions for Use

- The GUNNER muzzle brake is designed to reduce recoil. However, excessive force or improper use may cause it to malfunction.
- Ensure that the muzzle brake is properly installed and tightened to the recommended torque specification of 2025 foot pounds.
- Do not attempt to modify or disassemble the muzzle brake.
- Avoid using the muzzle brake with ammunition that exceeds its specifications.
- If you experience excessive recoil or any unusual behavior while using the muzzle brake, cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools, including a torque wrench.

2. Installation:

- Remove any existing muzzle device from your firearm.
- Clean the threads of the barrel to ensure a secure fit.
- Align the GUNNER muzzle brake with the barrel threads.
- Handtighten the muzzle brake onto the barrel.
- Use the extension nut to adjust the length of the device as needed.
- Tighten the muzzle brake to the recommended torque specification of 2025 foot pounds using a torque wrench.
- Ensure the muzzle brake is secure and properly timed.

3. Usage:

- After installation, conduct a function check of your firearm in a safe environment.

- Fire the firearm in a controlled manner while observing proper shooting practices.
- Monitor the performance of the muzzle brake during use and check for any signs of loosening or damage.

Disposal Instructions

- When disposing of the GUNNER muzzle brake, comply with local regulations regarding the disposal of metal products.
- If the muzzle brake is damaged or no longer usable, consider recycling it at a metal recycling facility.

Contact Information for Further Support

For any inquiries or concerns regarding the GUNNER 5.56X45 NATO MUZZLOK® 3PORT MUZZLE BRAKE, please refer to the manufacturer's website or contact their customer support for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your GUNNER muzzle brake. Thank you for prioritizing safety and responsible firearm use.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk