

UXR 300 AAC BLACKOUT CONVERSION KIT - PRIMARY WEAPONS

UXR 300 AAC BLACKOUT 14.5" BARREL CONVERSION KIT

[Rifle Parts](#) > [Barrel Parts](#) > [Rifle Barrels](#)

The UXR Conversion Kit in 300 AAC Blackout with a 10.5" or 14.5" barrel offers shooters an effortless transition between calibers, thanks to the innovative XChange system. This groundbreaking system simplifies the process by allowing users to swap out the barrel, bolt, and magwell, enabling them to tailor their rifle to specific needs. Unlike other modular rifles on the market, the UXR Conversion Kit is both reasonably priced and readily available, ensuring accessibility for shooters seeking versatility without breaking the bank. Utilizing the intuitive dot system, users can seamlessly match corresponding dots on UXR components to ensure error-free transformations, further enhancing the user experience. With the promise of expanding caliber options and barrel lengths in the future, the UXR Conversion Kit sets a new standard for modular rifle platforms, providing shooters with unparalleled adaptability and performance. Highlighted Features Calibers: Compatibility with 300 AAC Blackout. UXR XChange: Intuitive XChange system enables swift caliber changes by swapping out barrel, bolt, and magwell. Easy Install: User-friendly dot system ensures error-free transformations between calibers. Expanding Catalog: Future expansion of caliber options and barrel lengths promises unparalleled adaptability and performance.



Attributes

- Name: [PRIMARY WEAPONS UXR 300 AAC BLACKOUT 14.5" BARREL CONVERSION KIT](#)
- Manufacturer: [PRIMARY WEAPONS](#)
- Product no.: 430109463
- Mfr. No.: U2E14YB01-1F
- Barrel Weight: -
- Cartridge: 300 AAC Blackout
- Finish: Black
- Length: 14.5"
- Model: UXR
- Twist: 1-6
- Weapon type: Primary Weapons System
- Delivery weight: 1.343kg
- UPC: 811154031938

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [UXR 300 AAC Blackout Conversion Kit Safety Instructions](#)
- [About Us](#)

UXR 300 AAC Blackout Conversion Kit Safety Instructions

Introduction

Thank you for choosing the UXR 300 AAC Blackout Conversion Kit. This guide provides essential safety instructions and guidelines to ensure safe and effective use of your product. Please read this manual carefully before installation and use.

General Safety Guidelines

- Ensure the product is used in compliance with all local laws and regulations regarding firearms and ammunition.
- Always treat firearms with respect and assume they are loaded until verified otherwise.
- Store the conversion kit and all firearm components securely, out of reach of children and unauthorized users.
- Regularly inspect all components for wear or damage before each use.
- If you encounter any issues or concerns, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Only use the UXR Conversion Kit with compatible firearms and ammunition (300 AAC Blackout).
- Always wear appropriate eye and ear protection when using the firearm.
- Ensure that the area is clear of obstructions and that a safe backstop is present before firing.
- Do not modify the conversion kit or any of its components beyond the intended use specified in this manual.
- Follow all manufacturer instructions for installation and operation to avoid malfunctions or accidents.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather all necessary tools and components for installation.

2. Installation Steps:

- Remove the existing barrel, bolt, and magwell from your firearm according to the manufacturer's instructions.
- Align the new barrel with the receiver and securely attach it, ensuring proper fit.
- Install the bolt, ensuring it is seated correctly within the barrel.
- Attach the magwell, confirming it is locked in place.
- Verify that all components are secure and properly aligned before proceeding.

3. Usage:

- Load the firearm with compatible 300 AAC Blackout ammunition.
- Follow standard safety protocols when handling and firing the weapon.
- Utilize the intuitive dot system for caliber changes, ensuring all corresponding dots are matched correctly to avoid errors.

Disposal Instructions

- Dispose of all packaging materials in accordance with local recycling regulations.
- When disposing of the conversion kit or any firearm components, follow local laws regarding hazardous waste and firearms disposal.
- Ensure that any unused or damaged components are rendered inoperable before disposal to prevent misuse.

Contact Information for Further Support

For additional support or inquiries regarding the UXR 300 AAC Blackout Conversion Kit, please refer to the manufacturer's website or contact your local authorized dealer.

Conclusion

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your UXR 300 AAC Blackout Conversion Kit. Always prioritize safety and responsibility when handling firearms. Thank you for your commitment to safe shooting practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk