

AR-15 CLAMP ON ADJUSTABLE GAS BLOCK - SUPERLATIVE ARMS

AR-15 CLAMP ON TITANIUM ADJUSTABLE GAS BLOCK .875" BLACK

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

The Superlative Arms patented "Bleed Off", direct impingement, gas block for the AR15 platform adjusts the gas flow by bleeding the gas out of the block instead of restricting the flow like conventional adjustable blocks. Results: The pressure used in the block is reduced only to the amount required to drive the bolt carrier. The remaining gas / pressure are bled out of the block allowing the system to run much cleaner and cooler. Reduction of felt recoil. Patented adjustment detent is located outside of the block and therefore no contamination. The gas adjustment screw does not restrict the gas flow; therefore there is no erosion or seizing of the screw / no loss of detent due to carbon build up. Although it is removable, we have added a safety mechanism, which stops you from unintentionally backing the screw all the way out. When using SBR's and / or suppressors the bleed off port allows the excessive pressure to be exhausted out of the block reducing blow back.

Data: Gas Block Material: 416 SS Barrel Diameter: 0.625" Weight: 1.34 oz.

Length: 1.00" Attachment Type: Clamp on Adjustment: Front of Block

Included: Gas Block - Assembled (2) 10-32 x 3/16" Socket Head Cap Screws

(1) Gas Tube Roll Pins (1) 3/32 X 6" L-Shaped Hex Keys Installation

Instructions & QR code for video tutorial



Attributes

- Name: [SUPERLATIVE ARMS AR-15 CLAMP ON TITANIUM ADJUSTABLE GAS BLOCK .875" BLACK](#)
- Manufacturer: [SUPERLATIVE ARMS](#)
- Product no.: 430109767
- Mfr. No.: SABO-DI-875CDT
- Inside Diameter: .875
- Material: Titanium
- Style: Clamp-On
- Weapon type: AR-15
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 95mm
- Shipping length: 191mm
- UPC: 850011846452

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for Superlative Arms AR15 Clamp On Adjustable Gas Block
- About Us

Safety Instruction Guide for Superlative Arms AR15 Clamp On Adjustable Gas Block

Introduction

Thank you for choosing the Superlative Arms AR15 Clamp On Adjustable Gas Block. This product is designed to enhance the performance of your AR15 platform while ensuring safety during use. Please read this guide carefully to understand how to use, install, and maintain your gas block safely.

General Safety Guidelines

- Ensure that you are familiar with the operation of your AR15 platform before installing this gas block.
- Always treat your firearm as if it is loaded.
- Keep the gas block and firearm out of reach of children and unauthorized users.
- Use the product only for its intended purpose as described in this guide.
- Regularly inspect the gas block for wear and damage before each use.
- If you notice any irregularities or malfunction, stop using the product immediately and consult a professional.

Specific Safety Precautions for Use

- Before installation, ensure the firearm is completely unloaded.
- Always wear appropriate safety gear, including eye protection, when handling firearms.
- Be cautious of gas leakage during operation; the gas block is designed to bleed off excess gas, but ensure there are no obstructions.
- Avoid placing your face or any body part near the gas block during firing.
- Use only compatible components and accessories with the gas block to prevent malfunctions.
- Ensure that all screws and fittings are properly tightened to avoid any operational issues.

Instructions for Installation and Usage

Installation Instructions

1. **Gather Required Tools:** Ensure you have the following tools:
 - 1032 x 3/16" Socket Head Cap Screws
 - Gas Tube Roll Pins
 - 3/32 X 6" LShaped Hex Keys
2. **Prepare the Firearm:**
 - Ensure the firearm is unloaded and safe to work on.
 - Remove the existing gas block if applicable.
3. **Install the Gas Block:**
 - Position the Superlative Arms gas block onto the barrel, ensuring proper alignment.
 - Use the provided screws to secure the gas block in place.
 - Ensure the gas adjustment screw is accessible and properly positioned.
4. **Final Checks:**
 - Confirm that all screws are tightened securely.
 - Check for any gas leaks before the first use.

Usage Instructions

- Adjust the gas flow using the adjustment screw as needed for your specific setup.
- Monitor the operation of the gas block during use, ensuring it functions as intended.
- Regularly check for carbon buildup around the adjustment screw and clean as necessary to maintain optimal performance.

Disposal Instructions

- Dispose of the gas block in accordance with local regulations for firearm components.
- Do not dispose of the gas block in regular household waste.
- If the gas block is damaged or no longer in use, consider recycling metal components where possible.

Contact Information for Further Support

For any inquiries regarding safety or product usage, please consult your retailer or manufacturer's website for additional resources and support.

By following these guidelines, you can ensure the safe and effective use of your Superlative Arms AR15 Clamp On Adjustable Gas Block. Thank you for prioritizing safety in your firearm handling practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk