

AR-15 CLAMP ON ADJUSTABLE GAS BLOCK - SUPERLATIVE ARMS

AR-15 CLAMP ON TITANIUM ADJUSTABLE GAS BLOCK .936" GRAY

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

The Superlative Arms patented "Bleed Off", direct impingement, gas block for the AR15 platform adjusts the gas flow by bleeding the gas out of the block instead of restricting the flow like conventional adjustable blocks. Results: The pressure used in the block is reduced only to the amount required to drive the bolt carrier. The remaining gas / pressure are bled out of the block allowing the system to run much cleaner and cooler. Reduction of felt recoil. Patented adjustment detent is located outside of the block and therefore no contamination. The gas adjustment screw does not restrict the gas flow; therefore there is no erosion or seizing of the screw / no loss of detent due to carbon build up. Although it is removable, we have added a safety mechanism, which stops you from unintentionally backing the screw all the way out. When using SBR's and / or suppressors the bleed off port allows the excessive pressure to be exhausted out of the block reducing blow back.

Data: Gas Block Material: 416 SS Barrel Diameter: 0.625" Weight: 1.34 oz.

Length: 1.00" Attachment Type: Clamp on Adjustment: Front of Block

Included: Gas Block - Assembled (2) 10-32 x 3/16" Socket Head Cap Screws

(1) Gas Tube Roll Pins (1) 3/32 X 6" L-Shaped Hex Keys Installation

Instructions & QR code for video tutorial



Attributes

- Name: [SUPERLATIVE ARMS AR-15 CLAMP ON TITANIUM ADJUSTABLE GAS BLOCK .936" GRAY](#)
- Manufacturer: [SUPERLATIVE ARMS](#)
- Product no.: 430109770
- Mfr. No.: SABO-DI-936CGT
- Inside Diameter: .936
- Material: Titanium
- Style: Clamp-On
- Weapon type: AR-15
- Delivery weight: 0.454kg
- Shipping height: 51mm
- Shipping width: 95mm
- Shipping length: 191mm
- UPC: 850011846506

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for Superlative Arms AR15 Clamp On Adjustable Gas Block
- About Us

Safety Instruction Guide for Superlative Arms AR15 Clamp On Adjustable Gas Block

Introduction

Thank you for choosing the Superlative Arms AR15 Clamp On Adjustable Gas Block. This product is designed to enhance the performance of your AR15 platform while ensuring safe operation. Please read this safety instruction guide carefully to understand how to use this product safely and effectively.

General Safety Guidelines

- Ensure that you are familiar with the operation of the AR15 platform and its components before installation and use.
- Always handle firearms and their components with care and follow all safety protocols.
- Keep this product out of reach of children and unauthorized users.
- Regularly inspect the gas block and associated components for wear or damage.
- In case of any malfunction or unusual performance, cease use immediately and consult a qualified gunsmith.

Specific Safety Precautions for Use

- Do not attempt to modify or disassemble the gas block beyond the manufacturer's instructions.
- Ensure the gas block is properly installed and securely attached to the barrel before use.
- Use only compatible ammunition and ensure that your firearm is in good working condition.
- Be aware that using SBRs or suppressors may alter the gas flow and require adjustments.
- Always wear appropriate eye and ear protection when operating your firearm.

Instructions for Installation and Usage

1. Installation

- Gather all included components: Gas Block (assembled), (2) 1032 x 3/16" Socket Head Cap Screws, (1) Gas Tube Roll Pin, and (1) 3/32 x 6" LShaped Hex Key.
- Ensure the firearm is unloaded and safe to work on.
- Remove the existing gas block if applicable.
- Position the new gas block onto the barrel, aligning it with the gas port.
- Use the provided screws to secure the gas block in place. Ensure it is tightened adequately but avoid overtightening.
- Insert the gas tube roll pin to secure the gas tube in place.
- Adjust the gas flow using the adjustment screw according to your preferences.

2. Usage

- After installation, conduct a function check to ensure the gas block operates correctly.
- If using with SBRs or suppressors, adjust the bleedoff port as needed to manage excessive pressure.
- Monitor the performance of the gas block during use, and make adjustments as necessary.

Disposal Instructions

- When disposing of the gas block, follow local regulations for the disposal of metal components.
- Ensure that all components are disposed of in an environmentally responsible manner.
- If the product is damaged or no longer functional, do not attempt to repair it. Dispose of it safely.

Contact Information for Further Support

For any questions or concerns regarding the Superlative Arms AR15 Clamp On Adjustable Gas Block, please consult the manufacturer's website or contact their customer service for assistance.

This safety instruction guide is designed to provide essential information for the safe use of your Superlative Arms AR15 Clamp On Adjustable Gas Block. By following these guidelines, you can ensure a safer experience while enjoying your firearm. Remember to stay informed about safety updates and recalls through the EU's Safety Gate platform.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk