

EXOMAG 9MM LUGER RIFLE MAGAZINE - EXOMAG 9MM LUGER 20 ROUND WITH EJECTOR BLACK

The MEAN ExoMag is designed to be the most reliable and best feeding 9mm magazine for use with a standard AR lower. The ExoMag has a STANAG magazine outer shape. Add the 9mm upper of your choosing to function with a Glock or Colt variant 9mm BCG. Mean offers both a version with an EJECTOR (for standard blowback bolts) and an EJECTORLESS version (for our Bearing Delay and CMMG Radial Delay systems). All ExoMag models include the last round bolt-hold open feature, as any AR-15 should. Bearing Delay Upper owners: Customers with the Bearing Delay system should select the "Ejectorless" option in the "ExoMag Package Selection" option above. CMMG Radial Delay owners: If you have a CMMG Radial Delay firearm, select the "Ejectorless" option in the "ExoMag Package Selection" option above. ExoMag features: Facilitates quick and easy caliber change from .223/5.56 to 9mm Functions as a magazine! No magwell adapter needed! Keep your standard 5.56 Multi Caliber lower receiver! Comes fully assembled. No tools required. Build and maintain your muscle-memory for reloads and other training from your 5.56 firearms! Same STANAG magazine, same draw, same feel. No learning curve when reloading because it is the same magazine you already use! Use most of your STANAG mag accessories: i.e. mag pouches, storage racks, decals, caliber indicators, etc. Not a picky eater. Shoots all 9mm ammo - hollow points included. It is exclusively the customer's responsibility to be aware of all applicable laws and regulations regarding the purchase and ownership of magazines and the capacities thereof. Customers residing in states with intrusive laws who purchase standard capacity magazines may have their order canceled without warning. Key Specs: No modifications to your 5.56x45 lower receiver! Changing calibers is now simply a complete 9mm upper for your AR platform. No nuts, no bolts, no drilling, no bull. Last round bolt-hold open feature, just as an AR-15 should function. Specially formulated polymer.



Attributes

- Name: EXOMAG 9MM LUGER 20 ROUND WITH EJECTOR BLACK
- Manufacturer: MEAN ARMS
- Product no.: 430109839
- Mfr. No.: 2104569
- Capacity: 20-Round
- Cartridge: 9 mm Luger
- Finish: Black
- Make: AR-15
- Material: Polymer
- Model Number: With Ejector
- Delivery weight: 0.454kg
- UPC: 855926007240

Item details

Made in USA

US export classification: 0A501.d

Table of Contents

- [Startpage](#)
- [English: EXOMAG 9MM LUGER RIFLE MAGAZINE SAFETY INSTRUCTIONS](#)

EXOMAG 9MM LUGER RIFLE MAGAZINE SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the EXOMAG 9MM LUGER RIFLE MAGAZINE. This guide provides essential safety instructions and guidelines to ensure the safe use of your magazine. Please read this document carefully before using the product.

General Safety Guidelines

- Ensure that you are familiar with the laws and regulations regarding the purchase and ownership of magazines in your jurisdiction.
- Always handle firearms and magazines with care, treating them as if they are loaded at all times.
- Keep magazines out of reach of children and unauthorized persons.
- Regularly inspect your magazine for any signs of damage or wear. Do not use damaged magazines.
- Store your magazine in a cool, dry place to prevent deterioration of materials.
- Be aware of your surroundings when using firearms and magazines, ensuring that you are in a safe environment.

Specific Safety Precautions for Use

- Only use the EXOMAG with compatible firearms as specified in the product description.
- Do not modify the magazine or attempt to alter its components in any way.
- Always ensure that the magazine is properly seated in the firearm before use.
- When loading the magazine, do so in a safe area, away from others.
- Use only 9mm Luger ammunition in the EXOMAG. Using incorrect ammunition can lead to malfunctions or dangerous situations.
- Be cautious when handling the magazine after firing, as it may become hot.

Instructions for Installation and Usage

1. Installation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Align the magazine with the magazine well of your firearm.
- Firmly press the magazine into the magazine well until it clicks into place.

2. Loading:

- Hold the magazine with the base facing downward.
- Insert 9mm Luger cartridges into the magazine, ensuring they are seated properly.
- Do not exceed the magazine's capacity of 20 rounds.

3. Usage:

- Once the magazine is loaded, insert it into your firearm as per the installation instructions.
- Ensure that the last round bolthold open feature functions correctly when the magazine is empty.

4. Unloading:

- To remove the magazine, press the magazine release button on your firearm.
- Pull the magazine straight out of the magazine well.

Disposal Instructions

- Dispose of the magazine in accordance with local regulations regarding firearm accessories.
- If the magazine is damaged or no longer functional, do not attempt to repair it. Dispose of it responsibly.

Contact Information for Further Support

For any inquiries regarding safety, usage, or concerns about the EXOMAG 9MM LUGER RIFLE MAGAZINE, please refer to the manufacturer's customer service resources.

By following these safety instructions, you can ensure a safe and enjoyable experience with your EXOMAG 9MM LUGER RIFLE MAGAZINE. Always prioritize safety and responsibility when handling firearms and accessories.