

EXOMAG 9MM LUGER RIFLE MAGAZINE - EXOMAG 9MM LUGER 32 ROUND WITH EJECTOR BLACK

The MEAN ExoMag is designed to be the most reliable and best feeding 9mm magazine for use with a standard AR lower. The ExoMag has a STANAG magazine outer shape. Add the 9mm upper of your choosing to function with a Glock or Colt variant 9mm BCG. Mean offers both a version with an EJECTOR (for standard blowback bolts) and an EJECTORLESS version (for our Bearing Delay and CMMG Radial Delay systems). All ExoMag models include the last round bolt-hold open feature, as any AR-15 should. Bearing Delay Upper owners: Customers with the Bearing Delay system should select the "Ejectorless" option in the "ExoMag Package Selection" option above. CMMG Radial Delay owners: If you have a CMMG Radial Delay firearm, select the "Ejectorless" option in the "ExoMag Package Selection" option above. ExoMag features: Facilitates quick and easy caliber change from .223/5.56 to 9mm Functions as a magazine! No magwell adapter needed! Keep your standard 5.56 Multi Caliber lower receiver! Comes fully assembled. No tools required. Build and maintain your muscle-memory for reloads and other training from your 5.56 firearms! Same STANAG magazine, same draw, same feel. No learning curve when reloading because it is the same magazine you already use! Use most of your STANAG mag accessories: i.e. mag pouches, storage racks, decals, caliber indicators, etc. Not a picky eater. Shoots all 9mm ammo - hollow points included. It is exclusively the customer's responsibility to be aware of all applicable laws and regulations regarding the purchase and ownership of magazines and the capacities thereof. Customers residing in states with intrusive laws who purchase standard capacity magazines may have their order canceled without warning. Key Specs: No modifications to your 5.56x45 lower receiver! Changing calibers is now simply a complete 9mm upper for your AR platform. No nuts, no bolts, no drilling, no bull. Last round bolt-hold open feature, just as an AR-15 should function. Specially formulated polymer.



Attributes

- Name: EXOMAG 9MM LUGER 32 ROUND WITH EJECTOR BLACK
- Manufacturer: MEAN ARMS
- Product no.: 430109840
- Mfr. No.: 2105169
- Capacity: 32-Round
- Cartridge: 9 mm Luger
- Finish: Black
- Make: AR-15
- Material: Polymer
- Model Number: With Ejector
- Delivery weight: 0.454kg
- Shipping height: 25mm
- Shipping width: 76mm
- Shipping length: 203mm
- UPC: 855926007264

Item details

Made in USA

US export classification: 0A501.d

Table of Contents

- [Startpage](#)
- [English: EXOMAG 9MM LUGER RIFLE MAGAZINE SAFETY INSTRUCTION GUIDE](#)

EXOMAG 9MM LUGER RIFLE MAGAZINE SAFETY INSTRUCTION GUIDE

Introduction

Thank you for choosing the EXOMAG 9MM LUGER RIFLE MAGAZINE. This guide contains important safety information and instructions for the proper use, installation, and disposal of your magazine. Please read this guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that you are familiar with the laws and regulations regarding the purchase and ownership of firearm magazines in your area.
- Always treat every magazine as if it is loaded.
- Keep magazines out of reach of children and unauthorized users.
- Inspect the magazine regularly for any signs of wear or damage.
- Do not attempt to modify or disassemble the magazine.
- Use only compatible firearms and ammunition as specified in this guide.
- Report any accidents or unsafe products to the appropriate authorities.

Specific Safety Precautions for Use

- Always follow the manufacturer's instructions for your firearm when using the EXOMAG.
- Do not load more rounds than the magazine capacity (32 rounds).
- Ensure that the magazine is properly seated in the firearm before use.
- Avoid using damaged or malfunctioning magazines.
- Be aware of your surroundings and ensure a safe shooting environment.
- Use appropriate eye and ear protection while shooting.
- If you experience a malfunction, cease firing immediately and follow the appropriate safety protocols.

Instructions for Installation and Usage

1. Installation

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Insert the EXOMAG into the magazine well of your AR platform until it clicks into place.
- Check that the magazine is securely attached and locked in position.

2. Loading the Magazine

- Hold the magazine with the feed lips facing up.
- Press down on the follower with your thumb and load one round at a time into the magazine.
- Ensure that each round is seated properly and that the magazine is not overfilled.

3. Using the Magazine

- Insert the loaded magazine into your firearm as described in the installation section.
- Ensure that the last round bolthold open feature is functioning correctly.
- Fire the firearm according to the manufacturer's instructions.

4. Unloading the Magazine

- Remove the magazine from the firearm while pointed in a safe direction.

- Press the magazine release button and pull the magazine out of the magazine well.
- To unload, press down on the follower and remove each round carefully.

Disposal Instructions

- Dispose of the magazine in accordance with local regulations.
- If the magazine is damaged or no longer functional, do not attempt to repair it.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the EXOMAG 9MM LUGER RIFLE MAGAZINE, please refer to the manufacturer's website or contact their customer support for assistance.

By following these safety instructions, you can help ensure a safe and enjoyable experience with your EXOMAG 9MM LUGER RIFLE MAGAZINE. Thank you for your attention to these important guidelines.