

EXOMAG 9MM LUGER RIFLE MAGAZINE - MEAN ARMS EXOMAG 9MM LUGER 32 ROUND WITH EJECTOR BLACK

[Magazines](#) > [Rifle Magazines](#) > [Magazines](#)

The MEAN ExoMag is designed to be the most reliable and best feeding 9mm magazine for use with a standard AR lower. The ExoMag has a STANAG magazine outer shape. Add the 9mm upper of your choosing to function with a Glock or Colt variant 9mm BCG. Mean offers both a version with an EJECTOR (for standard blowback bolts) and an EJECTORLESS version (for our Bearing Delay and CMMG Radial Delay systems). All ExoMag models include the last round bolt-hold open feature, as any AR-15 should. Bearing Delay Upper owners: Customers with the Bearing Delay system should select the "Ejectorless" option in the "ExoMag Package Selection" option above. CMMG Radial Delay owners: If you have a CMMG Radial Delay firearm, select the "Ejectorless" option in the "ExoMag Package Selection" option above. ExoMag features: Facilitates quick and easy caliber change from .223/5.56 to 9mm Functions as a magazine! No magwell adapter needed! Keep your standard 5.56 Multi Caliber lower receiver! Comes fully assembled. No tools required. Build and maintain your muscle-memory for reloads and other training from your 5.56 firearms! Same STANAG magazine, same draw, same feel. No learning curve when reloading because it is the same magazine you already use! Use most of your STANAG mag accessories: i.e. mag pouches, storage racks, decals, caliber indicators, etc. Not a picky eater. Shoots all 9mm ammo - hollow points included. It is exclusively the customer's responsibility to be aware of all applicable laws and regulations regarding the purchase and ownership of magazines and the capacities thereof. Customers residing in states with intrusive laws who purchase standard capacity magazines may have their order canceled without warning. Key Specs: No modifications to your 5.56x45 lower receiver! Changing calibers is now simply a complete 9mm upper for your AR platform. No nuts, no bolts, no drilling, no bull. Last round bolt-hold open feature, just as an AR-15 should function. Specially formulated polymer.



Attributes

- Name: [MEAN ARMS EXOMAG 9MM LUGER 32 ROUND WITH EJECTOR BLACK](#)
- Manufacturer: [MEAN ARMS](#)
- Product no.: 430109840
- Mfr. No.: 2105169
- Capacity: 32-Round
- Cartridge: 9 mm Luger
- Finish: Black
- Material: Polymer
- Model Number: With Ejector
- Weapon type: AR-15
- Delivery weight: 0.454kg
- Shipping height: 25mm
- Shipping width: 76mm
- Shipping length: 203mm
- UPC: 855926007264

Item details

Made in USA

US export classification: 0A501.d

Table of Contents

- [Startpage](#)
- [EXOMAG 9MM LUGER RIFLE MAGAZINE SAFETY INSTRUCTIONS](#)
- [About Us](#)

EXOMAG 9MM LUGER RIFLE MAGAZINE SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the MEAN Arms ExoMag 9MM Luger Rifle Magazine. This product is designed to enhance your shooting experience by providing a reliable and efficient magazine for your AR platform. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Ensure safe handling of all firearms and ammunition at all times.
- Store the ExoMag and any associated firearms in a secure location, out of reach of children and unauthorized users.
- Always treat every firearm as if it is loaded.
- Familiarize yourself with local laws and regulations regarding the purchase, ownership, and use of magazines and firearms.
- Regularly inspect the ExoMag for any signs of wear, damage, or malfunction before use.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Always use the ExoMag with compatible 9mm upper receivers and standard AR lowers.
- Only use ammunition that is compatible with the ExoMag, including all types of 9mm ammunition, such as hollow points.
- Ensure that the magazine is properly seated in the firearm before attempting to fire.
- Do not attempt to modify or disassemble the ExoMag. Doing so may compromise its safety and functionality.
- If using the Ejector version, verify that it is compatible with your blowback bolt system.
- If using the Ejectorless version, ensure compatibility with Bearing Delay or CMMG Radial Delay systems.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Insert the ExoMag into the magazine well of the firearm until it locks into place.
- Ensure the magazine is secure by gently tugging on it.

2. Usage:

- Load the magazine by pressing down on the follower and inserting 9mm cartridges one at a time.
- Ensure that the last round bolthold open feature is functional.
- When ready, aim the firearm in a safe direction and pull the trigger only when you are prepared to fire.
- After firing, always check the magazine for proper ejection and reloading.

3. Caliber Change:

- To change from .223/5.56 to 9mm, simply replace the upper receiver with a compatible 9mm upper.
- No additional modifications to the lower receiver are necessary.

Disposal Instructions

- Dispose of the ExoMag in accordance with local regulations regarding plastic waste and hazardous materials.
- Do not dispose of the magazine in regular household waste if it is damaged or no longer functional.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any inquiries regarding the safety, use, or maintenance of the ExoMag, please refer to the manufacturer's contact details provided with your product packaging. It is important to have a reliable point of contact for any safety concerns or product support.

Thank you for your attention to these safety instructions. Enjoy your shooting experience with the MEAN Arms ExoMag 9MM Luger Rifle Magazine, and always prioritize safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk