

EXOMAG 9MM LUGER RIFLE MAGAZINE - EXOMAG 9MM LUGER 40 ROUND EJECTORLESS BLACK

The MEAN ExoMag is designed to be the most reliable and best feeding 9mm magazine for use with a standard AR lower. The ExoMag has a STANAG magazine outer shape. Add the 9mm upper of your choosing to function with a Glock or Colt variant 9mm BCG. Mean offers both a version with an EJECTOR (for standard blowback bolts) and an EJECTORLESS version (for our Bearing Delay and CMMG Radial Delay systems). All ExoMag models include the last round bolt-hold open feature, as any AR-15 should. Bearing Delay Upper owners: Customers with the Bearing Delay system should select the "Ejectorless" option in the "ExoMag Package Selection" option above. CMMG Radial Delay owners: If you have a CMMG Radial Delay firearm, select the "Ejectorless" option in the "ExoMag Package Selection" option above. ExoMag features: Facilitates quick and easy caliber change from .223/5.56 to 9mm Functions as a magazine! No magwell adapter needed! Keep your standard 5.56 Multi Caliber lower receiver! Comes fully assembled. No tools required. Build and maintain your muscle-memory for reloads and other training from your 5.56 firearms! Same STANAG magazine, same draw, same feel. No learning curve when reloading because it is the same magazine you already use! Use most of your STANAG mag accessories: i.e. mag pouches, storage racks, decals, caliber indicators, etc. Not a picky eater. Shoots all 9mm ammo - hollow points included. It is exclusively the customer's responsibility to be aware of all applicable laws and regulations regarding the purchase and ownership of magazines and the capacities thereof. Customers residing in states with intrusive laws who purchase standard capacity magazines may have their order canceled without warning. Key Specs: No modifications to your 5.56x45 lower receiver! Changing calibers is now simply a complete 9mm upper for your AR platform. No nuts, no bolts, no drilling, no bull. Last round bolt-hold open feature, just as an AR-15 should function. Specially formulated polymer.



Attributes

- Name: EXOMAG 9MM LUGER 40 ROUND EJECTORLESS BLACK
- Manufacturer: MEAN ARMS
- Product no.: 430109846
- Mfr. No.: 2106069
- Capacity: 40-Round
- Cartridge: 9 mm Luger
- Finish: Black
- Make: AR-15
- Material: Polymer
- Model Number: Ejectorless
- Delivery weight: 0.454kg
- UPC: 855926007295

Item details

Made in USA

US export classification: 0A501.d

Table of Contents

- [Startpage](#)
- [English: EXOMAG 9MM LUGER RIFLE MAGAZINE SAFETY INSTRUCTIONS](#)

EXOMAG 9MM LUGER RIFLE MAGAZINE SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the EXOMAG 9MM LUGER RIFLE MAGAZINE. This product is designed for use with standard AR lower receivers and is intended to enhance your shooting experience with reliable performance. Please read this safety instruction guide carefully to ensure safe usage and compliance with applicable laws.

General Safety Guidelines

- Always treat the magazine as if it is loaded.
- Store the magazine in a secure location, out of reach of children and unauthorized users.
- Familiarize yourself with your local laws and regulations regarding the purchase, possession, and usage of firearm magazines.
- Inspect the magazine regularly for any signs of wear or damage.
- Do not attempt to modify or alter the magazine in any way.
- Ensure proper training and knowledge before using firearms with this magazine.

Specific Safety Precautions for Use

- Only use the EXOMAG with compatible firearms, specifically those designed for 9mm Luger ammunition.
- Ensure that the magazine is fully seated in the firearm before use.
- Do not exceed the magazine's capacity of 40 rounds.
- Avoid using damaged or deformed ammunition, including hollow points, as this may cause malfunctions.
- If the magazine fails to feed or eject properly, cease use immediately and inspect for obstructions or damage.
- Always wear appropriate eye and ear protection when shooting.

Instructions for Installation and Usage

Installation

1. Ensure the firearm is unloaded and pointed in a safe direction.
2. Insert the EXOMAG into the magazine well of the firearm until it clicks into place.
3. Verify that the magazine is securely attached and that the last round bolthold open feature functions correctly.

Usage

- Load the magazine with 9mm Luger ammunition, ensuring no more than 40 rounds are loaded.
- When ready to shoot, chamber a round and ensure the firearm is in a safe position.
- After firing, follow standard procedures for clearing the firearm and removing the magazine.
- For Bearing Delay Upper owners, select the "Ejectorless" option when using the magazine to ensure compatibility.

Disposal Instructions

- Dispose of the magazine in accordance with local regulations.
- If the magazine is damaged or no longer functional, do not attempt to repair it.
- Contact your local waste management authority for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the EXOMAG 9MM LUGER RIFLE MAGAZINE, please refer to the manufacturer's website or contact your local retailer for assistance.

Thank you for your attention to these safety guidelines. Enjoy your shooting experience responsibly!