

FRC 308 CALIBER TWO-PORT COMPENSATOR - PRIMARY WEAPONS

FRC TAPERED 2-PORT 308 CALIBER 5/8"-24 THREADS

COMPENSATOR

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

Elevate your shooting experience with the cutting-edge PWS FRC square compensator, designed to be a suppressor host for the Rearden Atlas suppressor mounting system, accommodating popular suppressors like the BDE 762. Crafted with precision and innovation, this compensator stands as a premier selection for a diverse range of shooting scenarios. The PWS FRC compensator sets itself apart by prioritizing recoil reduction as its primary function while simultaneously excelling at flash suppression. Its distinctive 2-port design skillfully redirects flash away from optics and the line of sight, ensuring an unobstructed view and minimizing overpressure. When paired with suppressors, the FRC boasts a tight lockup and maintains it through hard shooting cycles. Mounted precisely, the FRC becomes a crucial component in your rifle's comprehensive recoil management system. By effectively mitigating recoil and muzzle rise, this compensator enables swift follow-up shots, ultimately delivering improved shooter control and accuracy. Choosing the PWS FRC provides the best of both worlds—superior recoil management and effective flash suppression—making it an indispensable asset for any shooter looking to enhance their shooting prowess and overall experience on the range or in the field. Select between flat shouldered option, for traditional rifle barrels, or tapered shoulder, for barrels with a tapered shoulder behind the muzzle threads.



Attributes

- Name: [PRIMARY WEAPONS FRC TAPERED 2-PORT 308 CALIBER 5/8"-24 THREADS COMPENSATOR](#)
- Manufacturer: [PRIMARY WEAPONS](#)
- Product no.: 430113218
- Mfr. No.: FRC-T-2P-5/8X24
- Caliber: 30 Caliber (.308)
- Finish: Black
- Material: Steel
- Model: UXR
- Threads: 5/8-24
- Weapon type: AR-15,Primary Weapons System
- Delivery weight: 0.073kg
- UPC: 811154033871

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for FRC 308 Caliber TwoPort Compensator
- About Us

Safety Instruction Guide for FRC 308 Caliber TwoPort Compensator

Introduction

Thank you for choosing the FRC 308 Caliber TwoPort Compensator by PRIMARY WEAPONS. This guide provides essential safety instructions to ensure the safe use and installation of your compensator. It is important to read and understand these guidelines to maximize your shooting experience while minimizing risks.

General Safety Guidelines

- Ensure that the compensator is suitable for your specific firearm model.
- Always handle firearms with care and treat every firearm as if it is loaded.
- Use appropriate personal protective equipment (PPE), including eye and ear protection, when shooting.
- Store the compensator and all related accessories in a secure location, away from children and unauthorized users.
- Regularly inspect the compensator for signs of wear or damage before each use.
- Follow all local laws and regulations regarding firearm modifications and use.

Specific Safety Precautions for Use

• Installation Precautions:

- Ensure the firearm is unloaded before installing the compensator.
- Use the correct tools as specified in the installation instructions.
- Do not overtighten the compensator, as this may damage the threads or the barrel.

• During Use:

- Always aim in a safe direction when firing.
- Be aware of your surroundings and ensure there is a safe backstop.
- Monitor for excessive recoil or unusual noise, which may indicate a problem with the compensator or firearm.

• PostUse:

- Clean the compensator after each use to maintain its performance.
- Check for any signs of damage or wear after shooting sessions.

Instructions for Installation and Usage

Installation Instructions

1. Preparation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Gather necessary tools: a torque wrench, thread locker, and appropriate sized wrench.

2. Removing the Existing Muzzle Device:

- If applicable, remove the existing muzzle device from the firearm.
- Clean the muzzle threads to remove any debris or old thread locker.

3. Installing the Compensator:

- Apply a small amount of thread locker to the threads of the compensator.
- Carefully screw the compensator onto the muzzle threads, ensuring proper alignment.
- Use the torque wrench to tighten the compensator to the manufacturer's specifications without overtightening.

4. Final Check:

- Ensure the compensator is secure and properly aligned.
- Check for any gaps between the compensator and the muzzle.

Usage Instructions

- Follow standard firearm handling protocols.
- Load your firearm only when you are ready to shoot.
- Use the compensator in conjunction with appropriate ammunition.
- Be aware of the compensator's effect on recoil and muzzle rise to improve shooting accuracy.

Disposal Instructions

- Dispose of the compensator in accordance with local regulations regarding metal recycling and hazardous materials.
- Do not dispose of the compensator in regular household waste.
- If the compensator is damaged beyond repair, consult local authorities for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding safety or product support, please contact your local distributor or refer to the manufacturer's website for assistance.

By following these guidelines, you can ensure a safe and enjoyable shooting experience with your FRC 308 Caliber TwoPort Compensator. Remember that safety is paramount, and adhering to these instructions will help you maximize your performance while minimizing risks.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk