

# FRC 223 CALIBER COMPENSATOR FOR 13.8" BARREL - FRC FLAT TRIAD 223 CAL 1/2-28 THRD COMPENSATOR FOR 13.8"BBL

Elevate your shooting experience with the cutting-edge PWS 3-Port FRC compensator, specifically designed to serve as a suppressor host for the Rearden Atlas suppressor mounting system—compatible with popular suppressors like the BDE 556. Crafted with precision and innovation, this compensator stands as a premier selection for a diverse range of shooting scenarios. The PWS FRC compensator sets itself apart by prioritizing recoil reduction as its primary function while simultaneously excelling at flash suppression. Its distinctive 3-port design skillfully redirects flash away from optics and the line of sight, ensuring an unobstructed view and minimizing overpressure. When paired with suppressors, the FRC boasts a tight lockup and maintains it through hard shooting cycles, ensuring reliability in any situation. Mounted precisely, the FRC becomes a crucial component in your rifle's comprehensive recoil management system. By effectively mitigating recoil and muzzle rise, this compensator enables swift follow-up shots, ultimately delivering improved shooter control and accuracy, even in rapid-fire scenarios. Choosing the PWS FRC provides the best of both worlds—superior recoil management and effective flash suppression—making it an indispensable asset for any shooter looking to enhance their shooting prowess and overall experience on the range or in the field. Select between flat shouldered option, for traditional rifle barrels, or tapered shoulder, for barrels with a tapered shoulder behind the muzzle threads.



## Attributes

- Name: FRC FLAT TRIAD 223 CAL 1/2-28 THRD COMPENSATOR FOR 13.8"BBL
- Manufacturer: PRIMARY WEAPONS
- Product no.: 430113222
- Mfr. No.: FRC-F-TRIAD-X-1/2X28
- Caliber: 22 Caliber (.223-.224)
- Finish: Black
- Make: Primary Weapons System,AR-15
- Material: Steel
- Model: UXR
- Threads: 1/2-28
- Delivery weight: 0.122kg
- UPC: 811154033819

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [English: FRC 223 Caliber Compensator Safety Instruction Guide](#)

# FRC 223 Caliber Compensator Safety Instruction Guide

## Introduction

Thank you for choosing the FRC 223 Caliber Compensator for your firearm. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your compensator. Please read this document carefully before installation and use.

## General Safety Guidelines

- Always treat your firearm as if it is loaded.
- Ensure that you are in a safe environment when handling your firearm and compensator.
- Use the compensator only with compatible firearms and ammunition.
- Keep the compensator and firearm out of reach of children and unauthorized users.
- Always wear appropriate safety gear, including eye and ear protection, when shooting.
- Be aware of your surroundings and ensure that you have a clear line of sight before firing.
- Report any unsafe products or accidents to the relevant authorities immediately.
- Regularly check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Ensure that the compensator is securely mounted to the firearm before use.
- Do not exceed the manufacturer's specifications regarding caliber and thread size.
- Be cautious of the increased noise and muzzle blast when using the compensator.
- Avoid using the compensator in confined spaces without adequate ventilation.
- Monitor for signs of wear or damage to the compensator. Replace if necessary.
- Do not attempt to modify the compensator in any way, as this may compromise its safety and effectiveness.
- Always follow the manufacturer's instructions for use and maintenance.

## Instructions for Installation and Usage

### 1. Installation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove any existing muzzle device from the firearm.
- Clean the muzzle threads of the barrel to ensure proper fit.
- Align the compensator with the muzzle threads and handtighten it clockwise until secure.
- Use a wrench to tighten further if necessary, but avoid overtightening which may damage the threads.
- Check that the compensator is securely attached before proceeding to use the firearm.

### 2. Usage

- Load the firearm with compatible ammunition.
- Ensure that the compensator is properly installed and that there are no obstructions.
- Stand in a stable shooting position, ensuring a firm grip on the firearm.
- Aim at the target and ensure that the line of sight is clear of any obstructions.
- Fire the firearm, keeping your focus on the target and maintaining control of the firearm.
- After firing, assess the firearm and compensator for any signs of malfunction or damage.

## Disposal Instructions

- Dispose of the compensator in accordance with local regulations regarding firearm accessories.
- If the compensator is damaged or no longer usable, contact your local waste management facility for proper disposal methods.
- Do not dispose of the compensator in regular household waste.

## Contact Information for Further Support

For any questions or concerns regarding the FRC 223 Caliber Compensator, please refer to the manufacturer's website or customer service for assistance.

Thank you for your attention to these safety guidelines. Your safety and the safety of others depend on your commitment to responsible firearm handling and usage.