

UCS™! ADJUSTABLE CARBINE STOCK FOR AR-15 - UCS ADJUSTABLE CARBINE STOCK FOR AR-15 BLACK

MAGPUL® UCS™ ADJUSTABLE CARBINE STOCK FOR AR-15 The Magpul UCS (Universal Carbine Stock) is designed to be the ideal supplement to the vast array of firearms utilizing a vertical M1913 Picatinny rail on the rear of the receiver for stock fitment. To accommodate the wide variety of charging handles styles, ejection port locations, and control locations, the UCS features a reversible hinge for left and right folding configurations, and five degrees of drop for clearance. The UCS ships with two reversible Cheek Risers (0.50", and 0.75"), and when combined with the reversible M1913 clamp (allowing for a 1/2-slot height adjustment), the shooter can dial in head placement for an optimal sight picture using iron sights or optics. Offering three (3) inches of length of pull (LOP) adjustment spanning six (6) positions – which can be adjusted via the LOP buttons – the stock fits any shooter, with and without armor or other bulky equipment. The UCS also includes a reversible, anti-rotation QD socket for sling attachments, and is compatible with MOE SL® and DT Butt-Pads. Made in the USA.

FEATURES

PROVIDES EXTREME ADJUSTABILITY Six (6) position, push-button LOP adjustment allows three (3) inches of total adjustment Toolless, removeable and reversible Cheek Risers for comb height adjustment (0.50" and 0.75") Reversible M1913 clamp allowing for a ½-slot height adjustment for further stock height adjustment

ADAPTABLE TO MULTIPLE PLATFORMS Compatible with all firearms with an M1913 rail on the rear of the firearm's receiver 5° drop angle for charging handle and ejection port clearance Reversible folding mechanism to modify folding direction

SHOOTER CONFIGURABLE Reversible, anti-rotational QD socket for sling attachment Compatible with MOE SL and DT Butt-Pads

Designed to fit shooters with or without bulky gear

SPECS

LOP Adjustment
Range: 3 in. Length: 7.6 - 10.6 in. Length of Pull: Exact LOP range varies depending on platform* Height at Butt Plate: 5.3 in. Weight: 1.1 lbs Width, max: 1.9 in. (at hinge)

COMPATIBILITY Receivers equipped with an M1913 rail instead of a buffer tube from the factory, or receivers with an M1913 aftermarket adapter, including but not limited to the SIG MPX/MCX, FN SCAR, IWI Galil, CZ Scorpion, Ruger LC carbine, Brownell's BRN-180, and certain AK variants such as the PSA AK/AK-V. Exact LOP range varies, known Max/Min LOP follows: Sig MCX: 11.3 - 14.3 in. Sig MPX: 11.6 - 14.6 in. FN SCAR: 11.8 - 14.8 in. IWI Galil: 11.3 - 14.3 in. CZ Scorpion: 11.6 - 14.6 in. Ruger LC Carbine: 13.3 - 16.3 in. PSA AK: 11.7 - 14.7 in.



Attributes

- Name: UCS ADJUSTABLE CARBINE STOCK FOR AR-15 BLACK
- Manufacturer: MAGPUL
- Product no.: 430113684
- Mfr. No.: MAG1441-BLK
- Color: Black
- Make: AR-15
- Material: Polymer
- Style: Carbine
- Type: Adjustable
- Delivery weight: 0.708kg
- Shipping height: 51mm
- Shipping width: 235mm

- Shipping length: 140mm
- UPC: 840815149262

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [English: UCS Adjustable Carbine Stock for AR15 Safety Instructions](#)

UCS Adjustable Carbine Stock for AR15 Safety Instructions

Introduction

Thank you for choosing the MAGPUL UCS Adjustable Carbine Stock for AR15. This product is designed to enhance your shooting experience while ensuring safety during use. Please read this safety instruction guide carefully to understand how to use the stock safely and effectively.

General Safety Guidelines

- Always treat every firearm as if it is loaded.
- Ensure the firearm is pointed in a safe direction at all times.
- Store the firearm in a secure location, away from unauthorized access, especially by children.
- Use appropriate safety gear, including eye and ear protection, when shooting.
- Familiarize yourself with the operation of your firearm and the stock before use.
- Regularly inspect your firearm and accessories for wear and damage.
- Follow all local laws and regulations regarding firearm ownership and use.

Specific Safety Precautions for Use

- **Installation Safety:** Ensure the stock is securely attached to the firearm before use. A loose stock may cause instability and affect accuracy.
- **Adjustment Safety:** When adjusting the length of pull (LOP), ensure that your fingers and other body parts are clear of moving parts to prevent injury.
- **Sling Attachment:** When using the reversible, antirotational QD socket for sling attachment, ensure that the sling is properly secured to avoid accidental detachment.
- **Compatibility Check:** Verify that your firearm is compatible with the UCS stock as specified in the product specifications. Using the stock with incompatible firearms may pose safety risks.
- **Shooting Position:** Ensure a proper shooting stance when using the firearm with the stock to maintain control and stability.

Instructions for Installation and Usage

1. Installation of the UCS Stock:

- Remove the existing stock from your AR15 if applicable.
- Align the UCS stock with the M1913 rail on the rear of the receiver.
- Securely attach the stock using the provided hardware, ensuring it is tightened according to the manufacturer's specifications.
- Check for stability by gently pulling on the stock to ensure it is firmly attached.

2. Adjusting the Length of Pull (LOP):

- Locate the LOP adjustment buttons on the stock.
- Press the button and slide the stock to the desired position.
- Release the button to lock the stock in place.
- Confirm that the stock is secure before use.

3. Using Cheek Risers:

- Choose the appropriate Cheek Riser (0.50" or 0.75") for your shooting style.
- Remove the existing Cheek Riser by unscrewing it from the stock.

- Attach the chosen Cheek Riser by securing it in place with the provided screws.

4. Sling Attachment:

- Attach your sling to the reversible QD socket located on the stock.
- Ensure that the sling is securely fastened and that there is no excess slack.

5. Folding Mechanism:

- To fold the stock, ensure the firearm is unloaded.
- Press the hinge release to fold the stock in the desired direction (left or right).
- Ensure the stock locks into place when unfolded for use.

Disposal Instructions

When disposing of the UCS Adjustable Carbine Stock, follow these guidelines:

- Do not dispose of the stock in household waste.
- Check local regulations for proper disposal methods for polymer materials.
- Consider recycling options available in your area to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the UCS Adjustable Carbine Stock, please refer to the manufacturer's website or contact your local dealer for assistance.

Thank you for your attention to these safety instructions. Your safety and the safety of others depend on responsible firearm use and adherence to these guidelines. Enjoy your shooting experience with the MAGPUL UCS Adjustable Carbine Stock for AR15.