

MAGWELL FOR GLOCK 43X/48® - RADIAN WEAPONS MAGWELL FOR GLOCK 43X/48 BLACK

[Handgun Parts](#) > [Frame Parts](#) > [Magazine Wells](#)

RADIAN WEAPONS MAGWELL FOR GLOCK 43X/48® The Radian® ANCHOR + MAGWELL for Glock delivers a rock-solid grip, and effortless reloads. A tapered screw drives the PLANAR-LOK™ outward causing barbed teeth to bite into the interior sidewalls of the frame, locking the ANCHOR into place. This patent-pending design eliminates inward wall flex preventing magazine bind, even with large capacity magazines. The MAGWELL dovetails into the ANCHOR at the rear, as it's tooth bites into the front of the frame. The patented ANGLE-LOK® detent drives the MAGWELL rearward into position, completing the system's three-way lock up. Material: Aircraft grade aluminum Finish: Hard Coat Anodized per Mil-A-8625F, Type III, Class 2, Black Compatibility: Fits Glock 43X and G48 What's Included: 1 - ANCHOR 1 - MAGWELL 1 - ANCHOR SCREW 1 - 3/32" ALLEN KEY 1 - RETENTION STUD & SPRING 1 - RETENTION STUD TOOL Compatibility OEM Glock 43X/48 DISCLAIMER: "GLOCK" is a federally registered trademark of GLOCK, Inc. and is one of many trademarks owned by GLOCK, Inc. or GLOCK Ges.m.b.H. Neither Brownells nor this site are affiliated in any manner with, or otherwise endorsed by, GLOCK, Inc. or GLOCK Ges.m.b.H. The use of "GLOCK" on this page is merely to advertise the sale of GLOCK pistols, parts, or components. For genuine GLOCK, Inc. and GLOCK Ges.m.b.H. products and parts visit www.glock.com.



Attributes

- Name: [RADIAN WEAPONS MAGWELL FOR GLOCK 43X/48 BLACK](#)
- Manufacturer: [RADIAN WEAPONS](#)
- Product no.: 430114143
- Mfr. No.: R0846
- Finish: Black
- Model: 43X,48
- Weapon type: Glock
- Delivery weight: 0.091kg
- Shipping height: 51mm
- Shipping width: 83mm
- Shipping length: 229mm
- UPC: 810098420723

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for MAGWELL FOR GLOCK 43X/48® RADIANT WEAPONS MAGWELL](#)
- [About Us](#)

Safety Instruction Guide for MAGWELL FOR GLOCK 43X/48® RADIAN WEAPONS MAGWELL

Introduction

Thank you for choosing the Radian Weapons Magwell for Glock 43X/48. This product is designed to enhance your grip and improve your reload efficiency. However, it is essential to follow safety guidelines to ensure safe and effective use. This guide provides important safety information and instructions for installation and usage.

General Safety Guidelines

- Ensure that the product is compatible with your Glock model (Glock 43X or G48) before use.
- Always handle firearms safely and responsibly. Follow all local laws and regulations regarding firearm usage.
- Inspect the Magwell and its components for any damage before installation. Do not use if damaged.
- Keep the Magwell and all related components out of reach of children and unauthorized users.
- Report any unsafe conditions or incidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform for any safety alerts related to this product.

Specific Safety Precautions for Use

- Always ensure that your firearm is unloaded before installing or removing the Magwell.
- Do not attempt to modify the Magwell or any of its components.
- Use only the provided installation tools to avoid damage to the product.
- Ensure that the Magwell is securely installed before using your firearm.
- Do not use the Magwell in conjunction with incompatible accessories or modifications.
- If you experience any issues with the Magwell during use, discontinue use immediately and consult a qualified professional.

Instructions for Installation and Usage

1. Unloading the Firearm:

- Ensure that your Glock 43X or G48 is completely unloaded before proceeding with installation.

2. Installation Steps:

- Gather all included components:
 - 1 ANCHOR
 - 1 MAGWELL
 - 1 ANCHOR SCREW
 - 1 3/32" ALLEN KEY
 - 1 RETENTION STUD & SPRING
 - 1 RETENTION STUD TOOL
- Align the ANCHOR with the rear of the frame of your Glock.
- Use the tapered screw to drive the PLANARLOK™ outward, ensuring that the barbed teeth bite into the interior sidewalls of the frame.
- Once the ANCHOR is securely in place, attach the MAGWELL by dovetailing it into the ANCHOR at the rear.
- Ensure that the tooth of the MAGWELL bites into the front of the frame for a secure fit.
- Use the patented ANGLELOK® detent to drive the MAGWELL rearward into position, completing the threeway lockup.

3. **PostInstallation Check:**

- After installation, check that the Magwell is securely attached and does not move when pressure is applied.
- Perform a function check with your unloaded firearm to ensure proper operation.

4. **Usage:**

- When using your Glock with the installed Magwell, ensure that you maintain a proper grip and stance.
- Practice safe firearm handling at all times.

Disposal Instructions

- Dispose of any packaging materials responsibly, following local recycling guidelines.
- If you need to dispose of the Magwell or any components, follow local regulations for electronic waste and hazardous materials.
- Do not burn or incinerate the product as it may release harmful substances.

Contact Information for Further Support

For any questions or concerns regarding the Magwell for Glock 43X/48, please refer to the manufacturer's website or authorized retailers for further assistance.

Thank you for your attention to these safety instructions. Enjoy your enhanced shooting experience with the Radian Weapons Magwell.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk