

CTR® COLLAPSIBLE MIL-SPEC CARBINE STOCK FOR AR-15 - MAGPUL CTR CARBINE STOCK MIL-SPEC

Locking System Eliminates "Play"

The Magpul CTR (Compact/Type Restricted) - Mil-Spec model is a drop-in replacement buttstock for AR15 / M16 carbines using Mil-Spec sized receiver extension tubes. Designed for light, fast action, the streamlined A-frame profile avoids snagging and shields the release latch to prevent accidental activation. The CTR also features a supplemental friction lock system that minimizes excessive stock movement for enhanced weapon stability and an ambidextrous QD sling mount that will accept any push-button sling swivel. The Mil-Spec model includes a standard 0.3" thick rubber butt-pad, which provides positive shoulder purchase to prevent slippage even with body armor or modular gear. FEATURES Mounts on Mil-Spec sized carbine receiver extension tube (not included) from manufacturers such as Colt, Armalite, S&W, LMT, and others (please see the note below) Shielded release latch prevents snagging and accidental operation while the supplemental friction lock minimizes accuracy-robbing wobble Sloping cheek weld combines a slim profile with user comfort Compatible with Magpul CTR® Cheek Risers for use with a fully extended stock and on rifles without rear-facing charging handles Premium chrome-silicon lock spring provides positive locking and long life Compatible with Magpul ASAP®, ASAP® QD and other receiver-mount sling attachments Removable 0.3" Rubber Butt-Pad offers an anti-slip surface and increases impact protection Rear - Push-button QD swivel sling mount accommodates up to 1.5" swivels (ambidextrous) Rear/Bottom - 1.25" sling loops Toe - Lanyard hole for custom para-cord rigs Made in the USA. SPECS Collection: Collapsible Non-Storage AR Stocks Platform: AR10, AR15, M4, M16, M110, SR25 Compatibility: Mil-Spec sized carbine receiver extension tube (not included) from manufacturers such as Colt, Armalite, S&W, LMT, and others* LOP, M4 Collapsed: ~10.5 in. LOP, M4 Extended: ~13.8 in. LOP Adjustment Range: 3.3 in. Length, max: 6.9 in. Weight: 9.0 oz. Weight, w/ receiver extension: 13.0 oz Friction lock performance may vary depending on the host receiver extension's dimensional tolerances. Mil-Spec fits smaller 1.14" O.D. buffer tubes on Colt-manufactured M4 and similar mil-spec carbines. Black and Flat Dark Earth Models are TACOM approved and on the Additional Authorization List (AAL) for the M4/M4A1. Black NSN 1005-01-614-7778 Flat Dark Earth NSN 1005-01-616-4923 NOTE: There are two basic sizes of M4 Carbine receiver extensions (buffer tubes): Mil-Spec and Commercial-Spec. If you have a Commercial-Spec extension on your rifle, make sure to order the Commercial-Spec CTR. Specifications based on standard-length (flat-back) M4 Carbine receiver extension and may vary depending on tube manufacturer.

NO IMAGE
AVAILABLE

Attributes

- Name: MAGPUL CTR CARBINE STOCK MIL-SPEC
- Manufacturer: MAGPUL
- Product no.: 430115967
- Mfr. No.: MAG310-MCB
- Colour: Modified Coyote Brown
- Material: Polymer
- Model: -
- Style: Collapsible

- Type: Mil-Spec
- Weapon type: AR-15
- Delivery weight: 0.363kg
- Shipping height: 51mm
- Shipping width: 140mm
- Shipping length: 197mm
- UPC: 840815150831

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den CTR® COLLAPSIBLE MILSPEC CARBINE STOCK](#)
- [English: Safety Instruction Guide for CTR® Collapsible MilSpec Carbine Stock](#)

Sicherheitshinweise für den CTR® COLLAPSIBLE MILSPEC CARBINE STOCK

Einführung

Herzlichen Glückwunsch zu deinem Kauf des CTR® COLLAPSIBLE MILSPEC CARBINE STOCK für AR15. Dieser Hinterschaft wurde entwickelt, um dir eine sichere und komfortable Nutzung zu ermöglichen. Bitte lies diese Sicherheitshinweise sorgfältig durch, um sicherzustellen, dass du das Produkt sicher verwendest und mögliche Risiken vermeidest.

Allgemeine Sicherheitsrichtlinien

- Stelle sicher, dass das Produkt für deinen spezifischen Waffentyp geeignet ist.
- Überprüfe regelmäßig den Zustand des Schaftelements auf Abnutzung oder Beschädigungen.
- Verwende das Produkt nur in Übereinstimmung mit den geltenden Gesetzen und Vorschriften.
- Halte das Produkt außerhalb der Reichweite von Kindern und unbefugten Personen.
- Melde unsichere Produkte oder Unfälle den zuständigen Behörden.

Spezifische Sicherheitsvorkehrungen für die Nutzung

- Achte darauf, dass der Handhebel in der richtigen Position verriegelt ist, bevor du das Gewehr anlegst.
- Überprüfe vor jedem Gebrauch, ob der Reibungssperrmechanismus korrekt funktioniert.
- Verwende nur zugelassene SlingBefestigungsoptionen, um die Sicherheit zu gewährleisten.
- Vermeide übermäßige Gewaltanwendung beim Einstellen der Länge des Schaftelements.
- Achte darauf, dass das Schaftelement fest auf dem Pufferrohr sitzt, um ein Verrutschen zu verhindern.

Anweisungen zur Installation und Nutzung

1. Installation des Schaftelements:

- Entferne das alte Schaftelement von deinem Pufferrohr.
- Setze den CTR® Hinterschaft auf das Pufferrohr und stelle sicher, dass er richtig sitzt.
- Verriegle den Handhebel, um das Schaftelement in der gewünschten Position zu fixieren.

2. Einstellung der Länge:

- Betätige den Handhebel, um das Schaftelement zu lösen.
- Schiebe das Schaftelement auf die gewünschte Länge.
- Lasse den Handhebel los, um das Schaftelement zu verriegeln.

3. Verwendung des SlingSystems:

- Wähle die geeignete SlingBefestigungsoption (Webschlinge oder EinpunktSchlinge).
- Befestige die Sling an den vorgesehenen Punkten am Schaftelement.
- Stelle sicher, dass die Sling sicher befestigt ist, bevor du das Gewehr verwendest.

Entsorgungsanweisungen

- Entsorge das Produkt gemäß den örtlichen Vorschriften zur Abfallentsorgung.
- Achte darauf, dass alle Teile des Schaftelements umweltgerecht entsorgt werden.
- Verwende Recyclingmöglichkeiten, wenn verfügbar, um den ökologischen Fußabdruck zu minimieren.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder weitere Unterstützung zu deinem Produkt kontaktiere bitte den Hersteller oder den Händler, bei dem du das Produkt erworben hast. Stelle sicher, dass du alle relevanten Informationen zu deinem Produkt bereithältst, wenn du Unterstützung benötigst.

Diese Sicherheitshinweise sind wichtig für die sichere Nutzung des CTR® COLLAPSIBLE MILSPEC CARBINE STOCK. Bitte halte sie jederzeit griffbereit und befolge die Anweisungen sorgfältig.

Safety Instruction Guide for CTR® Collapsible MilSpec Carbine Stock

Introduction

Thank you for choosing the CTR® Collapsible MilSpec Carbine Stock for your AR15. This guide provides essential safety instructions and usage information to ensure a safe and effective experience with your product. Please read this guide thoroughly before use.

General Safety Guidelines

- Ensure that the product is used only as intended and in accordance with the manufacturer's instructions.
- Regularly inspect the stock for any signs of wear or damage. Do not use the product if it is damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Always handle firearms responsibly and in compliance with local laws and regulations.
- If you experience any issues or concerns regarding the product, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Always ensure your firearm is unloaded before installing or adjusting the stock.
- Make sure the stock is securely attached to the receiver extension tube before use to prevent accidental detachment.
- Be aware of the supplemental friction lock system, which minimizes stock movement. Ensure it is engaged when needed for stability.
- When using the ambidextrous QD sling mount, ensure the sling swivel is properly secured to prevent accidental release.
- Avoid placing any body parts or objects near the release latch while operating the stock to prevent injury.
- When adjusting the length of pull (LOP), do so slowly and carefully to avoid pinching or injury.

Instructions for Installation and Usage

Installation Instructions

1. Ensure your firearm is unloaded and pointed in a safe direction.
2. Remove the existing stock from the receiver extension tube, if applicable.
3. Align the CTR® stock with the receiver extension tube.
4. Slide the stock onto the tube until it is fully seated.
5. Secure the stock by tightening any necessary screws or levers according to the installation manual.
6. Engage the friction lock system to minimize movement of the stock.

Usage Instructions

- To adjust the length of pull:
 1. Press the release latch located on the stock.
 2. Slide the stock to the desired position.
 3. Release the latch to lock the stock in place.
- To attach a sling using the QD sling mount:
 1. Insert the pushbutton sling swivel into the QD mount.
 2. Press the button to secure the swivel in place.
- Ensure the rubber buttpad is clean and free from debris for optimal performance.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding plastic and polymer materials.
- Do not incinerate or expose the product to extreme heat, as this may release harmful substances.

Contact Information for Further Support

For any safety inquiries or product concerns, please refer to the manufacturer's website or customer support resources. Ensure you have the product details on hand for assistance.

By following these safety instructions, you will help ensure a safe and enjoyable experience with your CTR® Collapsible MilSpec Carbine Stock. Always prioritize safety when handling firearms and related accessories. Thank you for your attention to these important guidelines.