

BARREL NUT FOR REMINGTON 783 BLACK OXIDE

[Rifle Parts](#) > [Barrel Parts](#) > [Rifle Barrel Hardware](#) > [Barrel Nuts](#)

REMINGTON BARREL NUT FOR REMINGTON 783 Upgrade or service your rifle with this factory-style Barrel Nut for the Remington 783, engineered to secure the barrel with consistent, repeatable torque. Machined from high-strength steel and finished in a protective black oxide coating, this nut resists corrosion while maintaining a clean, low-glare appearance ideal for hunting and field use. Its precise geometry ensures proper headspacing when installed with the correct gauges, making it a dependable choice for barrel swaps, rebuilds, or routine maintenance. Designed specifically for the Remington 783 platform, this barrel nut delivers the tight, uniform clamping force required for accuracy and long-term stability. Whether you're a gunsmith, builder, or owner refreshing worn components, this part provides the rugged reliability expected from a critical barrel-retention component.

FEATURES Remington 783

Fitment — Machined to OEM-spec dimensions for proper alignment and secure barrel retention. **Black Oxide Finish** — Provides corrosion resistance and a non-reflective, tactical appearance. **High-Strength Steel** — Ensures long-term durability under repeated torque cycles. **Precision Machining** — Maintains consistent headspacing when installed with proper gauges. **Ideal for Barrel Swaps** — Perfect for rebuilds, caliber changes, or replacing worn factory components. **Secure Torque Retention** — Designed to hold torque evenly for accuracy and stability. **Gunsmith-Ready Component** — Compatible with standard barrel nut wrenches and headspace gauges. **NOTE:** These items are a new, authentic products acquired directly from Remington's OEM inventory. This item is guaranteed to be unused and fully functional.

NO IMAGE
AVAILABLE

Attributes

- Name: [BARREL NUT FOR REMINGTON 783 BLACK OXIDE](#)
- Manufacturer: [REMINGTON](#)
- Product no.: 430116769
- Mfr. No.: G304947
- Colour: Black
- Material: Steel
- Model: 783
- Weapon type: Remington
- Delivery weight: 0.151kg
- Shipping height: 22mm
- Shipping width: 33mm
- Shipping length: 22mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instructions for the BARREL NUT FOR REMINGTON 783](#)
- [About Us](#)

Safety Instructions for the BARREL NUT FOR REMINGTON 783

Introduction

Thank you for choosing the BARREL NUT FOR REMINGTON 783. This product is designed to enhance the performance and reliability of your Remington 783 rifle. To ensure safe use and optimal performance, please carefully read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Always handle firearms and firearm components with care and respect.
- Ensure that you are familiar with the operation of your Remington 783 rifle before installing or using this barrel nut.
- Keep all components out of reach of children and unauthorized individuals.
- Regularly inspect the barrel nut and other firearm components for wear or damage.
- Follow all local laws and regulations regarding firearm modifications and usage.

Specific Safety Precautions for Use

- Ensure that the barrel nut is compatible with your specific Remington 783 model.
- Do not exceed the recommended torque specifications during installation to avoid damage.
- Always use appropriate headspace gauges to ensure proper installation and headspacing.
- Wear safety glasses when working on your firearm to protect your eyes from debris.
- If you are unsure about the installation process, consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a barrel nut wrench and headspace gauges.
- Ensure that your work area is clean and welllit.

2. Removing the Existing Barrel Nut

- Unload your firearm and ensure it is in a safe condition.
- Use the barrel nut wrench to carefully remove the existing barrel nut, turning counterclockwise.

3. Installing the New Barrel Nut

- Place the new BARREL NUT FOR REMINGTON 783 onto the barrel.
- Handtighten the barrel nut to ensure it is seated properly.
- Use the barrel nut wrench to tighten the nut to the manufacturer's recommended torque specifications. Avoid overtightening.

4. Checking Headspace

- After installation, use the appropriate headspace gauges to verify proper headspacing.
- If headspacing is not correct, remove the barrel nut and repeat the installation process.

5. Final Inspection

- Inspect the installation to ensure there are no gaps or misalignments.
- Ensure all tools are removed from the work area before handling the firearm.

Disposal Instructions

- Dispose of any packaging materials in accordance with local waste disposal regulations.
- If the barrel nut is damaged or no longer needed, consider recycling the metal component where facilities exist.

Contact Information for Further Support

For any questions or concerns regarding the BARREL NUT FOR REMINGTON 783, please consult your local firearms dealer or a qualified gunsmith. Always ensure that you are following the latest safety guidelines and regulations pertaining to firearm components.

By following these safety instructions, you can ensure the safe and effective use of the BARREL NUT FOR REMINGTON 783. Always prioritize safety when handling firearms and their components. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk