

FLIP UP FRONT SIGHTS FOR PICATINNY RAIL - MISSION FIRST TACTICAL, LLC FLIP UP FRONT SIGHT PICATINNY SORCHED DARK EARTH

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

MISSION FIRST TACTICAL FLIP UP FRONT SIGHTS FOR PICATINNY RAIL
Polymer Backup Front Sight with standard iron sight elevation adjustment mounts onto a 1913 Picatinny Rail. Will accept any standard front post blade. Standard front sight tool is required with each click equaling the standard 1/4 MOA. Unlike other backup sights MFT has developed a shroud that shelters the front post blade from debris and impact damage when not deployed. A slim profile allows the sight to sit under most optics. FEATURES Full Elevation adjustment, tool required Low profile snag resistant design Shroud protects front post blade from debris and impact damage Accepts any standard front post blade Can fold to the rear, the correct direction if dropped Manufactured using a specially developed Military Grade reinforced, super tough polyamide Rail clamp nut has been redesigned so that there is no spin out when overtightened All plastic components have been changed to a higher strength material. Retaining pin for the cover has been redesigned so that the pin does not slip out of position. Metal front sight post SPECS Weight: .5oz Height: .879 Width: 1.08" Length: 2.23" O.A. /.6" from top of rail



Attributes

- Name: [MISSION FIRST TACTICAL, LLC FLIP UP FRONT SIGHT PICATINNY SORCHED DARK EARTH](#)
- Manufacturer: [MISSION FIRST TACTICAL, LLC](#)
- Product no.: 430117893
- Mfr. No.: BUPSWF-SDE
- Colour: Scorched Dark Earth
- Height: .879
- Material: Polymer
- Style: Flip-Up
- Delivery weight: 0.136kg
- UPC: 676315033110

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [FLIP UP FRONT SIGHTS FOR PICATINNY RAIL SAFETY INSTRUCTIONS](#)
- [About Us](#)

FLIP UP FRONT SIGHTS FOR PICATINNY RAIL SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the FLIP UP FRONT SIGHTS FOR PICATINNY RAIL by MISSION FIRST TACTICAL, LLC. This guide provides important safety information, installation instructions, and usage guidelines to ensure your product is used safely and effectively. Please read this document carefully before using the product.

General Safety Guidelines

- **Product Safety:** This product is designed for safe use. Ensure that you are familiar with the product features and follow all instructions.
- **Enhanced Recalls:** In the unlikely event of a safety recall, you will be notified through standardized recall notices. Always check for updates.
- **Online Shopping:** If purchased online, ensure the platform meets safety requirements comparable to physical stores.
- **Special Consumer Focus:** This product is not intended for use by children. Keep out of reach of minors.
- **EU Contact Point:** For any safety inquiries, contact the designated EU based support.
- **Rapid Alerts:** Stay informed about product safety updates through the EU Safety Gate system.

Specific Safety Precautions for Use

- **Potential Hazards:**
 - Improper installation may lead to malfunction or injury.
 - The front sight blade may be exposed to debris and impact damage if not properly stowed.
 - Ensure the sight is securely attached to the Picatinny rail to prevent dislodgment during use.
- **Avoiding Hazards:**
 - Always check the sight for secure attachment before each use.
 - Do not use the sight if it appears damaged or compromised.
 - Regularly inspect the sight for wear and tear, especially the shroud and retaining pin.
- **Age Restrictions:**
 - This product is designed for use by adults only. Keep it away from children.

Instructions for Installation and Usage

1. Installation:

- Ensure the Picatinny rail is clean and free from debris.
- Align the FLIP UP FRONT SIGHT with the desired position on the rail.
- Securely fasten the rail clamp nut to prevent spinout when overtightened.
- Use a standard front sight tool for elevation adjustments, ensuring each click equals 1/4 MOA.

2. Usage:

- To deploy the sight, pull it upward until it clicks into place.
- To fold the sight back down, press it gently in the reverse direction.
- Always ensure the sight is stowed when not in use to protect the front post blade from damage.

3. Maintenance:

- Regularly clean the sight with a soft cloth to remove dirt and debris.
- Inspect the shroud and retaining pin to ensure they are functioning correctly.
- Replace any worn components with authorized replacements only.

Disposal Instructions

- Dispose of the FLIP UP FRONT SIGHT in accordance with local regulations.
- Do not dispose of the product in household waste. Check for recycling options in your area.
- Ensure that any plastic components are recycled properly to minimize environmental impact.

Contact Information for Further Support

For further assistance or inquiries regarding safety, installation, or usage, please refer to the manufacturer's contact details provided with your product packaging.

Thank you for your attention to these safety instructions. Enjoy the enhanced performance and reliability of your FLIP UP FRONT SIGHTS FOR PICATINNY RAIL.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk