

TEKKO FREE FLOAT KEYMOD RAIL SYSTEM FOR AR-15 - MISSION FIRST TACTICAL, LLC TEKKEO 15" FREE FLOAT KEYMOD RAIL SYS FOR AR15 ALUMINUM BLK

[Home](#)

MISSION FIRST TACTICAL TEKKO FREE FLOAT KEYMOD RAIL SYSTEM FOR AR-15 Free Float KeyMod Rail System replaces the plastic factory handguard. KeyMod attachment system provides secure mounting for MIL-STD 1913 Picatinny Rails and accessories such as vertical grips, lights, lasers, bipods and other rail mounted kit. Will accommodate most suppressor installations. Patent pending mounting, indexing and lock up system. Larger range of modularity with offset mounting positions as well as the traditional 12, 3, 6 and 9 o'clock positions. Monolithic style top rail eliminates the gap between the receiver and rail. Minor assembly required, utilizes standard barrel nut and will accommodate a standard front sight post, low profile gas block or Picatinny Rail gas block. The KeyMod system allows for universal modularity between numerous manufacturers of accessories, and accessory rails. Lightweight 6061 aluminum construction is Type 3 hard coat anodized. THE EASIEST FREE FLOAT RAIL TO INSTALL PERIOD! FEATURES Handguard replacement Secure platform for mounting Picatinny Rails and accessories Monolithic style top rail Allows most suppressor installations Lightweight 6061 aluminum construction is Type 3 hard coat anodized Removal of Delta ring and front sight post required. Utilizes the standard barrel nut KeyMod The New Standard in Modularity Instruction Sheet SPECS Height: 2.487" Width: 1.875"



Attributes

- Name: [MISSION FIRST TACTICAL, LLC TEKKEO 15" FREE FLOAT KEYMOD RAIL SYS FOR AR15 ALUMINUM BLK](#)
- Manufacturer: [MISSION FIRST TACTICAL, LLC](#)
- Product no.: 430117896
- Mfr. No.: TMARFF15KRS
- Colour: Black
- Length: 15"
- Type: Keymod
- Delivery weight: 0.454kg
- Shipping height: 63mm
- Shipping width: 48mm
- Shipping length: 381mm
- UPC: 814002020313

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [TEKKO FREE FLOAT KEYMOD RAIL SYSTEM FOR AR15](#)
- [About Us](#)

TEKKO FREE FLOAT KEYMOD RAIL SYSTEM FOR AR15

Consumer Safety Instruction Guide

Introduction

Thank you for choosing the TEKKO Free Float KeyMod Rail System for your AR15. This guide provides essential safety instructions, installation guidelines, and information for safe usage. It is important to read and understand this guide before using the product to ensure safe and effective operation.

General Safety Guidelines

- **Product Safety:** Ensure the safe use of the TEKKO Free Float KeyMod Rail System. Follow all instructions carefully to avoid injuries or damage.
- **Enhanced Recalls:** Be aware of any product recalls. If notified, follow the instructions provided for returning or remedying the product.
- **Online Shopping:** Whether purchased online or instore, ensure that the product meets all safety requirements.
- **Special Consumer Focus:** Extra care should be taken if children are present during installation or use.
- **EU Contact Point:** For any safety inquiries, refer to the relevant EU contact point for assistance.
- **Rapid Alerts:** Stay informed about any safety alerts regarding this product through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Installation Safety:**
 - Always ensure the firearm is unloaded before starting the installation.
 - Wear appropriate safety gear, including eye protection, during installation.
 - Handle tools with care to prevent injury.
- **Usage Safety:**
 - Regularly inspect the rail system for any signs of wear or damage.
 - Ensure all accessories mounted on the rail are securely fastened.
 - Do not exceed the weight limit of the rail system as specified by the manufacturer.
- **Child Safety:**
 - Keep the product and all installation tools out of the reach of children.
 - Never allow children to handle the firearm or accessories without supervision.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a standard barrel nut wrench and any additional tools required for your specific installation.
- Ensure you have a clean, welllit workspace.

2. Installation Steps:

- **Remove the Existing Handguard:**
 - Unload the firearm completely.
 - Remove the Delta ring and front sight post, if applicable.
- **Install the KeyMod Rail:**
 - Align the KeyMod rail with the standard barrel nut.
 - Securely fasten the rail according to the provided instructions.

- Ensure the rail is properly indexed and locked in place.
- **Attach Accessories:**
 - Use the KeyMod attachment system to mount Picatinny rails or other accessories.
 - Confirm that all accessories are securely attached before use.

3. Usage:

- Utilize the monolithic style top rail for mounting optics or other accessories.
- Ensure that any suppressor installations are compatible with the rail system.
- Regularly check the tightness of all mounted accessories.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Recycle materials whenever possible, following local recycling guidelines.

Contact Information for Further Support

For any questions or concerns regarding the TEKKO Free Float KeyMod Rail System, please refer to the appropriate contact point provided by the manufacturer or retailer.

Conclusion

By following these safety instructions and guidelines, you can ensure a safe and effective experience with your TEKKO Free Float KeyMod Rail System. Always prioritize safety and compliance with local laws and regulations.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk