

FLIP UP PICATINNY REAR SIGHTS - MISSION FIRST TACTICAL, LLC

FLIP UP REAR SIGHT SORCHED DARK EARTH

[Rifle Parts](#) > [Sights](#) > [Rear Sights](#)

MISSION FIRST TACTICAL FLIP UP REAR SIGHTS Polymer Flip Up Rear Sight with Windage Adjustment mounts onto a 1913 Picatinny Rail. A flat head screw driver is required to adjust an Infinite MOA. Unlike other backup sights MFT has developed a shroud that shelters the aperture from debris and impact damage when not deployed. A slim profile allows the sight to sit under all current magnifiers and optics. FEATURES Low profile snag resistant design Shroud protects aperture from debris and impact damage Dual peep, same plane aperture allows for perfect co-witness Unique closure with either aperture deployed Can fold to the rear, the correct direction if dropped Sight works in conjunction with all standard height front sights Manufactured using a specially developed Military Grade reinforced, super tough polyamide Rail clamp nut has been redesigned so that there is no spin out when overtightened All plastic components have been changed to a higher strength material. Retaining pin for the cover has been redesigned so that the pin does not slip out of position. SPECS Weight: .5oz Height: .879" Width: 1.08" Length: 2.23" O.A. /.6" from top of rail



Attributes

- Name: [MISSION FIRST TACTICAL, LLC FLIP UP REAR SIGHT SORCHED DARK EARTH](#)
- Manufacturer: [MISSION FIRST TACTICAL, LLC](#)
- Product no.: 430117897
- Mfr. No.: BUPSWR-SDE
- Colour: Scorched Dark Earth
- Style: Folding
- Delivery weight: 0.113kg
- Shipping height: 22mm
- Shipping width: 27mm
- Shipping length: 57mm
- UPC: 676315033134

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [FLIP UP PICATINNY REAR SIGHTS SAFETY INSTRUCTION GUIDE](#)
- [About Us](#)

FLIP UP PICATINNY REAR SIGHTS SAFETY INSTRUCTION GUIDE

Introduction

Thank you for choosing the FLIP UP PICATINNY REAR SIGHTS by MISSION FIRST TACTICAL, LLC. This guide is designed to provide you with essential safety instructions and guidelines for the proper use and maintenance of your rear sights. Please read this document carefully to ensure safe and effective usage.

General Safety Guidelines

- **Product Safety:** Ensure safe use of this product by following all instructions. This product is designed for nonfood use and is compliant with EU safety standards.
- **Enhanced Recalls:** Stay informed about product recalls. Check the EU Safety Gate platform for updates on safety notices.
- **Online Shopping:** When purchasing online, ensure that the seller complies with safety requirements, similar to physical stores.
- **Special Consumer Focus:** Extra caution is advised when this product is used by or around vulnerable groups, including children.
- **EU Contact Point:** For any safety inquiries, refer to the EU-based contact provided by the manufacturer.
- **Rapid Alerts:** Be aware of rapid alerts regarding unsafe products through the Safety Gate system.

Specific Safety Precautions for Use

- **Age Restrictions:** This product is intended for use by individuals aged 18 and older. Keep out of reach of children.
- **Proper Handling:** Always handle the sight with care. Avoid dropping or subjecting it to impact.
- **Windage Adjustment:** Use a flat head screwdriver for windage adjustments. Ensure adjustments are made carefully to avoid damage.
- **Debris Protection:** Always deploy the shroud when the sight is not in use to protect the aperture from debris and damage.
- **Installation Safety:** Ensure that the rail clamp nut is tightened appropriately to prevent spinout during use.
- **Check for Damage:** Regularly inspect the sight for any signs of wear or damage. If damaged, discontinue use immediately.

Instructions for Installation and Usage

1. Installation:

- Ensure that the firearm is unloaded before installation.
- Position the FLIP UP REAR SIGHT on the 1913 Picatinny Rail.
- Use a flat head screwdriver to tighten the rail clamp nut securely. Avoid overtightening to prevent damage.
- Confirm that the sight is stable and does not move when pulled.

2. Usage:

- To deploy the sight, pull the aperture up until it locks into place.
- For adjustments, use the flat head screwdriver to modify windage settings as needed.
- When not in use, fold the sight down and ensure the shroud is in place to protect the aperture.
- Always check the alignment with front sights to ensure proper cowitnessing.

3. **Maintenance:**

- Clean the sight periodically with a soft, dry cloth to remove dust and debris.
- Avoid using harsh chemicals or solvents that may damage the plastic components.

Disposal Instructions

- **Environmental Responsibility:** Dispose of the product in accordance with local regulations regarding plastic waste.
- **Recycling:** If possible, recycle the plastic components to minimize environmental impact.
- **Safe Disposal:** If the product is damaged beyond repair, ensure it is disposed of safely to prevent any hazards.

Contact Information for Further Support

For any further inquiries or support, please refer to the contact information provided by the manufacturer. Ensure that you have your product details available when seeking assistance.

By following these safety instructions, you can ensure the safe and effective use of your FLIP UP PICATINNY REAR SIGHTS. Thank you for your attention to these guidelines, and enjoy your product!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk