

TEKKO FREE FLOAT M-LOK RAIL SYSTEM FOR AR-15 - MISSION FIRST TACTICAL, LLC TEKKO 15" FREE FLOAT M-LOK RAIL SYS FOR AR-15 ALUMINUM BLK

[Home](#)

MISSION FIRST TACTICAL TEKKO FREE FLOAT M-LOK RAIL SYSTEM FOR AR-15 Free Float M-LOK Rail System replaces the plastic factory handguard. M-LOK attachment system provides secure mounting for MIL-STD 1913 Picatinny Rails and accessories such as vertical grips, lights, lasers, bipods and other rail mounted kit. Will accommodate most suppressor installations. Patent pending mounting, indexing and lock up system. Larger range of modularity with offset mounting positions as well as the traditional 12, 3, 6 and 9 o'clock positions. Monolithic style top rail eliminates the gap between the receiver and rail. Minor assembly required, utilizes standard barrel nut and will accommodate a standard front sight post, low profile gas block or Picatinny Rail gas block. The M-LOK system allows for universal modularity between numerous manufacturers of accessories, and accessory rails. Lightweight 6061 aluminum construction is Type 3 hard coat anodized. THE EASIEST FREE FLOAT RAIL TO INSTALL PERIOD! FEATURES Handguard replacement (10") Secure platform for mounting Picatinny Rails and accessories Monolithic style top rail Allows most suppressor installations Lightweight 6061 aluminum construction is Type 3 hard coat anodized Removal of Delta ring and front sight post required. Utilizes the standard barrel nut M-LOK The New Standard in Modularity Instruction Sheet SPECS Height: 2.42" Width: 2.29"



Attributes

- Name: [MISSION FIRST TACTICAL, LLC TEKKO 15" FREE FLOAT M-LOK RAIL SYS FOR AR-15 ALUMINUM BLK](#)
- Manufacturer: [MISSION FIRST TACTICAL, LLC](#)
- Product no.: 430117905
- Mfr. No.: TMARFF15MRS
- Colour: Black
- Length: 15"
- Type: M-LOK
- Delivery weight: 0.454kg
- Shipping height: 61mm
- Shipping width: 58mm
- Shipping length: 381mm
- UPC: 814002020849

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for TEKKO FREE FLOAT MLOK RAIL SYSTEM FOR AR15](#)
- [About Us](#)

Safety Instruction Guide for TEKKO FREE FLOAT MLOK RAIL SYSTEM FOR AR15

Introduction

Thank you for choosing the TEKKO Free Float MLOK Rail System for your AR15. This guide provides essential safety instructions and information to ensure the safe installation and usage of the product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure proper handling and usage of the product to prevent injury or damage.
- Always follow the manufacturer's instructions for installation and use.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product regularly for any signs of wear or damage.
- Report any unsafe conditions or incidents to the relevant authorities.
- Stay informed about product recalls and safety updates through the EU Safety Gate platform.

Specific Safety Precautions for Use

- **Installation Safety:**
 - Ensure the firearm is unloaded before beginning installation.
 - Use appropriate tools and wear safety glasses during installation.
- **Handling:**
 - Always treat your firearm as if it is loaded.
 - Avoid pointing the firearm at anything you do not intend to shoot.
- **Modularity:**
 - Only use accessories and components that are compatible with the MLOK system.
 - Regularly check the tightness of mounted accessories to prevent them from loosening during use.
- **Suppressor Use:**
 - Follow the manufacturer's instructions for suppressor installation.
 - Ensure that the suppressor is properly secured before use.

Instructions for Installation and Usage

1. Required Tools:

- Standard barrel nut wrench
- Torque wrench
- Phillips screwdriver
- Safety glasses

2. Installation Steps:

- Remove the existing plastic handguard from your AR15.
- Remove the Delta ring and front sight post if applicable.
- Attach the TEKKO Free Float MLOK Rail System using the standard barrel nut.
- Securely tighten the barrel nut to the manufacturer's specifications using a torque wrench.
- Install any desired MLOK accessories according to their specific instructions.
- Ensure that the top rail is aligned properly with the receiver to eliminate gaps.

3. Usage:

- Once installed, the rail system allows for the mounting of Picatinny rails and various accessories.
- Ensure that all mounted accessories are securely attached before use.
- Regularly check the integrity of the installation and accessories.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- If the product is damaged or no longer in use, consider recycling the aluminum components where possible.

Contact Information for Further Support

For safety inquiries or further assistance regarding the TEKKO Free Float MLOK Rail System, please consult the manufacturer's website or customer support resources.

This guide is designed to help you use the TEKKO Free Float MLOK Rail System safely and effectively. By following these instructions, you can ensure a safe and enjoyable experience with your product. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk