

TEKKO FREE FLOAT M-LOK RAIL SYSTEM FOR AR-15 - MISSION FIRST TACTICAL, LLC TEKKO 10" FREE FLOAT M-LOK RAIL SYS FOR AR-15 ALUMINUM BLK

[Home](#)

MISSION FIRST TACTICAL TEKKO FREE FLOAT M-LOK RAIL SYSTEM FOR AR-15 Free Float M-LOK Rail System replaces the plastic factory handguard. M-LOK attachment system provides secure mounting for MIL-STD 1913 Picatinny Rails and accessories such as vertical grips, lights, lasers, bipods and other rail mounted kit. Will accommodate most suppressor installations. Patent pending mounting, indexing and lock up system. Larger range of modularity with offset mounting positions as well as the traditional 12, 3, 6 and 9 o'clock positions. Monolithic style top rail eliminates the gap between the receiver and rail. Minor assembly required, utilizes standard barrel nut and will accommodate a standard front sight post, low profile gas block or Picatinny Rail gas block. The M-LOK system allows for universal modularity between numerous manufacturers of accessories, and accessory rails. Lightweight 6061 aluminum construction is Type 3 hard coat anodized. THE EASIEST FREE FLOAT RAIL TO INSTALL PERIOD! FEATURES Handguard replacement (10") Secure platform for mounting Picatinny Rails and accessories Monolithic style top rail Allows most suppressor installations Lightweight 6061 aluminum construction is Type 3 hard coat anodized Removal of Delta ring and front sight post required. Utilizes the standard barrel nut M-LOK The New Standard in Modularity Instruction Sheet SPECS Height: 2.42" Width: 2.29"



Attributes

- Name: [MISSION FIRST TACTICAL, LLC TEKKO 10" FREE FLOAT M-LOK RAIL SYS FOR AR-15 ALUMINUM BLK](#)
- Manufacturer: [MISSION FIRST TACTICAL, LLC](#)
- Product no.: 430117912
- Mfr. No.: TMARFF10MRS
- Colour: Black
- Length: 10"
- Type: M-LOK
- Delivery weight: 0.34kg
- Shipping height: 61mm
- Shipping width: 58mm
- Shipping length: 254mm
- UPC: 814002020856

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [TEKKO FREE FLOAT MLOK RAIL SYSTEM FOR AR15](#)
- [About Us](#)

TEKKO FREE FLOAT MLOK RAIL SYSTEM FOR AR15

Safety Instruction Guide

Introduction

Thank you for choosing the TEKKO FREE FLOAT MLOK RAIL SYSTEM FOR AR15 by MISSION FIRST TACTICAL, LLC. This guide provides essential safety information and instructions to ensure safe and effective use of the product. Please read this guide thoroughly before installation and use.

General Safety Guidelines

- Ensure that the product is suitable for your firearm model.
- Always handle firearms safely and responsibly.
- Keep the product out of reach of children and unauthorized users.
- Inspect the product for any damage before installation. Do not use if damaged.
- Follow all local laws and regulations regarding firearm modifications and accessories.
- Report any unsafe products or incidents to the appropriate authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Installation Precautions:**

- Ensure that the firearm is unloaded before beginning installation.
- Wear safety glasses to protect your eyes during installation.
- Handle tools with care to avoid injury.

- **Operational Precautions:**

- Always ensure that the rail system is securely attached before use.
- Avoid using accessories that exceed the weight limit of the rail system.
- Do not use the rail system in a manner not intended by the manufacturer.

- **Maintenance Precautions:**

- Regularly inspect the rail system for wear and tear.
- Clean the rail system according to the manufacturer's instructions to ensure optimal performance.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools: standard barrel nut wrench, safety glasses, and any additional tools required for your specific firearm.
- Ensure that your workspace is clean and free of distractions.

2. Removing the Factory Handguard:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the delta ring and front sight post from the factory handguard.
- Carefully detach the factory handguard from the firearm.

3. Installing the TEKKO Free Float MLOK Rail:

- Align the TEKKO rail with the standard barrel nut.

- Secure the rail using the standard barrel nut and follow the manufacturer's instructions for tightening.
- Attach the monolithic style top rail, ensuring there is no gap between the receiver and rail.

4. Mounting Accessories:

- Utilize the MLOK attachment system to securely mount Picatinny rails and accessories.
- Ensure that all accessories are properly tightened and do not obstruct the operation of the firearm.

5. Final Checks:

- Inspect the installation to ensure everything is secure.
- Test the functionality of the rail system and mounted accessories before use.

Disposal Instructions

- Follow local regulations for the disposal of metal products.
- Do not dispose of the product in regular household waste.
- Contact local waste management authorities for guidance on safe disposal.

Contact Information for Further Support

For any questions or concerns regarding the TEKKO FREE FLOAT MLOK RAIL SYSTEM, please refer to the manufacturer's website or customer support resources.

Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation. Enjoy your new rail system responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk