

TEKKO FREE FLOAT M-LOK RAIL SYSTEM FOR AR-15 - MISSION FIRST TACTICAL, LLC TEKKO 13.5" FREE FLOAT M-LOK RAIL SYS FOR AR-15 ALUMINUM BLK

MISSION FIRST TACTICAL TEKKO FREE FLOAT M-LOK RAIL SYSTEM FOR AR-15 Free Float M-LOK Rail System replaces the plastic factory handguard. M-LOK attachment system provides secure mounting for MIL-STD 1913 Picatinny Rails and accessories such as vertical grips, lights, lasers, bipods and other rail mounted kit. Will accommodate most suppressor installations. Patent pending mounting, indexing and lock up system. Larger range of modularity with offset mounting positions as well as the traditional 12, 3, 6 and 9 o'clock positions. Monolithic style top rail eliminates the gap between the receiver and rail. Minor assembly required, utilizes standard barrel nut and will accommodate a standard front sight post, low profile gas block or Picatinny Rail gas block. The M-LOK system allows for universal modularity between numerous manufacturers of accessories, and accessory rails. Lightweight 6061 aluminum construction is Type 3 hard coat anodized. THE EASIEST FREE FLOAT RAIL TO INSTALL PERIOD! FEATURES Handguard replacement (10") Secure platform for mounting Picatinny Rails and accessories Monolithic style top rail Allows most suppressor installations Lightweight 6061 aluminum construction is Type 3 hard coat anodized Removal of Delta ring and front sight post required. Utilizes the standard barrel nut M-LOK The New Standard in Modularity Instruction Sheet SPECS Height: 2.42" Width: 2.29"



Attributes

- Name: MISSION FIRST TACTICAL, LLC TEKKO 13.5" FREE FLOAT M-LOK RAIL SYS FOR AR-15 ALUMINUM BLK
- Manufacturer: MISSION FIRST TACTICAL, LLC
- Product no.: 430117914
- Mfr. No.: TMARFF13MRS
- Colour: Black
- Length: 13.5"
- Type: M-LOK
- Delivery weight: 0.408kg
- Shipping height: 61mm
- Shipping width: 58mm
- Shipping length: 343mm
- UPC: 814002021433

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für das TEKKO FREE FLOAT MLOK RAIL SYSTEM](#)
- [English: TEKKO FREE FLOAT MLOK RAIL SYSTEM FOR AR15 Safety Instruction Guide](#)
- [Italiano: Guida alle Istruzioni di Sicurezza per il Sistema di Rail MLOK Free Float TEKKO per AR15](#)

Sicherheitshinweise für das TEKKO FREE FLOAT MLOK RAIL SYSTEM

Einführung

Willkommen zu deinem neuen TEKKO FREE FLOAT MLOK RAIL SYSTEM für AR15. Dieses Produkt wurde entwickelt, um dir eine sichere und effektive Möglichkeit zur Montage von Zubehör an deinem AR15 zu bieten. Bitte beachte die folgenden Sicherheitshinweise, um eine sichere Nutzung zu gewährleisten.

Allgemeine Sicherheitsrichtlinien

- Stelle sicher, dass du alle Anweisungen in diesem Handbuch befolgst.
- Verwende das Produkt nur für den vorgesehenen Zweck.
- Halte das Produkt außerhalb der Reichweite von Kindern und schütze es vor unbefugtem Zugriff.
- Überprüfe das Produkt regelmäßig auf Beschädigungen oder Abnutzungserscheinungen.
- Bei Unsicherheiten oder Fragen zur Verwendung wende dich an den Hersteller oder einen Fachmann.

Besondere Sicherheitsvorkehrungen für die Nutzung

- Achte darauf, dass das MLOKSystem ordnungsgemäß installiert ist, um ein Verrutschen oder Lösen des Zubehörs zu vermeiden.
- Verwende nur kompatibles Zubehör, das für das MLOKSystem geeignet ist.
- Achte darauf, dass beim Umgang mit dem AR15 immer die Sicherheitsvorkehrungen beachtet werden, insbesondere beim Laden und Entladen.
- Verwende beim Installieren des Systems geeignete Werkzeuge, um Verletzungen zu vermeiden.
- Bei der Nutzung des AR15 mit installiertem MLOKRailSystem achte darauf, dass keine Teile blockiert sind, die die Funktionalität beeinträchtigen könnten.

Anweisungen zur Installation und Nutzung

1. Vorbereitung:

- Stelle sicher, dass du alle benötigten Werkzeuge zur Hand hast.
- Überprüfe, ob alle Teile des MLOK RAIL SYSTEM vollständig und unbeschädigt sind.

2. Installation:

- Entferne den DeltaRing und den vorderen Sichtposten des AR15.
- Setze die MLOKRail gemäß den Anweisungen des Herstellers auf den Empfänger des AR15.
- Achte darauf, dass die obere Schiene sicher und fest sitzt.
- Befestige das Zubehör an den MLOKSchlitzen gemäß den spezifischen Anweisungen für das jeweilige Zubehör.

3. Nutzung:

- Überprüfe vor jedem Gebrauch, ob alle Teile sicher befestigt sind.
- Nutze das AR15 gemäß den allgemeinen Sicherheitsrichtlinien für Feuerwaffen.

Entsorgungsanweisungen

- Entsorge das Produkt und seine Verpackung gemäß den örtlichen Vorschriften für Elektroschrott und Materialien.
- Stelle sicher, dass du alle Teile sicher und umweltfreundlich entsorgst.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder Unterstützung wende dich bitte an den Hersteller oder einen Fachmann. Es ist wichtig, dass alle Sicherheitshinweise und Installationsanweisungen beachtet werden, um die Sicherheit und Funktionalität des TEKKO FREE FLOAT MLOK RAIL SYSTEM zu gewährleisten.

Bitte halte dich an diese Richtlinien, um eine sichere und effektive Nutzung deines neuen Produkts zu garantieren.

TEKKO FREE FLOAT MLOK RAIL SYSTEM FOR AR15

Safety Instruction Guide

Introduction

Thank you for choosing the TEKKO FREE FLOAT MLOK RAIL SYSTEM FOR AR15 by MISSION FIRST TACTICAL, LLC. This guide provides essential safety instructions and guidelines to ensure the safe use and installation of your new product. Please read this manual carefully before use to understand potential hazards and how to avoid them.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the TEKKO FREE FLOAT MLOK RAIL SYSTEM in accordance with the EU General Product Safety Regulation (GPSR). This product is designed for nonfood use and adheres to safety standards.
- **Enhanced Recalls:** Be aware of standardized recall notices. If you receive a notice regarding this product, follow the instructions provided for remedy.
- **Online Shopping:** If purchased online, ensure that the seller meets safety requirements as mandated by EU regulations.
- **Special Consumer Focus:** This product is not intended for use by children. Keep out of reach of minors.
- **EU Contact Point:** For safety inquiries, ensure you have access to an EU-based contact.
- **Rapid Alerts:** Stay informed about any safety updates or recalls via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Installation Precautions:**
 - Ensure the firearm is unloaded before installation.
 - Use appropriate tools and follow installation instructions carefully to avoid injury.
- **Handling Precautions:**
 - Always treat the firearm as if it is loaded.
 - Never point the firearm at anything you do not intend to shoot.
- **Usage Precautions:**
 - Regularly check the rail system for any signs of wear or damage.
 - Do not overload the rail system with excessive accessories that exceed manufacturer recommendations.
- **Environmental Precautions:**
 - Avoid exposure to extreme temperatures or moisture that could affect the rail system's integrity.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a standard barrel nut wrench, and ensure a clean workspace.
- Verify that you have the TEKKO FREE FLOAT MLOK RAIL SYSTEM and all included components.

2. Installation Steps:

- **Remove the Existing Handguard:**
 - Ensure the firearm is unloaded.
 - Remove the delta ring and the front sight post.
- **Install the Barrel Nut:**
 - Use the standard barrel nut provided with the product.
 - Securely fasten the barrel nut according to the manufacturer's specifications.

- **Attach the MLOK Rail System:**
 - Align the rail system with the barrel nut and ensure proper fit.
 - Secure the rail system using the provided mounting hardware.
- **Check Installation:**
 - Ensure all components are tightly secured and there is no movement in the rail system.
 - Conduct a visual inspection to confirm proper installation.

3. Usage Instructions:

- Attach accessories using the MLOK attachment system as per the manufacturer's guidelines.
- Regularly check the tightness of accessories and the rail system to ensure safety during use.

Disposal Instructions

- **Environmental Considerations:** Dispose of the product and any associated packaging in accordance with local regulations. Do not dispose of in regular household waste.
- **Recycling:** If possible, recycle aluminum components to minimize environmental impact.

Contact Information for Further Support

For any inquiries or further assistance regarding the TEKKO FREE FLOAT MLOK RAIL SYSTEM FOR AR15, please refer to the manufacturer's website or customer service for support. Ensure you have your purchase information ready for a more efficient response.

By following the guidelines outlined in this safety instruction guide, you can ensure safe installation and use of your TEKKO FREE FLOAT MLOK RAIL SYSTEM FOR AR15. Thank you for prioritizing safety.

Guida alle Istruzioni di Sicurezza per il Sistema di Rail MLOK Free Float TEKKO per AR15

Introduzione

Grazie per aver scelto il TEKKO FREE FLOAT MLOK RAIL SYSTEM di MISSION FIRST TACTICAL, LLC. Questo sistema di rail è progettato per migliorare la funzionalità e la modularità della vostra arma. È importante seguire attentamente le istruzioni di sicurezza per garantire un uso sicuro e responsabile del prodotto. Questa guida fornisce informazioni essenziali per l'uso e la manutenzione del sistema di rail.

Linee Guida Generali di Sicurezza

- Assicurati che il prodotto sia installato correttamente prima dell'uso.
- Controlla regolarmente il sistema di rail per segni di usura o danni.
- Non utilizzare il prodotto se presenta anomalie o danni visibili.
- Segui sempre le istruzioni del produttore per l'installazione e l'uso.
- Tieni il prodotto lontano dalla portata dei bambini e di persone vulnerabili.
- In caso di emergenza o incidente, contatta le autorità competenti.

Precauzioni di Sicurezza Specifiche per l'Uso

- Utilizza solo accessori compatibili con il sistema MLOK.
- Non sovraccaricare il sistema di rail con accessori non autorizzati.
- Evita di utilizzare il prodotto in condizioni atmosferiche estreme che potrebbero comprometterne la funzionalità.
- Non tentare di modificare il prodotto in alcun modo.

Istruzioni per l'Installazione e l'Uso

- **Preparazione:** Assicurati di avere tutti gli strumenti necessari per l'installazione, tra cui una chiave a brugola e un cacciavite.
- **Rimozione del Handguard Esistente:**
 - Rimuovi l'anello Delta e il post di mira anteriore, se presenti.
 - Svitare il handguard di plastica di fabbrica.
- **Installazione del Sistema di Rail:**
 - Posiziona il TEKKO FREE FLOAT MLOK RAIL sul telaio dell'AR15.
 - Fissa il sistema di rail utilizzando il dado del barile standard MLOK.
 - Assicurati che il sistema di rail sia saldamente fissato prima di procedere.
- **Montaggio di Accessori:**
 - Utilizza le guide MLOK per montare accessori compatibili.
 - Segui le istruzioni specifiche per ciascun accessorio per garantire un montaggio sicuro.

Istruzioni per lo Smaltimento

- Segui le normative locali per lo smaltimento dei materiali.
- Non gettare il prodotto nell'ambiente. Ricicla i materiali quando possibile.
- Consulta il tuo comune per informazioni sullo smaltimento di prodotti in alluminio.

Informazioni di Contatto per Ulteriore Supporto

Per ulteriori informazioni, supporto o per segnalare prodotti non sicuri, ti invitiamo a contattare il tuo rivenditore o il produttore. È importante mantenere una comunicazione aperta per garantire la tua sicurezza e quella degli altri.