

.750" LOW PROFILE GAS BLOCK FOR AR-15 - ONE HORSE .750" LOW PROFILE GAS BLOCK FOR AR-15 BLACK

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

ONE HORSE .750" LOW PROFILE GAS BLOCK FOR AR-15 Achieve reliable gas flow with this Low Profile Steel Gas Block. Designed for .750" diameter barrels, this gas block is crafted from high-strength steel for exceptional durability and performance in demanding conditions. Its sleek, low-profile design fits seamlessly under free-float handguards, optimizing your AR15 build for a clean, streamlined look. The included set screws ensure secure, easy installation, making it an ideal choice for custom rifles or upgrades.

SPECIFICATIONS: Fits .750" diameter barrels for broad compatibility Durable steel construction for long-lasting reliability Low-profile design for enhanced aesthetics and handguard compatibility Made in the U.S.A Includes set screws for quick, secure mounting Perfect your AR15 gas system. Build a compact, hard-hitting .300 Blackout rifle with this 10.5" Pistol Gas Barrel. Chambered for .300 Blackout with a 1:7 twist rate, this barrel ensures optimal stabilization for both subsonic and supersonic rounds, delivering precision for tactical, hunting, or suppressed applications. The pistol-length gas system provides smooth cycling and reduced recoil, while the premium nitride finish enhances corrosion resistance, durability, and ease of maintenance. Crafted to Mil-Spec standards, it's the perfect foundation for a high-performance AR15 pistol or SBR.



Attributes

- Name: [ONE HORSE .750" LOW PROFILE GAS BLOCK FOR AR-15 BLACK](#)
- Manufacturer: [ONE HORSE](#)
- Product no.: 430118799
- Mfr. No.: OH-GB01
- Inside Diameter: .750
- Material: Steel
- Style: Screw
- Weapon type: AR-15
- Delivery weight: 0.454kg
- Shipping height: 254mm
- Shipping width: 102mm
- Shipping length: 152mm
- UPC: 850078799258

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for .750" Low Profile Gas Block for AR15](#)
- [About Us](#)

Safety Instruction Guide for .750" Low Profile Gas Block for AR15

Introduction

Thank you for choosing the .750" Low Profile Gas Block for AR15 by ONE HORSE. This guide provides essential safety information and instructions to ensure the safe use and installation of your gas block. Please read this guide thoroughly before use and keep it for future reference.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in this guide.
- Always handle firearms and firearm components with care and responsibility.
- Keep this product out of reach of children and unauthorized users.
- Inspect the gas block and surrounding components for any signs of damage before installation.
- If you are unsure about any aspect of installation or use, consult a qualified gunsmith.

Specific Safety Precautions for Use

- Use only with .750" diameter barrels to ensure proper fit and function.
- Do not modify the gas block in any way; unauthorized modifications may compromise safety and performance.
- Ensure that all set screws are securely tightened before use to prevent any movement during operation.
- Always wear appropriate safety gear, including eye protection, when handling firearms.
- Be aware of your surroundings and ensure that you are in a safe location when operating your firearm.

Instructions for Installation and Usage

1. Preparation

- Ensure that your firearm is unloaded and that the chamber is clear.
- Gather all necessary tools, including an Allen wrench for set screws.

2. Installation

- Remove any existing gas block from your barrel if applicable.
- Clean the area where the gas block will be installed to ensure a proper seal.
- Position the .750" Low Profile Gas Block over the gas port on the barrel.
- Align the gas block so that it is centered and level.
- Use the provided set screws to secure the gas block in place. Tighten the screws evenly to avoid misalignment.

3. Final Checks

- Doublecheck that all set screws are tightened securely.
- Inspect the installation to ensure there are no gaps or misalignments.
- Reassemble any other components of your firearm as necessary.

4. Usage

- After installation, test the gas block by firing a few rounds in a safe environment.
- Monitor for any signs of gas leakage or unusual operation.
- If any issues arise, cease use immediately and consult a qualified gunsmith.

Disposal Instructions

- Dispose of the gas block in accordance with local regulations.
- If the gas block is damaged or no longer usable, do not attempt to repair it. Instead, take it to a proper disposal facility.

Contact Information for Further Support

For any inquiries regarding safety or product performance, please refer to the manufacturer's contact information provided with your product packaging or visit the manufacturer's website.

By following these safety instructions, you can help ensure a safe and enjoyable experience with your .750" Low Profile Gas Block for AR15. Always prioritize safety and responsibility when handling firearms and their components.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk