

SERVICE RIFLE SOLVENT PORT - POSSUM HOLLOW SERVICE RIFLE SOLVENT PORT

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Guides](#)

Protects Chamber & Bore

Allows you to apply solvent to a patch or brush without contaminating the action, or your fingers. Tray collects loosened fouling and prevents it from falling into the action. Rubber O-ring seals-off the chamber area to prevent leakage and keeps port securely in place.



Attributes

- Name: [POSSUM HOLLOW SERVICE RIFLE SOLVENT PORT](#)
- Manufacturer: [POSSUM HOLLOW](#)
- Product no.: 528000030
- Mfr. No.: RP
- Model: M1 Garand,M1A,M14
- Weapon type: Springfield
- Delivery weight: 0.005kg
- Shipping height: 4mm
- Shipping width: 82mm
- Shipping length: 70mm

Item details

Made in USA

Table of Contents

- Startpage
- SERVICE RIFLE SOLVENT PORT SAFETY INSTRUCTION GUIDE
- About Us

SERVICE RIFLE SOLVENT PORT SAFETY INSTRUCTION GUIDE

Introduction

Thank you for choosing the SERVICE RIFLE SOLVENT PORT by POSSUM HOLLOW. This product is designed to help you safely apply solvent to patches or brushes while keeping your action and fingers free from contamination. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that the SERVICE RIFLE SOLVENT PORT is used only as intended.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product regularly for any signs of damage or wear before each use.
- If the product shows any signs of damage, discontinue use immediately and dispose of it properly.
- Always follow the manufacturer's instructions when using solvents and cleaning materials.

Specific Safety Precautions for Use

- Use the SERVICE RIFLE SOLVENT PORT in a wellventilated area to avoid inhalation of fumes.
- Wear appropriate personal protective equipment, such as gloves and safety goggles, when handling solvents.
- Do not use the product near open flames or heat sources.
- Ensure that the rubber O-ring is properly sealed to prevent leakage before use.
- Avoid overfilling the solvent port to reduce the risk of spills.
- Clean the product after each use to maintain its functionality and safety.

Instructions for Installation and Usage

1. Installation:

- Ensure that the SERVICE RIFLE SOLVENT PORT is clean and dry.
- Insert the port into the chamber area of your firearm, ensuring a snug fit.
- Verify that the rubber O-ring is properly seated to prevent leakage.

2. Usage:

- Apply solvent to a patch or brush using the SERVICE RIFLE SOLVENT PORT.
- Use the tray to collect loosened fouling and prevent it from falling into the action.
- After use, remove the port from the chamber area and clean it thoroughly.

Disposal Instructions

- Dispose of any unused solvents and cleaning materials in accordance with local regulations.
- The SERVICE RIFLE SOLVENT PORT can be disposed of in regular trash if it is no longer functional and has been cleaned thoroughly.
- Do not dispose of solvents or cleaning materials down drains or in the environment.

Contact Information for Further Support

For safety inquiries or additional support regarding the SERVICE RIFLE SOLVENT PORT, please consult the

manufacturer or your local distributor.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of the SERVICE RIFLE SOLVENT PORT. Always prioritize safety and adhere to the guidelines provided to prevent accidents and injuries. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk