

LOCK-N-LOAD MODIFIED CASES - 338 REMINGTON ULTRA MAGNUM MODIFIED CASE

[Reloading](#) > [Measuring Tools](#) > [Bullet Seating Depth Tools](#)

There are over 60 different modified cases available to use with Hornady Lock-N-Load Gauge. Hornady will make custom cartridges for those not listed. Details are available in the instructions. Modified cases will not work in tight neck chambers.



Attributes

- Name: [338 REMINGTON ULTRA MAGNUM MODIFIED CASE](#)
- Manufacturer: [HORNADY](#)
- Product no.: 749000721
- Mfr. No.: B338
- Cartridge: 338 Remington Ultra Magnum
- Series: B
- Delivery weight: 0.024kg
- Shipping height: 25mm
- Shipping width: 51mm
- Shipping length: 127mm
- UPC: 090255704181

Item details

Made in USA
EU Export Disabled

Table of Contents

- Startpage
- Safety Instruction Guide for LOCKNLOAD MODIFIED CASES 338 REMINGTON ULTRA MAGNUM MODIFIED CASE
- About Us

Safety Instruction Guide for LOCKNLOAD MODIFIED CASES 338 REMINGTON ULTRA MAGNUM MODIFIED CASE

Introduction

Thank you for choosing the LOCKNLOAD MODIFIED CASES 338 REMINGTON ULTRA MAGNUM MODIFIED CASE. This product is designed to enhance your reloading experience with the Hornady LockNLoad Gauge. To ensure safe and effective use, please read this guide carefully and follow all safety instructions.

General Safety Guidelines

- Always use the product in accordance with the manufacturer's instructions.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the product for any visible damage before use. Do not use if damaged.
- Ensure that the workspace is clean, dry, and welllit.
- Use personal protective equipment (PPE) as necessary, including safety glasses and gloves.
- Be aware of your surroundings and avoid distractions while using the product.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Modified cases are not compatible with tight neck chambers. Ensure compatibility before use.
- Do not exceed the recommended specifications for the modified cases.
- Handle all reloading components with care to prevent accidents.
- Store the modified cases in a cool, dry place to prevent deterioration.
- Follow all local laws and regulations regarding ammunition and reloading equipment.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools and materials for reloading.
- Ensure that you have a compatible Hornady LockNLoad Gauge.

2. Installation

- Insert the modified case into the Hornady LockNLoad Gauge according to the manufacturer's instructions.
- Ensure that the modified case is securely positioned before proceeding.

3. Usage

- Follow the specific reloading instructions provided with your components.
- Monitor the reloading process closely to ensure safety and accuracy.
- After use, remove the modified case from the gauge and inspect it for any signs of wear or damage.

4. PostUsage Care

- Clean the modified case as per the manufacturer's recommendations.
- Store the modified case in its original packaging or a suitable container to prevent damage.

Disposal Instructions

- Dispose of any damaged or worn modified cases in accordance with local regulations.
- Do not dispose of modified cases in regular household waste. Check with local authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the LOCKNLOAD MODIFIED CASES 338 REMINGTON ULTRA MAGNUM MODIFIED CASE, please refer to the manufacturer's contact information provided on the packaging or visit the official website.

Conclusion

By following these safety instructions, you can ensure a safe and effective reloading experience with the LOCKNLOAD MODIFIED CASES 338 REMINGTON ULTRA MAGNUM MODIFIED CASE. Always prioritize safety and compliance with local regulations. Thank you for choosing Hornady products.

About Us

Brownells Deutschland

**Brownells Deutschland - Einer der größten Lieferanten für Waffenteile,
Büchsenmacherwerkzeug & Schießsportzubehör**

Lahnstraße 1
24539 Neumünster
Deutschland

www.brownells-deutschland.de