

SINCLAIR STAINLESS STEEL PILOTS - SINCLAIR INTERNATIONAL PILOT STOP, STAINLESS STEEL, 40 CALIBER

[Reloading](#) > [Case Preparation](#) > [Flash Hole Tool Pilots](#)

We manufacture pilots for our flash hole tool and our Neck Thickness/Variance Gauge. Our pilots are precision machined from stainless steel on CNC turning centers to properly fit new, unfired case necks. Available for rifle and pistol cartridges from 22 thru 45 caliber. Not for use on .50 BMG. 50 BMG flash hole diameter is larger.



Attributes

- Name: [SINCLAIR INTERNATIONAL PILOT STOP, STAINLESS STEEL, 40 CALIBER](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749000937
- Mfr. No.:
- Caliber: 40/10 mm (.400-.401)
- Delivery weight: 0.005kg
- Shipping height: 1mm
- Shipping width: 89mm
- Shipping length: 89mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for Sinclair Stainless Steel Pilots
- About Us

Safety Instruction Guide for Sinclair Stainless Steel Pilots

Introduction

Thank you for choosing the Sinclair Stainless Steel Pilots. These precisionmachined tools are designed for use with our flash hole tool and neck thickness/variance gauge. To ensure safe and effective use of this product, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure that you are familiar with the operation of your flash hole tool and neck thickness/variance gauge before using the pilots.
- Store pilots in a safe, dry place away from children and pets.
- Always inspect the pilots for any signs of damage or wear before use.
- Use the pilots only for the intended purpose and with compatible cartridges (22 to 45 caliber).
- Do not use the pilots with .50 BMG cartridges, as their flash hole diameter is larger and may result in improper use.
- Report any unsafe conditions or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Wear appropriate safety gear, including safety glasses, to protect your eyes while using the pilots.
- Handle the pilots with care to avoid injury from sharp edges.
- Do not exceed the recommended specifications for caliber and cartridge type.
- Avoid using the pilots in environments where they may be exposed to moisture or extreme temperatures.
- Keep your work area clean and organized to prevent accidents.

Instructions for Installation and Usage

1. Preparation:

- Before installation, ensure that your flash hole tool and neck thickness/variance gauge are clean and free from debris.
- Gather all necessary tools and materials for the installation.

2. Installation of the Pilot:

- Align the pilot with the flash hole tool or neck thickness/variance gauge.
- Gently insert the pilot into the designated slot, ensuring a snug fit.
- Confirm that the pilot is securely in place before proceeding.

3. Usage:

- Follow the specific instructions provided with your flash hole tool or neck thickness/variance gauge for operation.
- Use steady pressure when operating the tool to ensure accurate measurements and results.
- After use, carefully remove the pilot and store it in a safe location.

Disposal Instructions

- Dispose of any damaged or worn pilots in accordance with local waste disposal regulations.
- Do not dispose of pilots in general household waste if they are made from recyclable materials. Check

with local recycling programs for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the Sinclair Stainless Steel Pilots, please refer to the product packaging for contact information. You can also find additional resources and updates on the EU's Safety Gate platform for any recall notices or safety updates.

Thank you for prioritizing safety in your use of our products. Enjoy your experience with the Sinclair Stainless Steel Pilots!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk